



Faculty of Computer Science and Mathematics
Universiti Malaysia Terengganu

LAB REPORT

CSE3023 Web-Based Application Development

Name	Wai Pei Yuen
Matric No.	S74991
Semester	2025/26-2
Lab Report	6
Demonstrator	Ts. Dr. Wan Nural Jawahir Hj Wan Yussof

Exercise:

Source Code:

insertUser.html

```
<!DOCTYPE html>
<html>
  <head>
    <title>Register User</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
  <body>
    <h1>User Registration Form</h1>
    <form action="processUser.jsp" method="post">
      <table>
        <tr>
          <td><label for="username">Username:</label></td>
          <td><input type="text" id="username" name="username" required></td>
        </tr>
        <tr>
          <td><label for="password">Password:</label></td>
          <td><input type="password" id="password" name="password" required></td>
        </tr>
        <tr>
          <td><label for="firstname">First Name:</label></td>
          <td><input type="text" id="firstname" name="firstname" required></td>
        </tr>
        <tr>
          <td><label for="lastname">Last Name:</label></td>
          <td><input type="text" id="lastname" name="lastname" required></td>
        </tr>
        <tr>
          <td></td>
          <td>
            <input type="submit" value="Submit">
            <input type="reset" value="Cancel">
          </td>
        </tr>
      </table>
    </form>
  </body>
</html>
```

processUser.jsp

```
<!--
  Document      : processUser
  Created on    : May 12, 2026, 11:32:58 PM
  Author       : wpy92
-->

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@page language="java"%>
<%@page import="java.sql.*"%>

<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Process User</title>
  </head>
  <body>
    <%
      String username = request.getParameter("username");
      String password = request.getParameter("password");
      String firstname = request.getParameter("firstname");
      String lastname = request.getParameter("lastname");

      try
      {
        int result;

        Class.forName("com.mysql.jdbc.Driver");

        String myURL = "jdbc:mysql://localhost:3307/csa3023";
        Connection myConnection = DriverManager.getConnection(myURL, "root", "");

        String sInsertQry = "INSERT INTO userprofile VALUES (?, ?, ?, ?)";

        PreparedStatement myPS = myConnection.prepareStatement(sInsertQry);

        myPS.setString(1, username);
        myPS.setString(2, password);
        myPS.setString(3, firstname);
        myPS.setString(4, lastname);

        result = myPS.executeUpdate();

        if(result > 0)
        {
          out.println("<h2>Record successfully inserted!</h2>");
        }

        myConnection.close();
      }

      catch(Exception e)
      {
        out.println("Error : " + e.getMessage());
      }
    %>
  </body>
</html>
```

login.jsp

```
<%--
    Document    : login
    Created on  : May 12, 2026, 11:46:48 PM
    Author       : wpy92
--%>

<%
String message = request.getParameter("msg");
%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>Login Page</title>
    </head>
    <body>
        <h1>User Login</h1>
        <%
            if (message != null) {
                <p style="color:red;">
                    <%= message%>
                </p>
            }
        %>

        <form action="doLogin.jsp" method="post">
            <table>
                <tr>
                    <td><label for="username">Username:</label></td>
                    <td><input type="text" id="username" name="username" required></td>
                </tr>
                <tr>
                    <td><label for="password">Password:</label></td>
                    <td><input type="password" id="password" name="password" required></td>
                </tr>
                <tr>
                    <td></td>
                    <td>
                        <input type="submit" value="Login">
                        <input type="reset" value="Cancel">
                    </td>
                </tr>
            </table>
        </form>
    </body>
</html>
```

doLogin.jsp

```
<%--
    Document    : doLogin
    Created on  : May 12, 2026, 11:32:58 PM
    Author     : wpy92
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@page language="java"%>
<%@page import="java.sql.*"%>

<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>Process User</title>
    </head>
    <body>
        <%
            String username = request.getParameter("username");
            String password = request.getParameter("password");

            try {
                ResultSet result = null;

                Class.forName("com.mysql.jdbc.Driver");

                String myURL = "jdbc:mysql://localhost:3307/csa3023";
                Connection myConnection = DriverManager.getConnection(myURL, "root", "");

                String sInsertQry = "SELECT * FROM userprofile WHERE username=? AND password=?";

                PreparedStatement myPS = myConnection.prepareStatement(sInsertQry);

                myPS.setString(1, username);
                myPS.setString(2, password);

                result = myPS.executeQuery();

                if (result.next()) {
                    String firstname = result.getString("firstname");
                    String lastname = result.getString("lastname");

                    response.sendRedirect(
                        "main.jsp?username=" + username
                        + "&firstname=" + firstname
                        + "&lastname=" + lastname
                    );

                } else {

                    response.sendRedirect(
                        "login.jsp?msg=Invalid username or password.."
                    );

                }

                myConnection.close();

            } catch (Exception e) {
                out.println("Error : " + e.getMessage());
            }
        %>
    </body>
</html>
```

main.jsp

```
<%--
    Document      : main.jsp
    Created on    : May 12, 2026, 11:55:49 PM
    Author       : wpy92
--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>Main Page</title>
    </head>
    <body>
        <h1>Login Successful</h1>

        <%
            String username = request.getParameter("username");
            String firstname = request.getParameter("firstname");
            String lastname = request.getParameter("lastname");
        %>


        <table border="1">
            <tr>
                <td>Username</td>
                <td><%= username%></td>
            </tr>

            <tr>
                <td>First Name</td>
                <td><%= firstname%></td>
            </tr>

            <tr>
                <td>Last Name</td>
                <td><%= lastname%></td>
            </tr>
        </table>
    </body>
</html>
```

Output:

insertUser.html



← ↻ ⓘ localhost:8080/Exercise_Lab6_S74991/insertUser.html


User Registration Form

Username:

Password:

First Name:

Last Name:



Register User × +

← ↻ ⓘ localhost:8080/Exercise_Lab6_S74991/insertUser.html

User Registration Form

Username:

Password:

First Name:

Last Name:

Result




Process User × +

← ↻ ⓘ localhost:8080/Exercise_Lab6_S74991/processUser.jsp

Record successfully inserted!

login.jsp




The screenshot shows a web browser window with a single tab titled "Login Page". The address bar displays the URL "localhost:8080/Exercise_Lab6_S74991/login.jsp". The page content features a large heading "User Login". Below the heading, there are two input fields: "Username:" and "Password:". Under the "Password:" field, there are two buttons: "Login" and "Cancel".

Username:

Password:

If the username and password correct



A screenshot of a web browser window. The title bar shows a single tab labeled 'Login Page'. The address bar displays 'localhost:8080/Exercise_Lab6_S74991/login.jsp'. The main content area features the heading 'User Login' in a large, bold, black serif font. Below the heading, there are two input fields: 'Username:' containing the text 'Lee Chong Min' and 'Password:' containing six dots. At the bottom of the form are two buttons: 'Login' and 'Cancel'.

Username: Lee Chong Min

Password:

Login Cancel


Result (direct to main.jsp)



A screenshot of a web browser window. The title bar shows a single tab labeled 'Main Page'. The address bar displays 'localhost:8080/Exercise_Lab6_S74991/main.jsp?username=Lee%20Chong%20Min&firstname=Chong%20Min&lastname=Lee'. The main content area features the heading 'Login Successful' in a large, bold, black serif font. Below the heading is a table with three rows and two columns.


Username	Lee Chong Min
First Name	Chong Min
Last Name	Lee

If the username and password incorrect



A screenshot of a web browser window. The tab is titled 'Login Page'. The address bar shows 'localhost:8080/Exercise_Lab6_S74991/login.jsp'. The page content features a large heading 'User Login'. Below it, there are two input fields: 'Username:' containing 'Lee Chong Wei' and 'Password:' containing six dots. At the bottom of the form are two buttons: 'Login' and 'Cancel'.

Result (redirect to login.jsp)



A screenshot of a web browser window. The tab is titled 'Login Page'. The address bar shows 'localhost:8080/Exercise_Lab6_S74991/login.jsp?msg=Invalid%20username%20or%20password..!'. The page content features a large heading 'User Login'. Below the heading is a red error message: 'Invalid username or password..!'. Underneath the message are two input fields: 'Username:' and 'Password:'. At the bottom of the form are two buttons: 'Login' and 'Cancel'.