Frameshift Wallpaper Website Complete Setup Guide

GitHub Pages + Supabase + Google Login + Razorpay + AdSense
Hinglish me, step by step. Sab kuch jo humne is project me kiya, ek jagah.

Cheez	Value
GitHub repo	github.com/ForYouGameDev/Wallpaper-Website-Full-Stack-Project
Live website	https://foryougamedev.github.io/Wallpaper-Website-Full-Stack-Project/
Admin panel	.../Wallpaper-Website-Full-Stack-Project/admin
Supabase project ref	ppjbiohmyxhkjkpdlxey
Supabase URL	https://ppjbiohmyxhkjkpdlxey.supabase.co
Tech stack	React 18, Vite 5, TypeScript, Tailwind CSS 3, Supabase (DB, Auth, Storage, Edge Functions)
Tarikh	26 October 2026

DHYAN DO Is PDF me **koi secret key nahi** hai. Apni asli keys (service_role, Razorpay Key Secret, Google Client Secret, database password) kabhi kisi ko mat bhejna, GitHub par mat daalna, aur screenshots me mat dikhana.

Is guide me kya hai

1. Project ek nazar me 3

2. PC par local setup 4

3. Supabase setup 5

4. Google login setup 6

5. Admin account banana 8

6. GitHub par website live karna 9

7. Wallpapers upload karna 12

8. Edge Functions aur free download 13

9. Razorpay payment gateway 14

10. Google AdSense (ads) 16

11. Launch se pehle checklist 17

12. Jo problems aayi aur unke fix 18

13. Cheat sheet 19

1. Project ek nazar me

Ye ek **wallpaper marketplace** hai: free aur premium wallpapers, Google login, favorites, admin panel se upload, aur Razorpay se payment. Poora kaam 4 hisso me bata hua hai:

Hissa	Kaha chalta hai	Kaam
Frontend (website)	GitHub Pages (free hosting)	Jo visitors dekhte hain: home, explore, login, admin
Backend	Supabase	Database, Google login, image storage, Edge Functions (download link, payment)
Payments	Razorpay	UPI, QR, cards, netbanking, wallets ek hi checkout window me
Ads	Google AdSense	Website par ads (approval ke baad)

> **NOTE** **Zaroori:** ye project plain HTML nahi hai. `index.html` ko double-click karne par page khali dikhega. Local me chalane ke liye hamesha `npm run dev` chalao aur `http://localhost:5173` kholo.

Kaun si key safe hai, kaun si secret

Public (frontend me daal sakte ho)	SECRET (kabhi share nahi)
Supabase Project URL Supabase anon / publishable key Razorpay Key ID (rzp_test_... / rzp_live_...) AdSense publisher ID (ca-pub-...)	Supabase **service_role** key Supabase database password Google OAuth **Client Secret** Razorpay **Key Secret** aur Webhook secret Supabase access token (sbp_...)

2. PC par local setup

2.1 Zaroori software

- **Node.js 20 ya naya** (nodejs.org). Check: `node -v`
- **Git** (git-scm.com). Windows par Git Bash saath me aata hai.
- Code editor: VS Code.

2.2 Install aur run

Project folder me (jaha package.json hai) Git Bash kholo:

```
npm install
npm run dev
```

Terminal me `http://localhost:5173/` dikhega, usko browser me kholo.

2.3 Problem jo humne face ki: Tailwind v4 / Vite 8 / vitest 5

Aapke PC par `tailwindcss@4`, `vite@8` aur `vitest@5` install ho gaye the, jabki project **Tailwind 3, Vite 5, Vitest 2** ke liye bana hai. Isse 2 errors aaye: "It looks like you're trying to use tailwindcss directly as a PostCSS plugin" aur npm **ERESOLVE** conflict. Kabhi bhi `npm install tailwindcss` bina version ke mat chalana.

Fix: `package.json` ko repo wale original par rakho (devDependencies me tailwindcss ^3.4.10, vite ^5.4.3, vitest ^2.0.5, @vitejs/plugin-react ^4.3.1), phir:

```
rm -rf node_modules package-lock.json
npm install
npm ls tailwindcss vite    # tailwindcss 3.x, vite 5.x dikhna chahiye
npm run dev
```

> **DHYAN DO** Git Bash me Linux commands (`rm -rf`) chalte hain. `rmdir /s /q` aur `del` Windows CMD ke hain, Git Bash me nahi chalte.

2.4 .env file (sirf local ke liye)

Project root me (jaha package.json hai) `.env` naam ki file banao. Naam sirf `.env` ho, `.env.txt` nahi.

```
VITE_SUPABASE_URL=https://ppjbiohmyxhkjkpdlxey.supabase.co
VITE_SUPABASE_ANON_KEY=yaha-anon-ya-publishable-key
VITE_SITE_NAME=Frameshift
VITE_SITE_URL=http://localhost:5173
VITE_CONTACT_EMAIL=aapka@gmail.com
```

- = ke dono taraf space nahi. Value ke around quotes nahi. URL ke end me / nahi.
- **service_role key kabhi .env me mat daalna.**
- .env badalne ke baad `npm run dev` ko Ctrl+C se band karke dobara chalao (Vite sirf start par padhta hai).
- **.env ko GitHub par upload mat karna.** Wo sirf PC ke liye hai.

3. Supabase setup

3.1 Project banao

1. supabase.com par login karo, **New project** dabao (Free plan).
2. Name do, **Database Password** generate karke Notepad me save karo, Region: Mumbai (ap-south-1).
3. **Create new project**. 1-2 minute lagte hain.
4. Left menu me **Project Settings** (gear) > **API** (ya API Keys). Wahan se **Project URL** aur **anon / publishable key** copy karo.

Project URL ka format: `https://PROJECT_REF.supabase.co`. Aapka ref `ppjbiohmyxhkjkpdlxey` hai, to URL `https://ppjbiohmyxhkjkpdlxey.supabase.co`.

> **TIP** Supabase me do tarah ki keys dikh sakti hain: "publishable" (sb_publishable_...) aur legacy "anon". Dono frontend ke liye safe hain. "secret" ya "service_role" key ko haath bhi mat lagana.

3.2 Database tables banao (migrations)

Repo ke `supabase/migrations/` me 4 SQL files hain. Supabase > **SQL Editor** me **order me, sirf ek baar** run karo:

File	Kya banati hai
0001_schema.sql	Tables (profiles, wallpapers, orders...), triggers, sign-up par profile banane ka trigger
0002_rls.sql	Row Level Security: kaun kya padh/likh sakta hai
0003_functions.sql	Payment fulfilment, analytics aur admin functions
0004_storage.sql	Storage buckets: **previews** (public) aur **originals** (private)

Ya chaaro files ek hi query me jod ke ek baar paste karke Run kar do. **Dobara run mat karna.** Agar error aaye `relation "profiles" already exists`, to iska matlab tables pehle se ban chuke hain.

3.3 Check karo ki sab bana

```
select 'tables' as what, count(*)::text as value
  from information_schema.tables
  where table_schema = 'public' and table_type = 'BASE TABLE'
union all
select 'functions', count(*)::text from pg_proc where pronamespace = 'public'::regnamespace
union all
select 'policies', count(*)::text from pg_policies where schemaname in ('public','storage')
union all
select 'buckets', coalesce(string_agg(id, ', '), 'none') from storage.buckets;
```

Sahi result: **tables 15, functions 9, policies 28, buckets: previews, originals**. Ye aapke project me bilkul isi tarah aaya tha.

3.4 Optional: demo data

`supabase/seed.sql` run karne par demo categories aur `[SAMPLE]` wallpapers ban jate hain (bina images). Launch se pehle admin panel se ye sample rows delete kar do.

4. Google login setup

Login ka flow: website > Google > Supabase callback > wapas website. Isme 3 jagah settings sahi honi chahiye: Google Cloud, Supabase provider, aur Supabase URL configuration.

4.1 Google Cloud Console

1. console.cloud.google.com par **New Project** banao.
2. **APIs & Services > OAuth consent screen**: User Type **External**. App name, support email aur developer email bharo.
3. **Test users** me apna Gmail add karo (jab tak app "Testing" me hai, sirf test users login kar sakte hain).
4. **Credentials > Create credentials > OAuth client ID**. Application type: **Web application**.
5. **Authorized redirect URIs** me ye exact URL daalo (khali chhodoge to error aata hai):

```
https://ppjbiohmyxhkjkpdlxey.supabase.co/auth/v1/callback
```

6. **Create** dabao. **Client ID** aur **Client Secret** milenge. Secret turant copy karke safe jagah save karo.

Authorized JavaScript origins khali chhod sakte ho. Google ki settings lagne me 5 minute se kuch ghante lag sakte hain.

4.2 Supabase me Google provider

1. Supabase > **Authentication > Sign In / Providers > Google**. Toggle ON karo.
2. Client ID aur Client Secret paste karo. **Aage-peeche space nahi**, poori value copy karo.
3. **Save** dabao.

4.3 Supabase URL Configuration

Authentication > URL Configuration:

Field	Value
Site URL	https://foryougamedev.github.io/Wallpaper-Website-Full-Stack-Project/
Redirect URLs (dono add karo)	https://foryougamedev.github.io/Wallpaper-Website-Full-Stack-Project/ http://localhost:5173/

> **TIP** Site URL box wildcard (*) nahi leta. Spelling aur capital letters repo ke naam jaisi hi rakho, end me / lagao.

4.4 Aakhir me: app ko Production me publish karo

Google Cloud > OAuth consent screen > **Publish app**. Warna sirf test users hi login kar paayenge.

4.5 Login ke errors jo humne dekhe

Error / symptom	Wajah	Fix
Redirect URIs me "URI must not be empty"	Redirect URI wala box khali tha	Supabase callback URL (upar 4.1) paste karo
URL me `error=server_error ... Unable to exchange external code`	Supabase me Google ka Client Secret / Client ID galat ya adhura	Google me **Add secret** se naya secret banao, Client ID + secret dobara Supabase me paste, Save, 5 min ruko
`redirect_uri_mismatch`	Google me redirect URI exact match nahi	Callback URL ek bhi character alag na ho

Error / symptom	Wajah	Fix
`access_denied` / app not verified	Gmail Test users me nahi	OAuth consent screen > Test users me add karo
Login ke baad signed-in nahi dikhta	Site URL / Redirect URLs me live URL missing	Section 4.3 dobara check karo
Login button disabled	.env load nahi hui	Section 2.4, dev server restart

5. Admin account banana

Google se login karne par sirf normal **user** banta hai. Admin banane ka ek hi tareeka hai: database me role badalna. (Website se koi apna role badal nahi sakta, ye security ke liye hai.)

1. Live site par ek baar Google se login karo.
2. Supabase > **SQL Editor** > naya query. Ye teeno statements ek saath paste karke **Run** dabao:

```
insert into public.profiles (id, email, full_name, avatar_url)
select id, email,
       coalesce(raw_user_meta_data->>'full_name', raw_user_meta_data->>'name'),
       raw_user_meta_data->>'avatar_url'
from auth.users
on conflict (id) do nothing;

update public.profiles set role = 'admin'
where id = (select id from auth.users order by created_at limit 1);

select email, role from public.profiles;
```

3. Result me aapki email ke saath **admin** dikhna chahiye.
4. Website par **Sign out**, phir dobara **Sign in**.
5. Avatar par click > **Admin**, ya seedha `/admin` kholo.

> **NOTE** Pehla insert tab kaam aata hai jab aapne tables banne **se pehle** login kiya ho (profile row nahi bani hoti). Agar sirf aapne hi login kiya hai to ye query safe hai. Kisi aur ko admin banana ho to email se: `update public.profiles set role = 'admin' where email = 'naam@gmail.com';`

Supabase "Success. No rows returned" dikhata hai, jisme ye nahi batata ki kitni rows badli. Isliye hamesha ek `select email, role from public.profiles;` se verify karo.

6. GitHub par website live karna

Hosting GitHub Pages par hoti hai (free). GitHub Actions har push par website build karke publish karta hai.

6.1 Repo aur code

1. GitHub par **Public** repo banao (free Pages ke liye public chahiye).
2. Project folder se code push karo:

```
git init -b main
git add .
git status          # .env aur node_modules NAHI dikhne chahiye
git commit -m "Initial commit"
git remote add origin https://github.com/YOUR_USERNAME/REPO.git
git push -u origin main
```

6.2 .gitignore (har line shuru se, aage space nahi)

```
node_modules
dist
.env
.env.local
```

DHYAN DO Humare repo me 2 galtiyan hui thi: (1) `node_modules` naam ki ek file bana di gayi thi (folder nahi, wo PC par hi rehta hai, GitHub par kabhi nahi), aur (2) .gitignore ki har line ke aage 3 spaces aa gaye the (paste karte waqt). Spaces ke saath Git use ignore rule nahi maanta.

6.3 Workflow file: .github/workflows/deploy.yml

Ye file pehle se repo me hai. Last 3 ADSENSE lines AdSense update ke saath judti hain (section 10).

```
name: Deploy to GitHub Pages
on:
  push:
    branches: [main]
  workflow_dispatch:
permissions:
  contents: read
  pages: write
  id-token: write
concurrency:
  group: pages
  cancel-in-progress: true
jobs:
  build:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v4
      - uses: actions/setup-node@v4
        with:
          node-version: 20
          cache: npm
      - run: npm ci
      - run: npm run typecheck
      - run: npm test
      - name: Build
        env:
```

```
          VITE_BASE: /${{ github.event.repository.name }}/
          VITE_SUPABASE_URL: ${{ vars.VITE_SUPABASE_URL }}
          VITE_SUPABASE_ANON_KEY: ${{ vars.VITE_SUPABASE_ANON_KEY }}
          VITE_SITE_NAME: ${{ vars.VITE_SITE_NAME }}
          VITE_SITE_URL: ${{ vars.VITE_SITE_URL }}
          VITE_CONTACT_EMAIL: ${{ vars.VITE_CONTACT_EMAIL }}
          VITE_ADSENSE_CLIENT: ${{ vars.VITE_ADSENSE_CLIENT }}
          VITE_ADSENSE_SLOT_HOME: ${{ vars.VITE_ADSENSE_SLOT_HOME }}
          VITE_ADSENSE_SLOT_DETAIL: ${{ vars.VITE_ADSENSE_SLOT_DETAIL }}
        run: npm run build
      - run: cp dist/index.html dist/404.html
      - uses: actions/upload-pages-artifact@v3
        with:
          path: dist
  deploy:
    needs: build
    runs-on: ubuntu-latest
    environment:
      name: github-pages
      url: ${{ steps.deployment.outputs.page_url }}
    steps:
      - id: deployment
        uses: actions/deploy-pages@v4
```

`VITE_BASE` repo ke naam se base path banata hai, aur `404.html` copy isliye hai ki page refresh par 404 na aaye.

6.4 GitHub settings

1. Repo > **Settings > Pages > Build and deployment > Source: GitHub Actions**.
2. Repo > **Settings > Secrets and variables > Actions > Variables** tab. Yaha 5 variables banao:

Name	Value
VITE_SUPABASE_URL	https://ppjbiohmyxhkjkpdlxey.supabase.co
VITE_SUPABASE_ANON_KEY	anon / publishable key
VITE_SITE_NAME	Frameshift
VITE_SITE_URL	https://foryougamedev.github.io/Wallpaper-Website-Full-Stack-Project (end me / nahi)
VITE_CONTACT_EMAIL	aapka email

DHYAN DO **Sabse badi galti jo hui:** ye 5 cheezein **Secrets** tab me bana di gayi thi (lock icon wali list). Workflow `vars.` se padhta hai, Secrets se nahi, isliye site ko koi value mili hi nahi aur page khali raha. Inhe **Variables** tab me banana hai.

3. Variables badalne ke baad **Actions** tab > latest run > **Re-run all jobs**. Values build ke waqt site me bhar jati hain, purane build me nahi badalti.
4. Hara tick aane par site `https://foryougamedev.github.io/Wallpaper-Website-Full-Stack-Project/` par live hai. **Ctrl+Shift+R** se refresh karo.

6.5 Code me ek zaroori fix: src/lib/supabase.ts

Pehle ye line thi: `createClient(url ?? ..., anon ?? ...)`. Variable khali string ho to `??` fallback nahi deta aur `createClient("")` crash karta hai (poora page khali). Ab `||` hai:

```
export const supabase = createClient(url || 'http://localhost:54321', anon || 'missing-anon-key', {
```

6.6 Repo ko web se edit/upload karna

- Chhota change: file kholo > pencil icon > edit > **Commit changes**.
- Nayi file: **Add file > Create new file** (naam me `folder/file.tsx` likhne se folder bhi ban jata hai).
- Zip upload nahi hoti. Pehle PC par **Extract** karo, phir andar ki files aur folders drag karo. `.gitignore` hidden hoti hai (File Explorer > View > Hidden items).
- Index.html me debug ke liye jo "TEMP DEBUG" script joda tha, wo hata dena chahiye (AdSense update me hata diya gaya hai).

7. Wallpapers upload karna

1. `/admin` > **Upload**. Ek ya kai images chuno. Title, category, tags bharo.
2. Free ya Premium (premium ke liye price Rs.).
3. **Status**: default **Draft (hidden)** hai. Draft wallpaper home page par nahi dikhta. **Published** chuno ya baad me list me publish karo.
4. **Upload** dabao. Browser khud thumbnail, 500px preview aur watermarked preview banata hai. Original **private** bucket me jata hai.
5. **Admin > Wallpapers** list me "Draft - publish" par click karke publish karo.
6. Home par dikhne ke liye Ctrl+Shift+R.

> **NOTE** Jab upload ke beech koi step fail ho jata hai, code poora rollback kar deta hai (adhoora wallpaper nahi bachta). Upload page par us image ke saamne laal error text aata hai.

Agar image home par na dikhe: (1) status Draft to nahi? (2) `select title, status, preview_path from public.wallpapers;` chalao, (3) preview_path ko `https://ppjbiohmyxhkjkpdlxey.supabase.co/storage/v1/object/public/previews/PATH` me daal ke browser me kholo.

Copyright: sirf wahi wallpapers upload karo jo aapke khud ke hain ya jinka license aapke paas hai. Ads aur payments dono ke liye ye zaroori hai.

8. Edge Functions aur free download

Original wallpaper **private bucket** me rehta hai. Download dabane par website `get-download-url` function se 60 second ka secure link banwati hai. Jab tak ye function deploy nahi hota, free download bhi kaam nahi karta. Ye humne theek kiya.

8.1 Supabase CLI login

```
npx supabase login
```

- Enter dabao, browser khulega, Authorize karo. Browser me ek **8 characters ka verification code** dikhega (sirf 0-9 aur a-f). Wahi terminal me paste karo.
- Error `device_code: Invalid string / Too big` = aapne galat text paste kiya (code 8 characters ka hota hai).
- Ek baar me ek hi command chalao, do commands saath paste mat karo.
- Agar code na mile: supabase.com/dashboard/account/tokens se token banao aur `npx supabase login --token sbp_...` chalao. Token password jaisa hai, share mat karo.

8.2 Link, secret, deploy (ek-ek karke)

```
npx supabase link --project-ref ppjbiohmyxhkjkpdlxey

npx supabase secrets set ALLOWED_ORIGIN=https://foryougamedev.github.io

npx supabase functions deploy get-download-url --use-api
```

DHYAN DO Humari 2 spelling ki galtiyan: secret ka naam **ALLOWED_ORIGIN** hai (humne ALLOW_ORIGIN likha), aur command **functions** hai (humne function likha). Galat secret hatane ke liye: `npx supabase secrets unset ALLOW_ORIGIN`. `--use-api` se Docker install nahi karna padta.

`ALLOWED_ORIGIN` me sirf site ka origin aata hai: `https://foryougamedev.github.io` (path nahi, end me / nahi). Deploy ke baad Supabase > **Edge Functions** me function dikhna chahiye.

Test: live site par Ctrl+Shift+R, ek **Published** free wallpaper kholo, **Download** dabao. Na chale to F12 > Console / Network me error dekho, ya Supabase > Edge Functions > get-download-url > Logs.

9. Razorpay payment gateway

Razorpay ka poora code project me pehle se hai (order banana, signature verify, webhook, secure download). Aapko sirf setup karna hai. **UPI, QR, cards, netbanking aur wallets** sab Razorpay ki ek checkout window me aa jate hain, alag alag kuch banana nahi padta.

> **DHYAN DO** **Apna personal UPI QR ya UPI ID website par mat lagana.** Website ko pata hi nahi chalega ki kisne paisa diya, to koi bhi "paid" bolke download le sakta hai. Payment ka verification sirf payment gateway ke signature se hota hai.

Abhi payment add nahi karna ho to: koi dikkat nahi. Browse, login, free download sab chalta hai. Sirf Premium wallpapers ka checkout band rahega.

Step 1: Razorpay account (Test mode)

1. razorpay.com par sign up karo. Upar **Test Mode** ON rakho. Abhi KYC nahi chahiye.
2. **Account & Settings > API Keys > Generate Test Key**. **Key ID** (rzp_test_...) aur **Key Secret** milega. Secret sirf ek baar dikhta hai, turant save karo.

Step 2: Webhook secret socho

Ek lamba random text khud banao (20-30 characters). Ye Razorpay se nahi milta. Step 4 aur Step 5 dono me yahi chahiye.

Step 3: Supabase CLI connected ho

Agar section 8 kar chuke ho to ye pehle se ho chuka hai.

```
npx supabase login
npx supabase link --project-ref ppjbiohmyxhkjkpdlxey
```

Step 4: Secrets set karo (ek hi line)

```
npx supabase secrets set PAYMENT_PROVIDER=razorpay RAZORPAY_KEY_ID=rzp_test_XXXX
RAZORPAY_KEY_SECRET=XXXX RAZORPAY_WEBHOOK_SECRET=APNA_RANDOM_TEXT
ALLOWED_ORIGIN=https://foryougamedev.github.io ALLOW_MOCK_PAYMENTS=false
```

SUPABASE_URL aur service role key Supabase functions ko khud deta hai, aapko nahi daalni. Key Secret kabhi GitHub ya frontend me nahi jati.

Step 5: Saari payment functions deploy karo

```
npx supabase functions deploy create-order verify-payment validate-coupon get-download-url
payment-webhook --use-api
```

`supabase/config.toml` me `verify_jwt = false` pehle se hai (har function khud caller ko check karta hai). Usko mat badalna.

Step 6: Razorpay me webhook

Razorpay Dashboard (Test mode) > **Account & Settings > Webhooks > Add New Webhook**:

Field	Value
URL	https://ppjbiohmyxhkjkpdlxey.supabase.co/functions/v1/payment-webhook
Secret	Wahi random text jo Step 2 me banaya
Events	payment.captured, order.paid, payment.failed, refund.processed

Webhook backup hai: agar user payment ke baad page band kar de, tab bhi order paid ho jata hai.

Step 7: Test karo (live site par, localhost par nahi)

1. Google se login. Admin me ek Premium wallpaper upload karo (price jaise Rs. 10) aur Published karo.
2. Wallpaper kholo, **Buy** dabao. Razorpay window khulegi.
3. Test payment: Razorpay docs me di gayi test UPI ID aur test card use karo (test mode me asli paisa nahi katta).
4. Check: Profile me purchase dikhe, Download chale, Razorpay Dashboard > Transactions me payment dikhe.

Error	Wajah / Fix
Payment provider rejected the order	RAZORPAY_KEY_ID ya KEY_SECRET galat. Step 4 dobara chalao (naya purane ko replace karta hai)
CORS error (browser console)	ALLOWED_ORIGIN galat. Sirf https://foryougamedev.github.io
Order paid nahi hua	Webhook secret dono jagah same? Supabase > Edge Functions > payment-webhook > Logs dekho
Mock payments are disabled	PAYMENT_PROVIDER=razorpay set nahi hua, Step 4 dobara

Step 8: Asli paise ke liye (live mode)

1. Razorpay me **Activate Account** (KYC): PAN, bank account, aur ek website jisme terms, privacy, refund policy aur contact clearly dikhe. Site me `/legal/*` pages hain, unhe apne hisaab se review karo. Activation me kuch din lag sakte hain.
2. Live mode me naye keys (rzp_live_...) banao.
3. Step 4 dobara chalao, sirf RAZORPAY_KEY_ID aur RAZORPAY_KEY_SECRET live wale. Live mode me naya webhook banao (same URL).
4. Pehle Rs. 1-10 ka asli payment khud karke dekho.
5. Razorpay ki fees (percentage + GST) unki pricing page par dekho, wo badalti rehti hain.
6. **ALLOW_MOCK_PAYMENTS=false** hi rehna chahiye.

Dusra gateway (Cashfree / Paytm / PayPal)

Code me `PaymentProvider` structure hai (`supabase/functions/_shared/provider.ts`). Naya provider banane ke liye 3 cheezein: order banana, payment verify karna, webhook padhna, phir `getProvider()` me register karna aur `WallpaperDetail.tsx` me uski checkout window kholna. Database aur download code me kuch nahi badalta.

10. Google AdSense (ads)

> **NOTE** **AdMob** sirf mobile apps (Android/iOS) ke liye hai, website ke liye nahi. Website ke liye Google ka option **AdSense** hai. Ads abhi **band** hain: jab tak aap apni ID nahi daalte, site bilkul pehle jaisi rehti hai.

10.1 Update me kya jodha gaya (adsense-update.zip)

File	Kaam
src/components/AdSlot.tsx	Ad ka component. ID ya slot na ho to kuch render nahi karta
vite.config.ts	ID set hone par AdSense script aur verification meta tag me jodta hai
src/pages/Home.tsx	Home par "New arrivals" ke baad ek ad
src/pages/WallpaperDetail.tsx	Wallpaper page par details ke neeche ek ad (Download/Buy button se door)
src/pages/Legal.tsx	Privacy policy me AdSense wala paragraph
.github/workflows/deploy.yml	3 naye variables build me bhejta hai
src/vite-env.d.ts, index.html, docs/ADS.md	Types; TEMP DEBUG hataya; ads ka guide

Zip upload karne ke baad Actions me hara tick dekho. Poora typecheck GitHub ke deploy me hi chalta hai; laal aaye to error text bhejo.

10.2 Ads on karne ke steps (approval ke baad)

1. Apna **domain** lo aur GitHub Pages se jodo. AdSense aam taur par `github.io` subdomain approve nahi karta (current rules AdSense ki site par check karo).
2. adsense.google.com par site add karo. Aapko **publisher ID** (`ca-pub-...`) milegi.
3. `public/ads.txt` banao (AdSense exact line batata hai). Ye `https://aapkadomain/ads.txt` par milni chahiye, sub-path par nahi chalti.
4. AdSense > **Privacy & messaging** me free consent message banao (EU/UK visitors ke liye zaroori).
5. Ad units banao (Display ad) aur har ek ka **data-ad-slot** number copy karo.
6. GitHub > Variables me 3 variables jodo (neeche table).
7. Actions > Re-run all jobs.

Variable	Value
VITE_ADSENSE_CLIENT	ca-pub-XXXXXXXXXXXXXXXX
VITE_ADSENSE_SLOT_HOME	home page wale ad unit ka slot number
VITE_ADSENSE_SLOT_DETAIL	wallpaper page wale ad unit ka slot number

10.3 Rules

- Apne ads par kabhi click mat karo, na kisi se click karwao. Account band ho sakta hai.
- Ads ko download/buy button ke paas ya content jaisa dikhne wali jagah mat lagao. Ads /admin, login aur checkout par nahi dikhte.
- Sirf apne ya licensed wallpapers. Copied anime/cars/games images par ads nahi lagane chahiye.
- Privacy policy me ads ka text rakho (update me jod diya gaya hai). Dusre ad/analytics tools jodo to policy update karo.

11. Launch se pehle checklist

Done	Kaam
[ ]	Supabase: 15 tables, 9 functions, 28 policies, 2 buckets (section 3.3)
[ ]	Google login chalta hai, Google app Production me publish (section 4)
[ ]	Aap admin ho aur /admin khulta hai (section 5)
[ ]	GitHub: Pages source = GitHub Actions, Variables (Secrets nahi) set, Actions hara tick (section 6)
[ ]	.gitignore sahi hai, repo me .env ya node_modules nahi
[ ]	Wallpapers upload + Published, home par dikhte hain (section 7)
[ ]	Free download chalta hai: get-download-url deploy (section 8)
[ ]	[SAMPLE] demo rows delete
[ ]	Legal pages (/legal/terms, privacy, refunds) apne business ke hisaab se review
[ ]	Razorpay: test payment theek, phir KYC + live keys + live webhook (section 9)
[ ]	ALLOW_MOCK_PAYMENTS=false
[ ]	AdSense: domain, approval, ads.txt, consent message, variables (section 10)
[ ]	index.html me TEMP DEBUG script nahi
[ ]	Supabase Auth Site URL aur Redirect URLs me live (aur custom domain wala) URL

12. Jo problems aayi aur unke fix

Problem	Wajah	Fix
Local me HTML double-click par khali page	Vite + React project hai, .tsx browser nahi chalata	npm install, npm run dev, localhost:5173
Tailwind PostCSS plugin error	Tailwind v4 install ho gaya	tailwindcss@3.4.x, clean install (section 2.3)
npm ERESOLVE vite / plugin-react	vite 8 / vitest 5 install hue	package.json original par, clean install
rmdir / del Git Bash me nahi chale	Wo CMD commands hain	rm -rf use karo
Live URL par khali page	Variables Secrets tab me the / khali	Variables tab me banao, Re-run all jobs (6.4)
Page crash khali (code)	createClient("") jab variable khali	?? ki jagah || (6.5)
"Unable to exchange external code"	Google Client Secret galat	Naya secret banao, Supabase me paste (4.5)
relation "public.profiles" does not exist	Migrations run nahi hui thi	Section 3.2
relation "profiles" already exists	Migration doosri baar run hui	Kuch nahi, tables ban chuke; 3.3 se verify karo
/admin redirect ho jata hai	Role admin nahi, ya profile row nahi	Section 5, sign out/in
Wallpaper home par nahi	Status Draft	Admin > Wallpapers > publish
Free download nahi chala	get-download-url deploy nahi tha	Section 8
supabase login code error	Galat text paste (code 8 hex chars ka)	Browser me dikha 8-char code paste, ya access token
Secret / command typo	ALLOW_ORIGIN, "function"	ALLOWED_ORIGIN, "functions"
Zip upload nahi hui	GitHub zip extract nahi karta	PC par extract, files/folders upload ya web editor
.gitignore kaam nahi kar rahi	Lines ke aage spaces	Spaces hatao (6.2)
"Create node_modules" commit	node_modules ek file ke roop me bani	File delete (folder PC par hi rehta hai)

13. Cheat sheet

Roz ke commands

```
npm install            # pehli baar / package badalne par
npm run dev            # local server (localhost:5173)
npm run typecheck      # types check
npm test               # tests
npm run build          # production build
```

Supabase CLI

```
npx supabase login
npx supabase link --project-ref ppjbiohmyxhkjkpdlxey
npx supabase secrets set NAME=value
npx supabase secrets unset NAME
npx supabase functions deploy FUNCTION_NAME --use-api
```

Kaam ki SQL

```
select email, role from public.profiles;
select id, email, created_at from auth.users;
select title, status, preview_path from public.wallpapers;
update public.profiles set role = 'admin' where email = 'naam@gmail.com';
```

Important links

Kya	Kaha
GitHub repo	github.com/ForYouGameDev/Wallpaper-Website-Full-Stack-Project
Live site	foryougamedev.github.io/Wallpaper-Website-Full-Stack-Project/
Supabase dashboard	supabase.com/dashboard/project/ppjbiohmyxhkjkpdlxey
Supabase access tokens	supabase.com/dashboard/account/tokens
Google Cloud Credentials	console.cloud.google.com > APIs & Services > Credentials
Razorpay dashboard	dashboard.razorpay.com
AdSense	adsense.google.com
Repo ke andar docs	docs/SETUP.md, docs/PAYMENTS.md, docs/PRODUCTION_CHECKLIST.md, docs/ARCHITECTURE.md, docs/ADS.md

TIP Jab bhi koi error aaye, uska **screenshot ya poora text** bhejna sabse tez raasta hai. Screenshot me keys, secrets, tokens aur login links na dikhein.