



Step 1.



Step 1: Install a suitable crypto wallet.


The two dominant players in this space are MetaMask and Trust Wallet.

MetaMask is a good option because it has both a mobile app and a Google Chrome extension that make it easy to use.

In this guide we will take you through how to setup a wallet using the MetaMask browser extension.


Step 1.1

Visit the official MetaMask website and click on the ‘Download now’ button.



Step 1.2

Click on the 'Install MetaMask for Chrome' button.



Note: MetaMask also comes as a browser extension for Firefox, Brave, and Edge.

Step 2.



Step 2: Account setup.

Once installed, click 'Get Started' and follow the prompts. You will need to create a strong password. Please do not forgot this password, you will need it to access the chrome extension.

Step 2.1: Word phrase.

Next, you will need write down your word backup phrase, in the event you forget your word phrase or lose the device that the wallet is installed on.

A word phrase is a list of common words used as your wallet security password.

We recommend you **print** or write out your word phrase at least twice and keep it in a safe location.

Never share this phrase with anyone, as they will be able to access your MetaMask wallet remotely.



Step 3.




Step 3: Setup your wallet.

Configure your wallet to work with the Binance Smart Chain.


Step 3.1

To configure your wallet click on settings under the 'My Accounts' tab.



Step 3.2

Click on 'Networks' and then 'Add a network'



Step 3.3


Copy and paste the following data into the relevant field:

- Network Name: Smart Chain
- New RPC URL: <https://bsc-dataseed.binance.org/>
- Chain ID: 56
- Symbol: BNB
- Block Explorer URL: <https://bscscan.com>

Confirm by clicking on the 'Save' button.

Step 3.4

Now, at the top of your MetaMask interface, confirm the “Smart Chain” is selected



Note: at the top of your MetaMask interface, you will see your wallet address listed below the ‘Account 1’ tab.



Step 4.




Step 4: Import tokens.

The first step is to add 3 tokens to your asset list in your wallet.

Step 4.1

First we will import the BUSD token.

Open your MetaMask wallet and click Import Token.



Step 4.2

Paste the following contract address:

0xe9e7CEA3DedcA5984780Bafc599bD69ADd087D56

Click ‘Add Custom Token’

Note: The other fields will automatically populate

Import tokens

Custom token

Make sure you trust a token before you import it. Learn how to avoid [token scams and security risks](#). You can also enable token detection [in your Settings](#).

Token contract address

7CEA3DedcA5984780Bafc599bD69ADd087D56

Token symbol

Edit

BUSD


Token decimal18

Add custom token

Step 4.3

Next we will import the USDT token.

Open your MetaMask wallet and click Import Token.



Step 4.4

Paste the following contract address:

0x55d398326f99059fF775485246999027B3197955

Click ‘Add Custom Token’

Note: The other fields will automatically populate

Import tokens

Custom token

Make sure you trust a token before you import it. Learn how to avoid [token scams and security risks](#). You can also enable token detection [in your Settings](#).

Token contract address

0x55d398326f99059fF775485246999027B319

Token symbol

USDT

Edit

Token decimal


18

Add custom token

Step 4.5

Now you need to import the THONIC token.

Open your MetaMask wallet again click
Import Token



Step 4.6

Paste the following contract address:

0x41DE98caD918Ad2BF2D9c1e61B53537dbbdB29d8

Click ‘Add Custom Token’

Note: The other fields will automatically populate

Import tokens

Custom token

Make sure you trust a token before you import it. Learn how to avoid [token scams and security risks](#). You can also enable token detection [in your Settings](#).

Token contract address

0x41DE98caD918Ad2BF2D9c1e61B53537dbbdB29d8

Token symbol

THONIC

Token decimal

9

Add custom token