
AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78A
Stability: 0.58
Sig. Mutations: 117/31.6%
Percentage of Double Base Substitutions
40%
30%
20%
10%
0
CA CG CT GA GG GT TA TG TT
CA CC CG GA GC TA
AA AG AT GA GG GT TA TG TT AT
GC GT TA TC TT
AA AC AG GA GC GG TA TC TG
AA AG AT CA CG TA
AT CG CT GC GG GT
AA AG AT CA CG CT GA GG GT
AA AC AT CA CC CT GA GC GT
AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78B
Stability: 0.65
Sig. Mutations: 84/22.7%
Percentage of Double Base Substitutions
44%
33%
22%
11%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78C
Stability: 0.37
Sig. Mutations: 41/11.1%
Percentage of Double Base Substitutions
60%
45%
30%
15%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78D
Stability: 0.88
Sig. Mutations: 28/7.6%
Percentage of Double Base Substitutions
92%
69%
46%
23%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78E
Stability: 0.71
Sig. Mutations: 21/5.7%
Percentage of Double Base Substitutions
72%
54%
36%
18%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78F
Stability: 0.17
Sig. Mutations: 18/4.9%
Percentage of Double Base Substitutions
36%
27%
18%
9%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78G
Stability: -0.33
Sig. Mutations: 17/4.6%
Percentage of Double Base Substitutions
12%
9%
6%
3%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78H
Stability: 0.17
Sig. Mutations: 17/4.6%
Percentage of Double Base Substitutions
32%
24%
16%
8%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78I
Stability: 0.06
Sig. Mutations: 15/4.1%
Percentage of Double Base Substitutions
44%
33%
22%
11%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG


AC>NN
AT>NN
CC>NN
CG>NN
CT>NN
GC>NN
TA>NN
TC>NN
TG>NN
TT>NN
DBS78J
Stability: -0.01
Sig. Mutations: 12/3.2%
Percentage of Double Base Substitutions
32%
24%
16%
8%
0
CA CG CT GA GG GT TA TG TT CA CC CG GA GC TA AA AG AT GA GG GT TA TG TT AT GC GT TA TC TT AA AC AG GA GC GG TA TC TG AA AG AT CA CG TA AT CG CT GC GG GT AA AG AT CA CG CT GA GG GT AA AC AT CA CC CT GA GC GT AA AC AG CA CC CG GA GC GG