
```
%1a
data = load('data/curve80.txt');
x = data(:,1);
y = data(:,2);
[Xtr Xv Ytr Yv] = splitData(x,y,.75);
%1b
linear_regression = linearRegress(Xtr,Ytr);
xs = [0:.05:10]';
ys = predict(linear_regression, xs);
figure(8);
plot(xs,ys,'-k',Xtr,Ytr,'r.', 'markersize', 20, 'linewidth', 2);
```



```
mse(linear_regression, Xtr, Ytr) ans = 1.1277

mse(linear_regression, Xv, Yv) ans = 2.2423

%1c


D = [1, 3, 5, 7, 10, 18];
errors=[];
for degree=1:6,
    figure(degree)
    XtrP = fpoly(Xtr, D(degree), false);
    [XtrP, M,S] = rescale(XtrP);
    %Phi = @(x) rescale( fpoly(x,degree,false), M,S);
```


Nick Imkamp 62086284 Homework 2

```
Ir = linearRegress(XtrP, Ytr);
phi = rescale(fpoly(xs, D(degree), false),M,S);
plot(xs,predict(lr,phi),'k-',Xtr,Ytr,'r.',Xv,Yv,'g.','markersize',10,'linewidth',2)
ax = axis;


Xvp = rescale(fpoly(Xv,D(degree), false), M,S);
errors(:,end+1) = [mse(lr,XtrP,Ytr) , mse(lr,Xvp,Yv)]';
snapnow;
end;
figure(7);
semilogy(D, errors(1,:),'-r',D,errors(2,:),'-g');
```

D=1







D=3




D = 5




D =7



D =10







Nick Imkamp 62086284 Homework 2

Published with MATLAB® R2014b Error