

a
Learned low-pass
Learned high-pass (darker shade)
Initialisation (uniform mix)
−3 dB cut-off
C=19, 256 Hz
C=32, 512 Hz
C=64, 256 Hz
C=128, 512 Hz
δ θ α β γ
EEG |H(f)|
C=12, 500 Hz
C=1, 250 Hz
P/T QRS
ECG |H(f)|
C=16, 2000 Hz
C=24, 2000 Hz
C=64, 2000 Hz
20–450 Hz
sEMG |H(f)|
Frequency (Hz)
b
uniform init
sym4 sym5 db6 sym8 db8
FACED
HBN
HGD
M3CV
PhysioNet-MI
TDBRAIN
TUEG
EEG
uniform init
db4 db6 sym4 sym8 coif2
CODE-15%
Georgia
Icentia11k
MedalCare-XL
MIMIC-IV-ECG
PulseDB
SPH
ECG
uniform init
db2 db4 db7 sym4 sym5
CEMHSEY 5×13
CEMHSEY 8×8
emg2pose
emg2qwerty
Hyser
putEMG
sEMG
Mean selector weight
c
EEG
ECG
sEMG
initialisation
C=64
C=16
C=24
C=19
C=1
C=64
C=12
C=128
C=32
Low-pass −3 dB cut-off (Hz)
Sampling rate (Hz)