Code style and lint

English version of ../../development/code-style.md.

What is checked and with what

Tool	Version	Configuration	Where it runs
ruff	>=0.17,<0.18 (requirements-dev.txt)	ruff.toml	make lint, make verify, CI
pytest	>=8	pytest.ini/pyproject.toml	make test-backend, make test-auth
openapi	—	backend/openapi.json	make openapi-check

The linter configuration lives in the repository (ruff.toml) rather than in the defaults: the result must not depend on the ruff version installed on a developer machine.

Why the rule set is narrow

select = ["E9", "F"] — syntax, undefined names, unused imports and variables. That is what almost always points at a real bug. The strict sets (I, UP, BLE, ISC, SIM, PLW) produce hundreds of style findings in this code; enabling them is a separate task with its own review, not a side effect of a migration.

Tightening order:

1. Take one set (for example I — import sorting).
2. ruff check --select I --fix, a separate pull request, run the tests.
3. # noqa: <code> with a comment where the behaviour is intentional.
4. Add the set to select only after CI is green.

Commands

```
make lint        # ruff over the whole repository
make test-backend
make test-auth
make verify      # lint + docs-check + tests + openapi-check
```

Agreements

- New code comes with a test; a test does not need the network or PostgreSQL when it checks the domain.
- Money goes through domain/money.py only; float is forbidden in calculations.
- Every number in an API response has provenance (domain/provenance.py).