Module map: what to borrow for another project

The application is already layered. The table answers "what to take if I need X".

Need	Files to take	External dependencies	Replace
Pure game rules and scoring	`app/domain/`	—	the rule set itself; keep it free of I/O
Rooms, chat, round scheduler	`app/realtime/`	`flask-socketio`	transport and event names
Accounts, achievements, campaigns	`app/services/`	—	tables in `app/user_db.py`
SQLite with WAL and idempotent migrations	`app/db.py`, `app/user_db.py`	—	schema functions
Optional AI provider with offline fallback	`app/ai_client.py`, `app/services/ai_client.py`	`gigachat`	provider and prompts
Input validation and error format	`app/validation.py`, `app/errors.py`	—	message catalogue
Rate limiting in-process	`app/ratelimit.py`	—	limits per endpoint
Health endpoint covering both databases	`app/http_api/health.py`	—	database list

Transfer rules

1. The dependency direction is fixed: `domain` → nothing, `services` → `domain` + `db`, `realtime`/`http_api` → `services`. A module that breaks the arrow cannot be borrowed alone.
2. No global mutable state except the process-local room registry: it is the reason a single process is the supported deployment.
3. Tests come with the module: `domain` → `tests/test_domain.py`, `realtime` → `tests/test_realtime.py`, `tests/test_socket_flow.py`.
4. Configuration is read through one helper, never at import time.

What is not here

- No `Repository`/ORM layer: two SQLite files with explicit SQL.
- No plugin system: services are imported directly, the graph is small enough to read.