

Assignment of Compiler Design

1. Write a C program that read the following string:

"Md. Tareq Zaman, Part-3, 2011"

- a) Count number of words, letters, digits and other characters.
- b) Separates letters, digits and others characters.

2. Write a program that read the following string:

"Munmun is the student of Computer Science & Engineering".

- a) Count how many vowels and Consonants are there?
- b) Find out which vowels and consonants are existed in the above string?
- c) Divide the given string into two separate strings, where one string only contains the words started with vowel, and another contains the words started with consonant.

3. Write a program that abbreviates the following code:

**CSE-3141 as Computer Science & Engineering, 3rd year, 1st semester,
Compiler Design, Theory.**

4. Build a lexical analyzer implementing the following regular expressions:

Integer variable = (i-nl-N)(a-zA-Z0-9)*

ShortInt Number = (1-9)((1-9)(0-9))((1-9)(0-9)(0-9))((1-9)(0-9)(0-9)(0-9))

LongInt Number = (1-9)(0-9)(0-9)(0-9)(0-9)+

Invalid Input or Undefined = Otherwise

5. Build a lexical analyzer implementing the following regular expressions:

Float variable = (a-hA-Ho-zO-Z)(a-zA-Z0-9)*

Float Number = 0.(0-9)(0-9)((1-9)(0-9)*.(0-9)(0-9)

Double Number = 0.(0-9)(0-9)(0-9)+((1-9)(0-9)*.(0-9)(0-9)(0-9)+

Invalid Input or Undefined = Otherwise

6. Build a lexical analyzer implementing the following regular expressions:

Character variable = ch_(a-zA-Z0-9)(a-zA-Z0-9)*

Binary variable = bn_(a-zA-Z0-9)(a-zA-Z0-9)*

Binary Number = 0(0|1)(0|1)*

Invalid Input or Undefined = Otherwise

7. Write a program to recognize C++

i) Keyword ii) Identifier iii) Operator iv) Constant

8. Write a program which converts a word of C++ program to its equivalent token.

RESULT:

Input: 646.45

Output: Float

Input: do

Output: Keyword

Input: 554

Output: Integer

Input: abc

Output: Identifier

Input: +

Output: Arithmetic Operator

9. Write a program that will check an English sentence given in present indefinite form to justify whether it is syntactically valid or invalid according to the following Chomsky

Normal Form:

$S \rightarrow SUB \ PRED$

$SUB \rightarrow PN \mid P$

$PRED \rightarrow V \mid V \ N$

$PN \rightarrow Sagor \mid Selim \mid Salma \mid Nipu$

$P \rightarrow he \mid she \mid I \mid we \mid you \mid they$

$N \rightarrow book \mid cow \mid dog \mid home \mid grass \mid rice \mid mango$

$V \rightarrow read \mid eat \mid take \mid run \mid write$

10. Write a program to implement a shift reducing parsing.

11. Write a program to generate a syntax tree for the sentence $a+b*c$ with the following grammar:

$E \rightarrow E+E \mid E-E \mid E * E \mid E / E \mid (E) \mid a \mid b \mid c$

12. Write a program which checks a validity of C++ expression derived by the following grammar:

$E \rightarrow E \ A \ E \mid (E) \mid ID$

$A \rightarrow + \mid - \mid * \mid /$

$ID \rightarrow \text{any valid identifier} \mid \text{any valid integer}$

RESULT:

Input: Enter a string : 2+3*5

Output: VALID

Input: Enter a string : 2+*3*5

Output: INVALID

13. Write a program to generate FIRST and FOLLOW sets using a given CFG.

14. Write a program to generate a FOLLOW set and parsing table using the following LL(1) grammar and FIRST set:

Grammar	FIRST set
$E \rightarrow TE'$	{id, (}
$E' \rightarrow +TE' \mid \epsilon$	{+, ϵ }
$T \rightarrow FT'$	{id, (}
$T' \rightarrow *FT' \mid \epsilon$	{*, ϵ }
$F \rightarrow (E) \mid id$	{id, (}

15. Write a program to generate a parse tree of predictive parser using the following parsing table:

	id	+	*	()	\$
E	$E \rightarrow TE'$			$E \rightarrow TE'$		
E'		$E' \rightarrow +TE'$			$E' \rightarrow \epsilon$	$E' \rightarrow \epsilon$
T	$T \rightarrow FT'$			$T \rightarrow FT'$		
T'		$T' \rightarrow \epsilon$	$T' \rightarrow *FT'$		$T' \rightarrow \epsilon$	$T' \rightarrow \epsilon$
F	$F \rightarrow id$			$F \rightarrow (E)$		

16. Write a program that converts the C++ expression to an intermediate code of Post-fix notation form.

RESULT:

Input:

Enter infix expression : (A - B) * (D/E)

Output:

Postfix : AB - DE / *

17. Write a program that converts the C++ statement to an intermediate code of Post-fix notation form.

RESULT:

Input:

Enter infix statement : if a then if c-d then a+c else a*c else a+b

Output:

Postfix : acd - ac + ac * ? ab + ?