MAINT-REVIEW · occupancy

Generated 29 Oct 2026, 11:16 pm (Asia/Dhaka). **Selected date 2026-06-13**. Bookings use the weekday and stored effective dates; maintenance is subtracted for this date. Every room role reserves the full stored interval. Holidays, single-date class changes and unrecorded use are not modeled.

Dated maintenance (1)

Review maintenance records and reasons. Active outages on this date are unioned for calculations.

#26 · 2026-06-01–2026-09-30 · Saturday, Sunday, Monday, Tuesday, Wednesday, Thursday, Friday · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Selected-date calculation · 2026-06-13

420 common usable minutes before maintenance · 90 maintenance minutes (90 within common windows) · 330 usable after maintenance.

90 booked during maintenance — Blocker · 27% utilization.

Schedule alerts (62)

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-06; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-06; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-06; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-06; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-07; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-07; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-07; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-07; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-01; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-01; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-01; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-01; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-02; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-02; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-02; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-02; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-03; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-03; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-03; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-03; 18 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-04; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-04; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-04; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Duplicate physical event for one teaching group · SYN-4101 has two overlapping meeting rows — shared classes must be stored once.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-05; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-05; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Blocker: Room maintenance: MAINT-REVIEW · First overlap 2026-06-05; 17 occurrence(s) · 9:30 AM – 11:00 AM · Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment. Synthetic maintenance: inspect and replace the room network equipment.

Bookings within available time

180 recorded booked minutes · 4 distinct events · 90 booked within available time · 330 usable after maintenance minutes · 0 booked outside common windows · 27% utilization

Common windows union stream-wide permitted minutes after subtracting each stream's own blocking breaks. Batch exceptions do not change this baseline. Overlapping/touching bookings count once in union minutes; event counts remain distinct.

Find potential gaps

Filters: All days · at least 45 min · Any capability · Any known/unknown seats.

Potential gaps against recorded data for the selected date, after maintenance. Holidays and single-date class changes are not modeled.

Saturday · 12:00 PM – 4:00 PM · 240 min · Unverified booking data

Saturday

Common windows: 9:00 AM – 4:00 PM. 180 booked · 90/330 within/common min · 0 outside. 90 booked during maintenance.

Configuration warning: DIPLOMA: common windows are not configured reliably; no free claim for this scope.

Unverified booking data — gaps on this day need checking.

9:00 AM – 12:00 PM · SYN-4101 · Synthetic maintenance review audience with a long readable label
Class #10 · full stored interval for every room role

9:00 AM – 12:00 PM · SYN-4101 · Synthetic maintenance review audience with a long readable label
Class #17 · full stored interval for every room role

9:00 AM – 12:00 PM · SYN-4101 · Synthetic maintenance review audience with a long readable label
Class #24 · full stored interval for every room role

9:00 AM – 12:00 PM · SYN-4101 · Synthetic maintenance review audience with a long readable label
Class #3 · full stored interval for every room role