



任务一：学习心得

1、注册有道云笔记

2、安装了vscode,并进行了初步的python环境搭建。



配置，保存：



3、git学习

①、github上fork叶子的的库为自己远程库

②、git clone 自己远程库

git clone <https://github.com/HarrisonLLee/deeptest>


③、在clone下来自己的库中的deeptest中的第一期中新建文件夹，并在文件夹中新建test.py文件

④、添加新的要上传的内容的git暂存区：git add .

⑤、提交到本地仓库：git commit -m "文件描述"

⑥、提交代码到自己的远程库：git push

⑦、在github上准备合并刚才提交的文件到叶子的总库，步骤如下：



small99 / deepest

Watch 6 Star 13 Fork 49

Code Issues 0 Pull requests 3 Projects 0 Wiki Insights

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#).

base fork: small99/deeptest base: master head fork: HarrisonLee/deeptest compare: master

There isn't anything to compare.

small99:master is up to date with all commits from HarrisonLee:master. Try [switching the base](#) for your comparison.

3

HarrisonLee / deepest
forked from small99/deeptest

Unwatch 1 Unstar 1 Fork 49

Code Pull requests 0 Projects 0 Wiki Insights Settings

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#).

base fork: HarrisonLee/deeptest base: master head fork: small99/deeptest compare: master

✓ Able to merge. These branches can be automatically merged.

Create pull request Discuss and review the changes in this comparison with others.

Commits 78 Files changed 42 Commit comments 0 23 contributors

4

HarrisonLee / deepest
forked from small99/deeptest

Unwatch 1 Unstar 1 Fork 49

Code Pull requests 0 Projects 0 Wiki Insights Settings

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

base fork: HarrisonLee/deeptest base: master head fork: small99/deeptest compare: master

✓ Able to merge. These branches can be automatically merged.

Title

Write Preview

Leave a comment

Attach files by dragging & dropping, [selecting them](#), or pasting from the clipboard.

Styling with Markdown is supported

Create pull request

Reviewers
No reviews—request one

Assignees
No one—assign yourself

Labels
None yet

Projects
None yet

Milestone
No milestone

如何同步总库内容到自己fork到的库：

1、配置上游项目地址。

```
git remote add upstream https://github.com/small99/deeptest
```

2、git remote -v

A terminal window with a black background and green text. The prompt is 'beixuan@DESKTOP-EQH0TB7 MINGW64 /g/deeptest (master)'. The command '\$ git remote -v' has been executed, showing the following output:

```
origin https://github.com/HarrisonLLee/deeptest/ (fetch)
origin https://github.com/HarrisonLLee/deeptest/ (push)
upstream https://github.com/small99/deeptest (fetch)
upstream https://github.com/small99/deeptest (push)
```

2、使用 fetch 命令更新，fetch 后会被存储在一个本地分支 upstream/master 上。

```
git fetch upstream
```

3、合并到本地分支。切换到 master 分支，合并 upstream/master 分支。

```
git checkout master
```

```
git merge upstream/master
```

4、提交推送。

```
→ git push origin master
```

此时叶子的库里更新的内容已经同步到我们fork的库里。

git最基础的提交/拉取功能可以使用，后面还需要继续去不断的深入学习，比如如何利用命令讲本地库的内容MR到总库、创建分支等等