
RoleName
ROLE_USER
ROLE_ADMIN
values()
valueOf(String)
Role
id
name
getId()
setId(Long)
getName()
setName(RoleName)
Type_User
id
nombre
User
id
isActive
fcts_name
last_name
phone_number
typeUser
username
email
password
roles
getIsActive()
setIsActive(Boolean)
getId()
setId(Long)
getFcts_name()
setFcts_name(String)
getLast_name()
setLast_name(String)
getPhone_number()
setPhone_number(String)
getTypeUser()
setTypeUser(Type_User)
getUsername()
setUsername(String)
getEmail()
setEmail(String)
getPassword()
setPassword(String)
getRoles()
setRoles(Set<Role>)
DateAudit
createdAt
updatedAt
getCreatedAt()
setCreatedAt(Instant)
getUpdatedAt()
setUpdatedAt(Instant)
Role_Repository
findByName(RoleName)
UserDateAudit
createdBy
updatedBy
getCreatedBy()
setCreatedBy(Long)
getUpdatedBy()
setUpdatedBy(Long)
News_Feed
id
title
description
picture
UserPrincipal
isActive
id
fcts_name
last_name
phone_number
typeUser
username
email
password
authorities
create(User)
getId()
getFcts_name()
getLast_name()
getPhone_number()
getTypeUser()
getUsername()
getEmail()
getPassword()
getAuthorities()
isAccountNonExpired()
isAccountNonLocked()
isCredentialsNonExpired()
isEnabled()
equals(Object)
hashCode()
JwtRefreshToken
token
user
expirationDateTime
getToken()
setToken(String)
getUser()
setUser(User)
setExpirationDateTime(Instant)
User_Repository
findByEmail(String)
findByUsernameOrEmail(String, String)
findByIdIn(List<Long>)
findByUsername(String)
existsByUsername(String)
existsByEmail(String)
UserDTO
id
fcts_name
last_name
email
phone_number
codePhoneNum
User_StepsDTO
fcts_nameUser
last_nameUser
steps
numberType_UserUser
usernameUser
User_Steps
id
user
steps
News_Feed_Repository
findAllBy(OrderBy)(Desc)(Pageable)
JwtAuthenticationResponseUser
userId
fcts_name
last_name
phone_number
type_user
username
email
accessToken
tokenType
refreshToken
expirationMsec
getRefreshToken()
setRefreshToken(String)
getExpirationMsec()
setExpirationMsec(Long)
getAccessToken()
setAccessToken(String)
getTokenType()
setTokenType(String)
getUserId()
setUserId(Long)
getFcts_name()
setFcts_name(String)
getLast_name()
setLast_name(String)
getPhone_number()
setPhone_number(String)
getType_user()
setType_user(String)
getUsername()
setUsername(String)
getEmail()
setEmail(String)
ApiResponse
success
message
getSuccess()
setSuccess(Boolean)
getMessage()
setMessage(String)
ApiException
RefreshTokenRepository
BadRequestException
JwtAuthenticationResponse
accessToken
refreshToken
tokenType
expirationMsec
getRefreshToken()
setRefreshToken(String)
getAccessToken()
setAccessToken(String)
getTokenType()
setTokenType(String)
getExpirationMsec()
setExpirationMsec(Long)
JwtTokenProvider
logger
jwtSecret
jwtExpirationMs
generateToken(UserPrincipal, String)
generateRefreshToken()
getUserIdFromJWT(String)
validateToken(String)
CustomUserDetailsService
userRepository
loadUserByUsername(String)
loadUserById(Long)
SpringSecurityAuditAwareImpl
getCurrentAuditor()
Type_User_Repository
UserDTOConverter
modelMapper
convertToDto(User)
User_StepsDTOConverter
modelMapper
convertToDto(User_Steps)
ResourceNotFoundException
resourceName
fieldName
fieldValue
getResourceName()
getFieldName()
getFieldValue()
User_Steps_Repository
findAllBy(OrderBy)(Desc)(Pageable)
findByUser_Id(Long)
News_Controller
news_feed_repository
getFeed()
addFeed(String, String, String)
Auth_Controller
authenticationManager
userRepository
roleRepository
type_user_repository
passwordEncoder
tokenProvider
refreshTokenRepository
jwtExpirationMsEn
authenticateUser(String, String)
refreshAccessToken(String)
saveRefreshToken(UserPrincipal, String)
registerUser(String, String, String, int, String, String, String)
JwtAuthenticationEntryPoint
logger
commence(HttpServletRequest, HttpServletResponse, AuthenticationException)
JwtAuthenticationFilter
tokenProvider
customUserDetailsService
logger
doFilterInternal(HttpServletRequest, HttpServletResponse, FilterChain)
getJwtFromRequest(HttpServletRequest)
AuditingConfig
auditorProvider()
User_Controller
user_repository
userDTOConverter
type_user_repository
authenticateUser()
checkUsernameAvailability(String)
checkEmailAvailability(String)
User_Steps_Controller
user_repository
user_steps_repository
user_StepsDTOConverter
obtenerTodos()
obtenerPorId(Long)
contadorPasos(Long, long)
SecurityConfig
customUserDetailsService
unauthorizedHandler
jwtAuthenticationFilter()
configure(AuthenticationManagerBuilder)
authenticationManager()
passwordEncoder()
configure(WebSecurity)
configure(HttpSecurity)
SignUpRequest
name
username
email
password
getName()
setName(String)
getUsername()
setUsername(String)
getEmail()
setEmail(String)
getPassword()
setPassword(String)
LoginRequest
usernameOrEmail
password
getUsernameOrEmail()
setUsernameOrEmail(String)
getPassword()
setPassword(String)
CreateUserDTO
id
fcts_name
last_name
email
phone_number
UserIdentityAvailability
available
getAvailable()
setAvailable(Boolean)
ApiError
status
timestamp
message
RedMvcConfig
MAX_AGE_SECS
addCorsMappings(CorsRegistry)
EmailSendGrid
sendGrid
sendMail()
SwaggerConfig
api()
apiInfo()
ApiErrorAttributes
getErrorAttributes(WebRequest, boolean)
MiConfiguration
modelMapper()
GoPelisAppApplication
main(String[])
Valid_Controller
checkToken()
UserNotFoundException
SendGridEmailService
CurrentUser