

Road vehicle descriptor

Information included in the Road Vehicle Descriptor (RVD) is supplied by the applicant for a vehicle type approval. This information is made available by the department for download to assist in defining the variants covered by the application or approval.

This downloaded version of the RVD is current on the date of the download identified below.

This information has not been verified or approved by the department. The department makes no statements or representations about the accuracy or completeness of this information.

Document Generated: 02/10/2025 17:04

General information

Vehicle type approval number:	VTA-051278 20251002
Make:	Toyota
Model:	Kluger AWD XU7
Marketing designation:	KLUGER
Category:	M - Passenger Vehicle

Secure vehicle identifier / vehicle plate details

Location:	Passenger Side B Pillar
------------------	-------------------------

List of variant(s)

Variant information for AXUH78R-ARXGHQ

Front 3/4 image:



Rear 3/4 image:



Variant details

Body style:	WAGON
NSW body code:	Station Wagon
Seating options:	7
Max. seating capacity (including driver):	
No. of doors side:	4
No. of doors rear:	1
Axle code:	2 Axles, single tyres front and rear
Tare mass (kg):	2055
Gross vehicle mass (kg):	2750
Maximum towing mass (braked trailer) (kg):	2000
Maximum towing mass (non-braked trailer) (kg):	700
Gross combination mass (kg):	

B-Double capable:	☐
Road train capable:	☐

Major Dimensions

Vehicle length (mm):	4966
Vehicle width (mm):	1930
Vehicle height (mm):	1755
Wheelbase (mm):	2850
Running clearance (mm):	207

Engine details

Engine name	Variant availability type	Mass variation amount
A25A-FXS	Standard (S)	

Service Brake

Service brake name	Variant availability type
HV w/ Hydraulic Booster	Standard (S)

Transmission

Transmission name	Variant availability	Variant amount
P810	Standard (S)	

Tyre and Rim

Tyre and rim name	Variant availability type
235/55R20	Std Front and Rear (SB)

Suspension

Suspension name
AXUH78R-ARXGHQ

Standard equipment or options

Name	Variant availability type
Moon Roof	Standard (S)

Mudflap	Standard (S)
Driver's Knee Airbag	Standard (S)
Side Airbag (1st Row)	Standard (S)
Curtain Shield Airbag	Standard (S)
Air conditioning	Standard (S)
Antilock brakes	Standard (S)
Central locking	Standard (S)
Driver's airbag	Standard (S)
Passenger's airbag	Standard (S)
Power mirrors	Standard (S)
Power windows	Standard (S)

Typical vehicle identification numbers (VINs)

Vehicle identification number (VIN)
5TDLB3CHX0S123456

Variant information for AXUH78R-ARXNHQ

Front 3/4 image:



Rear 3/4 image:



Variant details

Body style:	WAGON
NSW body code:	Station Wagon
Seating options:	7
Max. seating capacity (including driver):	
No. of doors side:	4
No. of doors rear:	1
Axle code:	2 Axles, single tyres front and rear
Tare mass (kg):	2010
Gross vehicle mass (kg):	2705
Maximum towing mass (braked trailer) (kg):	2000
Maximum towing mass (non-braked trailer) (kg):	700
Gross combination mass (kg):	

B-Double capable:	☐
Road train capable:	☐

Major Dimensions

Vehicle length (mm):	4966
Vehicle width (mm):	1930
Vehicle height (mm):	1755
Wheelbase (mm):	2850
Running clearance (mm):	207

Engine details

Engine name	Variant availability type	Mass variation amount
A25A-FXS	Standard (S)	

Service Brake

Service brake name	Variant availability type
HV w/ Hydraulic Booster	Standard (S)

Transmission

Transmission name	Variant availability	Variant amount
P810	Standard (S)	

Tyre and Rim

Tyre and rim name	Variant availability type
235/65R18	Std Front and Rear (SB)

Suspension

Suspension name
AXUH78R-ARXNHQ

Standard equipment or options

Name	Variant availability type
Mudflap	Standard (S)

Driver's Knee Airbag	Standard (S)
Side Airbag (1st Row)	Standard (S)
Curtain Shield Airbag	Standard (S)
Air conditioning	Standard (S)
Antilock brakes	Standard (S)
Central locking	Standard (S)
Driver's airbag	Standard (S)
Passenger's airbag	Standard (S)
Power mirrors	Standard (S)
Power windows	Standard (S)

Typical vehicle identification numbers (VINs)

Vehicle identification number (VIN)
5TDLB3CHX0S123456

Typical vehicle identification number (VIN) details

VIN:	5TDLB3CHX0S123456
Location:	10-O-15
Variant	
AXUH78R-ARXGHQ	
AXUH78R-ARXNHQ	

Engine specifications

A25A-FXS

Motive power:	Battery Plus Internal Combustion (BIC)
Configuration:	In line 4 cylinder (IL4)
Net engine power (kW):	142.00
Net engine power (rpm):	6000
Capacity (cc):	2,487.00
Fuel injection type:	Multipoint injection (MPI)
Induction type:	Natural (N)
Typical engine number:	A25A 0123456
Location:	6-G-7

Variant(s) this engine is applicable and the mass variation

Variant	Mass variation (kg) - positive or negative variation from tare weight	Mass variation amount
AXUH78R-ARXGHQ	Standard (S)	
AXUH78R-ARXNHQ	Standard (S)	

Service brake specifications

HV w/ Hydraulic Booster

Actuation type:	Hydraulic (H)
Power assisted:	Hydraulic Boost (HB)

Front

Type:	Disc Ventilated (DIV)
Diameter (mm):	340
Width (mm):	28

Rear

Type:	Disc Ventilated (DIV)
Diameter (mm):	338
Width (mm):	18

For which variant(s) is the service brake applicable and how is it available?

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Transmission data specifications

P810

Transmission type:	Continuously Variable Transmission AWD (CVTAWD)
Forward gears:	1

Variant(s) this transmission is applicable to, and the mass variation

Variant	Mass variation (kg) – positive or negative variation from tare weight	Variation amount
AXUH78R-ARXGHQ	Standard (S)	
AXUH78R-ARXNHQ	Standard (S)	

Tyre and rim specifications

235/65R18

Tyre designation:	235/65R18
Rim size and profile:	18X8J
Rim offset (mm):	Positive offset (+)
Rim offset amount (mm):	35
Front wheel track (mm):	1660
Rear wheel track (mm):	1660

Variant(s) this tyre and rim is applicable to, and how it is available

Variant	Variant availability type
AXUH78R-ARXNHQ	Std Front and Rear (SB)

235/55R20

Tyre designation:	235/55R20
Rim size and profile:	20X8J
Rim offset (mm):	Positive offset (+)
Rim offset amount (mm):	35
Front wheel track (mm):	1660
Rear wheel track (mm):	1660

Variant(s) this tyre and rim is applicable to, and how it is available

Variant	Variant availability type
AXUH78R-ARXGHQ	Std Front and Rear (SB)

Suspension data specifications

AXUH78R-ARXGHQ

Vertical measurements	Front (mm)	Rear (mm)
Vertical measurement of wheel centre to top of wheel arch opening at "Unladen Mass"	456	489
Vertical measurement of wheel centre to top of wheel arch opening at full bump	363	356
Minimum acceptable vertical measurement of wheel centre to top of wheel arch	425	445

Variant(s) this suspension is applicable to, and how it is available

Variant
AXUH78R-ARXGHQ

AXUH78R-ARXNHQ

Vertical measurements	Front (mm)	Rear (mm)
Vertical measurement of wheel centre to top of wheel arch opening at "Unladen Mass"	456	489
Vertical measurement of wheel centre to top of wheel arch opening at full bump	363	355
Minimum acceptable vertical measurement of wheel centre to top of wheel arch	425	444

Variant(s) this suspension is applicable to, and how it is available

Variant
AXUH78R-ARXNHQ

Standard equipment or options which may affect ADR compliance

Power mirrors

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Central locking

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Passenger's airbag

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Moon Roof

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)

Antilock brakes

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Mudflap

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Power windows

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Air conditioning

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Driver's Knee Airbag

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Side Airbag (1st Row)

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Curtain Shield Airbag

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Driver's airbag

Variant	Variant availability type
AXUH78R-ARXGHQ	Standard (S)
AXUH78R-ARXNHQ	Standard (S)

Remarks

No remarks