1st Floor Conference Room Split Unit

Coleman split unit GSC130431AR AC 3.5-ton unit.

The model number GSC130431AR corresponds to a older Coleman split-system air conditioning condensing unit (typically a 13-SEER model)

In residential HVAC naming conventions, manufacturers embed the unit's capacity (measured in British Thermal Units, or BTUs) directly into the model number. For this **Coleman** system (**GSC130421AR**), the key digits are **042.**

- **042** stands for **42,000 BTUs** of nominal cooling capacity.
- Since there are 12,000 BTUs in one ton of cooling capacity, you divide the BTUs by 12,000 (\(42,000 \div 12,000\))

This equals exactly **3.5 tons**





GOODMAN MANUFACTURING CO., L. P.
HOUSTON, TEXAS 77008
MODEL
SERIAL NO.
A.C.VOLTS 208/230 PHASE
HERTZ 60
VOLTAGE RANGE MIN.
MAX.
MIN. CIRCUIT AMPS 20
MAX. FUSE AMPS OR HACR TYPE CIRCUIT BREAKER 30
(HACR CIRCUIT BREAKER FOR U. S. ONLY).
COMPRESSOR RLA LRA
MAX. WORKING PRESSURE
FAN MOTOR FLA H.P.
FACTORY CHARGE OZ. R22
FACTORY TEST PRESSURE PSIG LOW HIGH 300
HEATING AND COOLING EQUIPMENT
CAUTION:
DISCONNECT THE ELECTRICAL POWER BEFORE SERVICING.
ATTENTION:
DÉCONNECTER DU CIRCUIT D'ALIMENTATION ELECTRIQUE AVANT L'ENTRETIEN.
CENTRAL COOLING AIR CONDITIONER
G0152770080
USE COPPER CONDUCTORS ONLY.
THIS EQUIPMENT SUITABLE FOR OUTDOOR USE.
MEA NO.
PART NO.
ACCEPTED FOR USE CITY OF NEW YORK
ARI PERFORMANCE CERTIFIED
Standard 210/240 UAC




UP
ON
Enclosed Switch
General Duty
Vacu-Break Switch with
Clamphatic Contacts
NR421
A
30
240
Enclosure
OFF
DOWN


Goodman




7:33
74°
PROG
MAIN
SET
PROG/MAIN
COOL - OFF - HEAT
AUTO - ON
Robertshaw


USCGSS DISCOVERY




VEHICLE BRIDGE
LOADING DOCK
CUSTODIAL OFFICE 109A 127 SF
STORAGE 110 70 SF
STAGING 109 880 SF
TOILET 111 60 SF
OFFICE 105H 132 SF
CONFERENCE 105J 158 SF
OPEN OFFICE 108 392 SF
OFFICE 105G 90 SF
OFFICE 105F 90 SF
OFFICE 105E 91 SF
OFFICE 105D 88 SF
OFFICE 105C 89 SF
ELECTRICAL STORAGE 107C
STORAGE 112 109 SF
WALK-IN COOLER 113 133 SF
OFFICE 114 152 SF
OPEN OFFICE 106 1273 SF
HARDWARE STORAGE 107B 152 SF
AIR-HANDLER ROOM 116 193 SF
CORE LAB 117 310 SF
HYDROCARBON LAB 142 968 SF
SHOP 107A 223 SF
TELEPHONE ROOM 103A 79 SF
LOBBY 104B 91 SF
OFFICE 104A 84 SF
OFFICE 105B 87 SF
OFFICE 105A 88 SF
MEN 118 113 SF
WOMEN 119 79 SF
CORRIDOR 120 644 SF
OFFICE 9 167 SF
OPERATIONS OFFICE 122 138 SF
CONFERENCE ROOM 12 227 SF
PRINTER ROOM 103 158 SF
CORRIDOR 121 82 SF
OFFICE 10 108 SF
OFFICE 11 130 SF
OFFICE 8 139 SF
UP
STAIR 1 100ST1 110 SF
RECEPTION 100B 114 SF
ELECTRIC 126 130 SF
OFFICE 7 98 SF
PED BRIDGE
ELEVATORS 100EL1 142 SF
SUPPLIES ROOM 13 59 SF
BREAK ROOM 14 76 SF
FILE ROOM 15 159 SF
OFFICE 6 83 SF
STAIR 2 100ST2 42 SF
RECEPTION 16 71 SF
WAITING 17 63 SF
OFFICE 5 113 SF
LOBBY 100 1305 SF
COMM 1A 9 SF
CORRIDOR 18 451 SF
CONFERENCE ROOM 101 750 SF
Unit
Unit
COVERED PATIO 101A 239 SF
STORAGE 130 139 SF
TOILET 132 66 SF
OFFICE 1 95 SF
ADMIN OFFICE 2 137 SF
OFFICE 3 116 SF
OFFICE 4 118 SF
JANITOR 131 23 SF