MariscoBot documentation

April 10, 2017

Contents

1 Introduction

MariscoBot is an open source Discord.js bot. It is under the GNU GPLv3 license. Its function is to communicate with Lord Marisa. It also includes a Youtube audio player, a Danbooru image search command, and a pacman emoticon policy-enforcer.

It is based upon node.js, discord.js, ytdl-core, and youtube-search. It's currently in an unfinished beta stage.

2 Commands

```
#help : Replies with list of MariscoBot commands

#Talk : Replies with loud marisco noises

#OUTBEAST : MariscoBot becomes angry

#Marisa : MariscoBot praises Lord Marisa

#Hecatia : MariscoBot recognizes her natural enemy

#OHIO : MariscoBot greets you

#Dango : To feed Marisa

#Spread Marisco : Spread Marisa's greatness all over the channel

#Waifu : MariscoBot explains who the best waifu is with an image

#Mokou : Posts Mokou memes with questionable translations

Summon Marisco : Undocumented magic fuckery¹

M-play $x : Search $x on youtube and play the first result

Danbooru:$x : Search for $x tag on Danbooru WARNING: NSFW
```

3 Configuration

3.1 Youtube

```
var optsyt = {
  maxResults: 1,
  key: 'YTKeyHere'
};
```

maxResults: \$x should always be 1 except for debugging.

key: \$x should contain the Youtube Search API key.

3.2 Language

```
const SPANISH = 0;
const ENGLISH = 1;
var LANG = SPANISH;
```

var LANG = x should be set to a constant representing the array index that your language uses. By default, this is 0 for Spanish and 1 for English.

¹Someone should really verify the channel is bound before sending a message

3.2.1 Language per Guild

```
\label{eq:local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_local_
```

By default, this is disabled. If used, it should be configured such that ["guildidhere"] is the ID provided by ["/dumpguildid" and LANG is set to whatever language should be used with that guild instead of the default.

3.3 Discord bot API

```
client.login('Discord key Here');
```

'Discord key Here' should be set to your bot's API key.