

The Sync Build


system-sync · built in n8n

Two systems disagreeing about the same customer is how a CRM quietly stops being trusted.

What it connects to: This pattern IS the seam. Two systems, one record, and an echo gate so our own write coming back does not start a loop at 3am.

1 of 4 SYSTEM

Here's the two-way sync, with the echo gate that stops it looping at 3am.



2 of 4 THINKING

This is the node that checks whether the change coming back is our own write. Most builds are missing it.

The screenshot shows a workflow editor interface for a node titled "Is this our own echo coming back?". The node is configured with the following settings:

- Parameters:** The "Conditions" section contains a single condition with the following JSON expression:


```
{{ $json.isEcho !== true && $json.remoteUpdatedAt < $json.localUpdatedAt }}
```

. The condition is set to "is true".
- Settings:** The "Convert types where required" toggle is turned on.
- Options:** The "Options" section is currently empty, with a "+ Add option" button available.

The left side of the interface shows the "INPUT" section, which is currently empty. The right side features a tabbed interface with "Parameters" and "Settings" tabs, and an "Execute step" button.

3 of 4 THEIR-WORLD

The integration layer in place on a live stack.



4 of 4 RESULT

And the connectors it reconciles across.

The screenshot shows the configuration interface for a node titled "Deduplicate on record_id". The interface is divided into three main sections: INPUT, Parameters/Settings, and OUTPUT.

INPUT Section: Displays "No input data" with a button "Execute previous nodes" and the text "to view input data".

Parameters/Settings Section: Contains tabs for "Parameters" and "Settings". The "Parameters" tab is active, showing:

- Mode:** A dropdown menu set to "Run Once for All Items".
- Language:** A dropdown menu set to "JavaScript".
- JavaScript:** A code editor with a "Code" tab and an "Ask AI" button. The code is:

```
1 // The same event arrives twice more often than anyone expects.
2 const key = $json["record_id"];
3 const seen = $getWorkflowStaticData('global');
4 seen.keys = seen.keys || {};
5 const isNew = !seen.keys[key];
6 seen.keys[key] = Date.now();
7 return [{ json: { ...$json, isNew, dedupeKey: key } }];
```

OUTPUT Section: Displays "No output data" with a button "Execute step" and the text "or set mock data".

Footer: A "Logs" tab is visible at the bottom left, and a suggestion "I wish this node would..." is at the bottom center.