

The Migration Build


platform-migration · built in ghl

Migrations lose records quietly. Nobody finds out until the customer who was lost calls.

What it connects to: Migration is two data models arguing. The mapping decision — which field becomes which property — is the entire job; the import is the easy part.

1 of 4 SYSTEM

Here's the migration: reversible batches, counts reconciled before anything commits.



2 of 4 THINKING

If the counts don't match, the batch rolls back and reports the delta instead of half-writing.

The screenshot shows a workflow editor interface for a node titled "Do the counts reconcile exactly?". The interface is divided into three main sections: INPUT, Parameters/Settings, and OUTPUT.

INPUT Section: Displays "No input data" with a button "Execute previous nodes" and the text "to view input data".

Parameters/Settings Section: Contains tabs for "Parameters" and "Settings". The "Parameters" tab is active, showing a "Conditions" section with a JSON expression: `{{ $json.countsMatch === true && $json.sourceCount > 0 }}`. There is a checkbox labeled "is true" which is checked. Below the conditions is a toggle switch for "Convert types where required" which is currently off. There are also "Add condition" and "Add option" buttons.

OUTPUT Section: Displays "No output data" with a button "Execute step" and the text "to view output data".

At the bottom of the interface, there is a "Logs" section and a feedback prompt: "I wish this node would...".

3 of 4 THEIR-WORLD

A real import with the field mapping resolved.

