

The Takeover Build

production-takeover · built in n8n


I don't change anything in week one. I map what it actually does versus what it's documented to do.

What it connects to: An inherited system spans tools nobody documented together. Week one is drawing the map across all of them before touching any of them.

Launch Forte · sample data in accounts we own · no client information appears in any frame

1 of 4 SYSTEM

Here's the probe: watch the inherited system, record every surprise, change nothing yet.



2 of 4 THINKING

The gap between documented and observed behaviour is the real scope.

The screenshot displays the Node-RED web interface. At the top, a tab is labeled "Does it behave the way the docs claim?". Below the tab, there are three main panels: INPUT, Parameters, and OUTPUT.

INPUT Panel: It shows "No input data" and a button "Execute previous nodes" with the text "to view input data" below it.

Parameters Panel: It has two sub-tabs: "Parameters" (selected) and "Settings". Under "Parameters", there is a "Conditions" section with a text input field containing the JSON condition: `{{ $json.matchesDocs === true && $json.probeComplete === true }}`. To the right of the input field is a dropdown menu showing "is true". Below the conditions section is a toggle switch labeled "Convert types where required" which is currently turned off. There is also an "Options" section with a "+ Add option" button.

OUTPUT Panel: It shows "No output data" and a button "Execute step" with the text "to view output data" below it.

At the bottom of the interface, there is a "Logs" panel and a status bar that says "I wish this node would...".

3 of 4 THEIR-WORLD

Every external call retries on its own terms rather than inheriting one blanket rule — an inherited system tells you which calls it can survive being hit twice.

The screenshot displays the n8n workflow editor interface. The top bar shows the workflow title "Probe what the old system actually does" and a "Docs" link. The main workspace is divided into three panels: INPUT, SETTINGS, and OUTPUT.

INPUT Panel: Shows "No input data" with a button "Execute previous nodes" and a link "to view input data".

SETTINGS Panel: Contains the "Parameters" tab with the following settings:

- ☐ SSL Certificates
- ☐ Always Output Data
- ☐ Execute Once
- ☒ Retry On Fail
- Max. Tries: 3
- Wait Between Tries (ms): 2000
- On Error: Continue (using error output)
- Notes: (Empty text area)
- ☐ Display Note in Flow?

At the bottom of the settings panel, it says "HTTP Request node version 4.2 (Latest version: 4.5)" and a link "I wish this node would...".

OUTPUT Panel: Shows "No output data" with a button "Execute step" and a link "or set mock data".

The right sidebar contains a "Docs" link, a "Close" button, and a "Run" button.

4 of 4 RESULT

And both paths get logged, the good one and the failed one, because week one is worth nothing if the evidence isn't written down.

The screenshot displays a workflow editor interface with a dark theme. The central panel is titled "Log the run, both paths" and contains a JavaScript node configuration. The node is set to "Run Once for All Items" mode and "JavaScript" language. The code block contains the following JavaScript code:

```
1 // A path that is not logged cannot be improved. These are the fields
2 worth keeping for this build.
3 const s = $getWorkflowStaticData('global');
4 s.runs = s.runs || {};
5 const row = { at: Date.now(), jobId: $json.job_id, matchesDocs:
6 $json.matchesDocs, surprise: $json.surprise || null };
7 s.runs[$json.dedupeKey] = row;
8 return [{ json: { ...row, ok: true } }];
```

Below the code block, a tooltip提示 suggests: "Type \$ for a list of special vars/methods. Debug by using console.log() statements and viewing their output in the browser console."

The interface is divided into three main sections:

- INPUT:** On the left, it shows "No input data" and a button "Execute previous nodes" with the text "to view input data" below it.
- OUTPUT:** On the right, it shows "No output data" and a button "Execute step" with the text "or set mock data" below it.
- Parameters/Settings:** The central panel shows the node configuration and code.

At the bottom left, there is a "Logs" tab. At the bottom center, there is a question mark icon and the text "I wish this node would...".