

The Sync Build


system-sync · built in stripe

Two systems disagreeing about the same customer is how a CRM quietly stops being trusted.

What it connects to: This pattern IS the seam. Two systems, one record, and an echo gate so our own write coming back does not start a loop at 3am.

1 of 4 SYSTEM

Here's the two-way sync, with the echo gate that stops it looping at 3am.



2 of 4 THINKING

This is the node that checks whether the change coming back is our own write. Most builds are missing it.

 Is this our own echo coming back?

INPUT

ParametersSettings

Execute step

Conditions

fx

```
{{ $json.isEcho !== true && $json.remoteUpdatedAt < $json.localUpdatedAt }}
```

is true

+ Add condition


☐ Convert types where required

Options

+ Add option

→|

The integration layer in place on a live stack.



4 of 4 RESULT

And the connectors it reconciles across.

Sandbox ⓘ

You are testing in a sandbox. No real transactions will be processed.

Workbench

Launch Forte

OverviewWebhooksEventsLogsHealthInspectorBlueprintsExtension runsShell



```
"id": "cus_L82G0DAIEglt8f"
"address": null,
"balance": 1000,
"created": 1644536220,
"currency": "USD",
"default_source": null,
"delinquent": false,
```



Trigger reactions in your integration with Stripe events

Listen to Stripe events by adding a webhook endpoint, Amazon EventBridge destination, Azure Event Grid destination, or test your endpoint locally with a local listener.

+ Add destination

Import

Test with a local listener

Quickstart guide

Learn how to set up and deploy a webhook to listen to events from Stripe.

[View quickstart](#)

Receive Stripe events in your webhook endpoint

Listen to events in your Stripe account on your webhook endpoint so your

\$ Enter a shell command...

Developers