

The Voice Intake


voice-agent-intake · built in twilio

Calls outside business hours go to voicemail, and voicemail is where leads go to die.

What it connects to: The call arrives at the phone system, the context lives in the CRM, and the booking is in the calendar. The caller experiences one thing; it is three.

1 of 4 SYSTEM

Here's the after-hours desk — answer, capture intent, book or route.



2 of 4 THINKING

The fail-safe matters more than the intelligence: when the model can't answer, the caller gets a human, never dead air.


The screenshot displays a workflow editor with a dark theme. At the top, a tab is labeled "Can this be handled without a person?". The interface is divided into three main sections: INPUT, Parameters/Settings, and OUTPUT.

- INPUT:** Contains the text "No input data", a button "Execute previous nodes", and the instruction "to view input data".
- Parameters/Settings:**
 - Has sub-tabs "Parameters" and "Settings".
 - Includes an orange "Execute step" button.
 - Conditions:** A section with a code editor containing the JSON condition `{{ $json.selfServe == true && $json.intelligenceConfidence > 0.7 }}`. To the right of the code is a dropdown menu currently set to "is true". Below the code editor is a "+ Add condition" button.
 - A toggle switch labeled "Convert types where required" is currently turned off.
 - Options:** A section with a "+ Add option" button.
- OUTPUT:** Contains the text "No output data", a button "Execute step", and the instruction "to view output data".

At the bottom of the editor, there is a feedback prompt: "I wish this node would...". A "Logs" panel is visible at the very bottom left.

3 of 4 THEIR-WORLD

The agent itself inside the tool — persona, prompt, and what it's allowed to say.



4 of 4 RESULT

And the deployment side: which number it answers, which hours, and where the call goes when it hands over.

The screenshot shows the Twilio console interface. On the left is a sidebar with a 'DEVELOP' header and a list of navigation items: 'Troubleshoot', 'API Key & creds', 'Functions & assets' (which is expanded to show 'Overview' and 'Services'), 'Sync', 'Event Streams', 'Twiml bins', 'Twiml apps', and 'Twimlets'. The main content area at the top shows 'Launch Forte' with an 'Active' status and an available balance of '\$19.93'. Below this is a breadcrumb trail 'Develop / Functions & assets / Services' and a location selector set to 'United States (US1)'. The main heading is 'Services'. A paragraph explains that a Service is an application container for Functions and Assets. Below this is a link to 'Get started with Functions from the CLI'. A large message box states 'You currently have no Services created. Please create your first Service.' and includes a 'Create Service' button. An illustration of a person in a red polka-dot outfit opening a red gift box is on the left of this message. The bottom right corner features a blue circular button with a plus icon.

DEVELOP

Launch Forte Active Available balance: \$19.93 [Learn more](#)

Develop / Functions & assets / Services

United States (US1)

Services

Each project you work on will be contained in a "Service". A Service is an application container to store all of your Functions and Assets, and used to manage deployments and separate environments. You will likely create a new Service for each new project you work on.

Prefer the command line? Get started with Functions from the [CLI](#)

You currently have no Services created. Please create your first Service.

Create Service