

The Conversation Architecture


conversation-design · built in ghl

Most chatbot projects are copywriting projects wearing an AI costume. The bot fails on the turn nobody scripted, not on the greeting everybody polished.

What it connects to: The conversation happens in the messaging tool, the answer comes from a knowledge base, and the handoff lands in the CRM. Three systems, and the client only ever sees the seam when it fails.

1 of 4 SYSTEM

Here's the shape underneath a conversation — intents, the escalation path, and what happens on the turn nobody planned for.



The refusal and handoff rules are the architecture. A bot that guesses once is a bot nobody trusts twice.


The screenshot shows a workflow editor interface. The top bar displays the step title "Is the answer actually grounded in a source?" with a green refresh icon on the left and a menu icon on the right. Below the title bar, there are two tabs: "Parameters" (selected) and "Settings". An orange "Execute step" button is located in the top right corner.

The left panel, labeled "INPUT", shows a message: "No input data" with a globe icon and a button labeled "Execute previous nodes" with the text "to view input data" below it.

The right panel, under the "Parameters" tab, contains the following configuration:

- Conditions:** A single condition is defined with the expression `{{ $json.grounded === true && $json.confidence > 0.75 }}` and a dropdown menu set to "is true". Below this is a "+ Add condition" button.
- Convert types where required:** A toggle switch is currently turned off.
- Options:** A section with a "+ Add option" button.

The agent in the tool itself — persona, prompt, and the goals it is actually allowed to pursue.



And the knowledge it answers from, because a conversation is only as honest as its source.

