

The Intake System


data-collection · built in zapier

A half-record in the CRM is worse than no record, because it looks complete.

What it connects to: The form and the system of record are almost never the same tool. Everything expensive happens in the gap: duplicates, half-records, and fields that mean different things on each side.

1 of 4 SYSTEM

Here's the intake spine: validate, refuse what's malformed, dedupe, then write a clean record.



2 of 4 THINKING

The validation gate is the part that matters — it refuses rather than guessing.

The screenshot displays a workflow editor interface with a dark theme. The main workspace is divided into three vertical panels: INPUT, PARAMETERS, and OUTPUT.

- INPUT Panel:** Contains the text "No input data" and a button labeled "Execute previous nodes" with the subtitle "to view input data".
- PARAMETERS Panel:** Features a tabbed interface with "Parameters" and "Settings" tabs. The "Parameters" tab is active, showing a "Conditions" section with a text input field containing the JSONPath expression `{{ $json.existing === true && $json.confidence > 0.8 }}`. To the right of the input is a dropdown menu currently set to "is true". Below the conditions section is a toggle switch labeled "Convert types where required" which is currently turned off. At the bottom of the parameters section is an "Options" section with a "+ Add option" button.
- OUTPUT Panel:** Contains the text "No output data" and a button labeled "Execute step" with the subtitle "to view output data".

At the top of the workspace, there is a title bar with a green icon and the text "Is this a person we already have?". On the right side of the title bar are links for "Docs" and a close button "X". At the bottom of the interface is a "Logs" panel.

3 of 4 THEIR-WORLD

The intake form itself, with real field types bound to CRM properties.

The screenshot displays the Zapier 'Zap workflows' interface. The top navigation bar includes a home icon, a search bar, and the text 'Zap workflows'. Below this, a sidebar on the left contains various icons for navigation. The main workspace shows a workflow diagram with two steps: '1. Catch Hook' (a solid box) and '2. Select the event for your Zap to run' (a dashed box). A vertical line with a plus sign connects the two steps. A notification bubble in the center reads 'Copilot can fully configure your workflow' with a 'Build it' button. On the right, a configuration panel for '1. Catch Hook' is open, showing tabs for 'Setup', 'Configure', and 'Test'. The 'Setup' tab is active, displaying 'App' as 'Webhooks by Zapier' (Premium) and 'Trigger event' as 'Catch Hook'. A 'Continue' button is at the bottom of the panel. The bottom of the interface features a 'Library' button and several icons. A version string 'ver. v2026-08-07t11:38-f911f3f7' is visible in the bottom right corner.

4 of 4 RESULT

And the records it produces, clean and deduplicated.

The screenshot displays the Zapier workflow editor interface. The main workspace shows a vertical sequence of steps connected by plus signs. The visible steps are:

- A partially visible step at the top.
- Filter by Zapier** (Step 2): Labeled "2. Filter conditions".
- Formatter by Zapler** (Step 3): Labeled "3. Text".

The right sidebar is open to the configuration for the "3. Text" step. It shows the "Transform" dropdown set to "Titlecase". Below this, there is a notification about "In-line Formulas" and a specific instruction: "Convert all characters in a string to titlecase". Under the "Values" section, the "Input" field is populated with "1. Full Name: dana WHITFIELD". A "Continue" button is at the bottom of the configuration panel.

At the bottom right of the interface, the version number "ver. v2026-08-07t11:36-191113f7" is displayed.