

The Lead Router


lead-routing · built in n8n

Five minutes is the whole game. A lead that waits an hour is worth a fraction of one answered fast.

What it connects to: The form is in one system, the owner roster in another, and the SLA clock in neither. The clock is the integration.

1 of 4 SYSTEM

Here's the routing system end to end — score, assign, contact, and escalate on silence.




2 of 4 THINKING

The part most builds miss is the SLA timer: this reassigns when the first owner doesn't touch it.

The screenshot shows a workflow editor interface. On the left, there is a dark panel labeled 'INPUT' with a green icon and the text 'Is this one worth the fast lane?'. Below this panel is a right-pointing arrow icon. The main area on the right is divided into two tabs: 'Parameters' (selected) and 'Settings'. In the top right corner of the main area is an orange button labeled 'Execute step'. Under the 'Parameters' tab, there is a section titled 'Conditions'. It contains a single condition with a JSON-like expression: `{{ $json.score >= 70 && $json.owner != nu` followed by a dropdown menu showing 'is true'. Below the condition is a button labeled '+ Add condition'. There is also a toggle switch labeled 'Convert types where required' which is currently turned off. At the bottom, there is a section titled 'Options' with a button labeled '+ Add option'.

3 of 4 THEIR-WORLD

Same pattern running inside a real CRM, with the merge fields and the branch on lead source.



4 of 4 RESULT

And the segmentation behind it, so the right leads reach the right closer.

