

The Deliverability Build


messaging-compliance · built in n8n

Messaging that isn't registered and authenticated doesn't get delivered, and nobody tells you — it just quietly stops arriving.

What it connects to: Registration lives with the carrier, the sending happens in the CRM, and neither tells the other when clearance lapses. Silence is the failure mode.

1 of 3 SYSTEM

Here's the system — nothing leaves until the sending identity has been checked against the registry.



2 of 3 THINKING

This is the gate: registered, and throughput left on the number. 10DLC filtering is silent, so if you don't check here you find out from the reply rate weeks later rather than from an error.

Is this identity cleared to send right now?

INPUT

→|

No input data

Execute previous nodes

to view input data

ParametersSettings

Execute step

Conditions

fx

{{ \$json.registered === true && \$json.throughputRemaining > 0 }}

is true

+ Add condition

☐ Convert types where required

FixedExpression

Options

+ Add option

And the sending-domain setup — SPF, DKIM and DMARC — which is what keeps email out of spam.

Which brands are registered, and which are drifting

INPUT

→|

{}

No input data

Execute previous nodes

to view input data

ParametersSettings

Execute step

Mode

Run Once for All Items

Language

JavaScript

JavaScript

CodeAsk AI

```
1 // Which brands are registered, and which are drifting – before a
  // carrier decides for us.
2 const ids = Object.values($getWorkflowStaticData('global').identities
  || {});
3 const unregistered = ids.filter(i => !i.registered);
4 const unauth = ids.filter(i => i.channel === 'email' && !(i.spf &&
  i.dkim && i.dmarc));
5 const expiring = ids.filter(i => i.registered && i.renewsInDays != null
  && i.renewsInDays <= 30);
6 return [{ json: {
7   identities: ids.length,
8   unregistered: unregistered.map(i => i.brand),
9   missingAuth: unauth.map(i => i.brand),
10  expiringSoon: expiring.map(i => `${i.brand} (${i.renewsInDays}d)`),
11  note: unregistered.length || unauth.length
12  ? `${[...unregistered, ...unauth].map(i => i.brand).join(', ')} are
  sending without full clearance. 10DLC filtering is silent – you find
  out from the reply rate, not an error.`
```

Type \$ for a list of **special vars/methods**. Debug by using `console.log()` statements and viewing their output in the browser console.