

The Sync Build


system-sync · built in n8n

Two systems disagreeing about the same customer is how a CRM quietly stops being trusted.

What it connects to: This pattern IS the seam. Two systems, one record, and an echo gate so our own write coming back does not start a loop at 3am.

1 of 4 SYSTEM

Here's the two-way sync, with the echo gate that stops it looping at 3am.



2 of 4 THINKING

This is the node that checks whether the change coming back is our own write. Most builds are missing it.

 Is this our own echo coming back?

INPUT

ParametersSettings

Execute step

Conditions

fx

```
{{ $json.isEcho !== true && $json.remoteUpdatedAt < $json.localUpdatedAt }}
```

is true

+ Add condition

☐ Convert types where required


Options

+ Add option

→|

3 of 4 THEIR-WORLD

The integration layer in place on a live stack.



4 of 4 RESULT

And the connectors it reconciles across.

The screenshot shows a workflow editor interface for a node titled "Deduplicate on record_id". The interface is divided into three main sections: INPUT, Parameters/Settings, and OUTPUT.

INPUT Section: Displays "No input data" with a right-pointing arrow icon. Below this is a button labeled "Execute previous nodes" and the text "to view input data".

Parameters/Settings Section: Contains tabs for "Parameters" and "Settings". The "Parameters" tab is active, showing:

- Mode:** A dropdown menu set to "Run Once for All Items".
- Language:** A dropdown menu set to "JavaScript".
- JavaScript Code:** A code editor with a "Code" tab and an "Ask AI" button. The code is:

```
1 // The same event arrives twice more often than anyone expects.
2 const key = $json["record_id"];
3 const seen = $getWorkflowStaticData('global');
4 seen.keys = seen.keys || {};
5 const isNew = !seen.keys[key];
6 seen.keys[key] = Date.now();
7 return [{ json: { ...$json, isNew, dedupeKey: key } }];
```

OUTPUT Section: Displays "No output data" with a left-pointing arrow icon. Below this is a button labeled "Execute step" and the text "or set mock data".

Footer: A "Logs" tab is visible at the bottom left. A tooltip at the bottom center reads: "Type \$ for a list of special vars/methods. Debug by using console.log() statements and viewing their output in the browser console." A status bar at the bottom says "I wish this node would..."