

DW01_mux_any


Universal Multiplexer

Version, STAR, and myDesignWare Subscriptions: [IP Directory](#)

Features and Benefits

- Parameterized word lengths
- Saves coding time by eliminating the need to code multiplexers (MUX's) explicitly
- Increases design abstraction
- Uses 8-to-1 MUX's where possible

Revision History



Description

DW01_mux_any is an universal multiplexer. This component selects a subrange of the input *A*, and places it on the output *MUX*. The select input, *SEL*, multiplexes the subrange of *A* to *MUX*. If necessary, *A* is padded with high order bits of zero. The widths of the inputs and outputs are fixed by the parameters *A_width*, *SEL_width*, and *MUX_width*.

DW01_mux_any uses 8-to-1 MUX's whenever possible to get the fastest possible implementation with the lowest gate count.

Table 1-1 Pin Description

Pin Name	Width	Direction	Function
A	<i>A_width</i>	Input	Data input bus
SEL	<i>SEL_width</i>	Input	Select input
MUX	<i>MUX_width</i>	Output	Multiplexed data out

Table 1-2 Parameter Description

Parameter	Values	Description
<i>A_width</i>	≥ 1	Word length of <i>A</i>
<i>SEL_width</i>	≥ 1	Word length of <i>SEL</i>
<i>MUX_width</i>	≥ 1	$A((SEL + 1) \times MUX_width - 1 \text{ downto } SEL * MUX_width)$
<i>bal_str</i> ^a	0 or 1 Default: 0	Controls the symmetric structure of the 'str' implementation. 1 = Use symmetric structure with 'str' implementation.

a. Prior to release 2007.12-SP2, this parameter is ignored.

Table 1-3 Synthesis Implementations

Implementation Name	Function	License Feature Required
str	Synthesis model	DesignWare

Table 1-4 Simulation Models

Model	Function
DW01.DW01_MUX_ANY_CFG_SIM	Design unit name for VHDL simulation
dw/dw01/src/DW01_mux_any_sim.vhd	VHDL simulation model source code
dw/sim_ver/DW01_mux_any.v	Verilog simulation model source code

Related Topics

- [Logic – Combinational Overview](#)
- [DesignWare Building Block IP User Guide](#)

HDL Usage Through Component Instantiation - VHDL

```
library IEEE,DWARE;
use IEEE.std_logic_1164.all;
use DWARE.DWpackages.all;
use DWARE.DW_foundation_comp.all;

entity DW01_mux_any_inst is
  generic (inst_A_width : POSITIVE := 8;
           inst_SEL_width : POSITIVE := 8;
           inst_MUX_width : POSITIVE := 8);
  port (inst_A : in std_logic_vector(inst_A_width-1 downto 0);
        inst_SEL : in std_logic_vector(inst_SEL_width-1 downto 0);
        MUX_inst : out std_logic_vector(inst_MUX_width-1 downto 0));
end DW01_mux_any_inst;

architecture inst of DW01_mux_any_inst is
begin
  -- Instance of DW01_mux_any
  U1 : DW01_mux_any
    generic map ( A_width => inst_A_width, SEL_width => inst_SEL_width,
                  MUX_width => inst_MUX_width )
    port map ( A => inst_A, SEL => inst_SEL, MUX => MUX_inst );
end inst;

-- pragma translate_off
configuration DW01_mux_any_inst_cfg_inst of DW01_mux_any_inst is
  for inst
  end for; -- inst
end DW01_mux_any_inst_cfg_inst;
-- pragma translate_on
```

HDL Usage Through Component Instantiation - Verilog

```
module DW01_mux_any_inst( inst_A, inst_SEL, MUX_inst );

    parameter A_width = 8;
    parameter SEL_width = 8;
    parameter MUX_width = 8;

    input [A_width-1 : 0] inst_A;
    input [SEL_width-1 : 0] inst_SEL;
    output [MUX_width-1 : 0] MUX_inst;

    // Instance of DW01_mux_any
    DW01_mux_any #(A_width, SEL_width, MUX_width)
        U1 ( .A(inst_A), .SEL(inst_SEL), .MUX(MUX_inst) );

endmodule
```

Revision History

For notes about this release, see the [DesignWare Building Block IP Release Notes](#).

For lists of both known and fixed issues for this component, refer to the [STAR report](#).

For a version of this datasheet with visible change bars, click [here](#).

Date	Release	Updates
January 2019	DWBB_201806.5	<ul style="list-style-type: none">■ Updated example in “HDL Usage Through Component Instantiation - VHDL” on page 3■ Added this Revision History table and the document links on this page

Copyright Notice and Proprietary Information

© 2022 Synopsys, Inc. All rights reserved. This Synopsys software and all associated documentation are proprietary to Synopsys, Inc. and may only be used pursuant to the terms and conditions of a written license agreement with Synopsys, Inc. All other use, reproduction, modification, or distribution of the Synopsys software or the associated documentation is strictly prohibited.

Destination Control Statement

All technical data contained in this publication is subject to the export control laws of the United States of America. Disclosure to nationals of other countries contrary to United States law is prohibited. It is the reader's responsibility to determine the applicable regulations and to comply with them.

Disclaimer

SYNOPSYS, INC., AND ITS LICENSORS MAKE NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Trademarks

Synopsys and certain Synopsys product names are trademarks of Synopsys, as set forth at <https://www.synopsys.com/company/legal/trademarks-brands.html>.

All other product or company names may be trademarks of their respective owners.

Free and Open-Source Software Licensing Notices

If applicable, Free and Open-Source Software (FOSS) licensing notices are available in the product installation.

Third-Party Links

Any links to third-party websites included in this document are for your convenience only. Synopsys does not endorse and is not responsible for such websites and their practices, including privacy practices, availability, and content.

Synopsys, Inc.
www.synopsys.com