Cairo / 3 February
Second Industrial Zone – Plot 20
N/A
sales@helwanplast.com

HELWAN PLAST
QUALITY IS OUR TARGET

Helwan Plast LLC
www.helwanplast.com

Quotation No.: 7

To: / Company: محمدعادل

Dear Sir/Madam,

We are pleased to submit our quotation for the following printing machine in accordance with the specifications detailed below:

Machine Details

Machine Type:	Flexo Stack With Metal anilox
Model:	SH4-1000M/D
Country of Origin:	China
Number of Colors:	4
Winder:	Double
Winder Type:	Central
Machine Width:	100 CM

Technical Specifications:

1. Heavy-duty cast iron frame, stable and vibration-resistant
2. Automatic web tension control units suitable for different material weights, thicknesses, and flexibility, with manual adjustment option
3. Web guiding (oscillating) units to ensure accurate print centering on the substrate and smooth rewinding of printed material
4. Rollers and cylinders laser-treated for heavy-duty operation and extended service life
5. Automatic machine stop sensors in case of film breakage or material run-out

6. Printing cylinder pressure applied via hydraulic oil system to avoid pneumatic pressure issues and reduce electrical consumption caused by repeated air compressor operation
7. Manual horizontal and vertical color registration adjustment during operation
8. Integrated overhead lifting cranes to facilitate loading and unloading of rolls and printing cylinders, saving time, labor, and effort
9. Suitable for solvent-based and water-based inks
10. Delta (Taiwan) inverters
11. Safety alarm before machine start-up to prevent injuries
12. Hot air drying units with extended web path to ensure complete ink drying, in addition to inter-color drying units
13. Power transmission from the main motor to machine components via Belt drive to ensure longer service life, reduce breakdowns, and enable high-speed, quiet operation with a non-complex gear design
14. Integrated lubrication pumps to ensure balanced oil distribution to all components, smooth operation, and protection of all moving parts
15. Separate rewind motors with independent control to allow operation with different flexibility and thicknesses of materials
16. Air-shaft unwind/rewind cylinders, in addition to one extra mechanical shaft to enable operation with any core size
17. Double-sided printing capability

Cairo / 3 February

Second Industrial Zone – Plot 20

N/A

HELWAN PLAST
QUALITY IS OUR TARGET

Helwan Plast LLC

Technical Specifications Table:

1	**Model**	SH4-1000M/D
2	**Number of Colors**	4+0, 3+1, 2+2 reverse printing
3	**Printing Sides**	2
4	**Tension Control Units**	4
5	**Brake System**	4
6	**Brake Power**	2
7	**Web Guiding System (Oscillating Type)**	2
8	**Maximum Film Width**	1050 mm
9	**Maximum Printing Width**	960 mm
10	**Minimum and Maximum Printing Length**	300mm - 1300mm
11	**Maximum Roll Diameter**	800 mm
12	**Anilox Type**	Ceramic Anilox
13	**Maximum Machine Speed**	120 m/min
14	**Maximum Printing Speed**	120 m/min
15	**Dryer Capacity**	2.2kw air blower × 2 units
16	**Power Transmission Method**	Belt Drive
17	**Main Motor Power**	5 HP
18	**Video Inspection**	No
19	**PLC**	No
20	**Slitter**	No

Printing Cylinders:

Size	Count
35	4
40	4
45	4
50	4
60	4
70	2
80	2

Cairo / 3 February

Second Industrial Zone – Plot 20

N/A

HELWAN PLAST
QUALITY IS OUR TARGET

Helwan Plast LLC

Financial Offer:

1,750,000 EGP

The price includes: supply, installation, and warranty

Payment Terms:

Down Payment	
Payment before shipping	

Delivery:

Place of delivery: None

Expected delivery time: In Stock

Warranty & After-Sales Service:

The warranty is valid for **12** months against manufacturing defects

Notes:

- This quotation is valid for 15 days from the quotation date
- The price may be adjusted in case of an increase in the USD exchange rate exceeding EGP 0.50