

Natural Neural Network as evolutionary trained foundation of unsupervised artificial neural networks

Alex Fedosov

Abstract

The architecture of artificial neural networks is modeled after the human brain. However, simple biological organisms above a certain grade are also capable of data classification and analysis. This knowledge is embedded in them through evolution, rather than training. In this study, we demonstrate how basic functional assumptions, derived from physical and environmental constraints, can lead to the construction of a self-consistent model that explains these capabilities. Furthermore, this model can serve as a foundation for advanced models, as its principles are easily scalable.

Naturally, these capabilities develop over time, and we trace their origin until the point where such a network can solve NP-hard problems in polynomial time. The efficient problem-solving demonstrated in this study calls for further quantitative examination of more complex models built on the same principles.

Introduction

In the field of artificial intelligence, artificial neural networks (ANNs) have traditionally been derived from brain dynamics, modelling neurons, synapses and their biological traits (1). Biologically inspired computing is an integral part of natural computation, utilizing biology or biological processes as models to develop new computing technologies (2). ANNs have been developed as generalizations of mathematical models of biological nervous systems and have achieved considerable success in applied science (3).

However, recent discoveries have revealed natural computational capabilities in seemingly primitive life forms, such as the unicellular plasmodium of *Physarum polycephalum*. This organism has garnered significant attention due to its intriguing decentralized computing capabilities (4). Through morphing its amorphous body, the plasmodium actively searches for optimal routes among food sources, forms regular graphs, and anticipates periodic events. Remarkably, under certain conditions, it solves the traveling salesman problem (TSP), an NP-hard problem, by altering its shape to minimize exposure to aversive light stimuli. Surprisingly, it is capable of finding reasonably high-quality TSP solutions within a time period that grows linearly with increasing problem size.




Another important aspect of natural computational capabilities is associative learning, which refers to the process through which organisms learn the relationship between two distinct events. While this phenomenon has been extensively studied in animals, recent discoveries of associative learning in cnidarians (5), such as sea anemones and jellyfish, which possess decentralized neural networks, suggest that the ability to classify data and analyze temporal event dependencies may be an inherent feature of all biological beings. Further research is required to develop and investigate models that explain these behaviors in their simplest forms, thus enabling a better understanding of the origin and evolution of cognition in general. Additionally, it would be valuable to retrospectively apply these newly discovered principles to existing ANN models to assess their compatibility in terms of topology and workflow.



The key question driving our research is whether there is a common denominator among all biological systems capable of performing natural computations. This common denominator should fulfill two criteria: (a) it must be minimal, unable to be further reduced, and (b) it must be viable, enabling successful survival under specific environmental conditions. We hypothesize that there exist organisms, possibly less advanced than unicellular plasmodium or cnidarians, yet capable of performing natural computations in the manner we have described. Furthermore, we believe that their inherent behavioral properties can be explained by our model.

Methods

If we attempt to apply existing artificial neural networks (ANNs) to such simple life forms, we encounter various challenges. While biologically plausible spiking neural networks (SNNs) demonstrate strong performance with supervised learning methods (6) (7), training SNNs using unsupervised learning proves difficult due to the lack of clear objectives or metrics for optimization. Furthermore, we can question the applicability of SNNs to the simplest biological systems, as there is no evidence indicating that the functionality of neurons in such systems is not significantly reduced or altered. Rather than focusing on constructing a specific neural network for this scenario, our goal is to understand how they should behave in order to gain an evolutionary advantage.

In this section, we introduce several families of continuous-time rigid-body kinematic models in a virtual environment, ordered by complexity:

	Name	Topology	Model
1	Stochastic motion, 1x1		$f_o = \begin{cases} C_1, rand(f_i) < \frac{R_{max}}{2} \\ C_2, rand(f_i) \geq \frac{R_{max}}{2} \end{cases}$ f_i, f_o – input and output signal frequencies
2	Inversed motion, 1x1		$f_o = \begin{cases} C_1, f_i < C_1 \\ C_2, f_i \geq C_1 \end{cases}$ and $C_1 > C_2$
3	Inversed motion, 1x2		$f_{o1} = \begin{cases} C_1, f_i < C_1 \\ C_2, f_i \geq C_1 \end{cases}$ $f_{o2} = \begin{cases} C_3, f_i < C_1 \\ C_4, f_i \geq C_1 \end{cases}$

			$and C_1 > C_2, C_3 > C_4, C_3 > C_1, C_2 > C_4$
4	Inversed motion, 2x2		$f_{o1} = \begin{cases} C_1, f_{i1}^t < C_1 \text{ and } f_{i2}^{t+\Delta} < C_1 \\ C_2, f_{i1}^t \geq C_1 \text{ and } f_{i2}^{t+\Delta} \geq C_1 \end{cases}$ $f_{o2} = \begin{cases} C_3, f_{i1}^t < C_1 \text{ and } f_{i2}^{t+\Delta} < C_1 \\ C_4, f_{i1}^t \geq C_1 \text{ and } f_{i2}^{t+\Delta} \geq C_1 \end{cases}$ $and C_1 > C_2, C_3 > C_4, C_3 > C_1, C_2 > C_4$
5	Composite, counter phase, 3x1x2		$f_{o1} = f_{o1}^1 + f_{o1}^2 + f_{o1}^3$ $f_{o2} = f_{o2}^1 + f_{o2}^2 + f_{o2}^3$ $and C_1^3 > C_1^2 > C_1^1$




The virtual environment is defined as a 2D plane populated with actors, which are kinematic models, as well as surroundings that can be consumed by the actors. The surroundings possess a single characteristic, which is density, $0 < p < 1$. This density inversely impacts the terminal velocity of the actors (8) as $v = \sqrt{C * \frac{f_o}{p}}$, assuming a constant virtual drag coefficient and area. Correspondingly $f_i = C * p * v$. In this context, the model efficiency (later referred to as "effectiveness") can be naturally defined within a given time interval as $r_{\Delta t} = f_i * \Delta t$, provided that the incoming signal frequency remains constant. This effectiveness value can be integrated over any period $r = \int_{t_1}^{t_2} f(t) dt$

We have excluded both Model №1 and №2 from further considerations due to their trivial nature. However, it is worth noting that Model №2 exhibits a significant evolutionary advantage compared to Model №1. For a more realistic representation of these two models, an additional trait of the surroundings is required, namely a small random deviating flow vector that is added to the actor's movement vector.

Furthermore, Model №4 stands out from the group as it introduces the concept of associative learning. Although both functional inputs in this model are of the same type, they are bound to temporally symmetrical signals. Considering that associative learning has been observed in the simplest organisms (5) we agree to further investigate this model as is. We will demonstrate that the behavioral pattern of this model is very similar to that of Model №3 but its effectiveness is significantly higher. Exploring this model with different functional inputs, combining neutral and aversive stimuli to emulate a classical conditioning scenario, would be an engaging but optional task.

Lastly, we examine how all these models respond to changes in the main characteristic, "resonant frequency" C_1 and attempt to identify any correlation, if present, between this frequency and the density p with the optimization task of maximizing the model's effectiveness.

All test environments are categorized into these groups:

	Name	Sample
1	Random, Circles of various density and size	
2	Symmetrical or continuous, 1st degree Line or curve or scribble of various density and size	
3	Symmetrical or continuous, 2nd degree Group of lines, curves and scribbles of various density and size	
4	Mixed	№1 and №2 or №1 and №3

For each combination of model and environment, we calculate $r_{environment}^{model}$ based on a series of 1000 runs, with a 95% confidence level. Each run is time-limited. To assess the model's scalability quantitatively, we extend the initial size of the virtual environment linearly using multipliers of x2, x4, x8.

The complete virtual environment is implemented as an event-driven state machine, incorporating data collection, statistical analysis, and graphical representation powered by OpenGL. For more detailed information, please refer to the Data Availability section.

Results

Analytical graphs with explanation:


[omitted, pending more data collection]

- Correlation graph of $r_{environment}^{model}$ based on the number of runs. Calculate the number of runs required to reach a 95% confidence level.
- Correlation graph of $r_{environment}^{model}$ based on the model number (both averaged and not across all environments).
- Correlation graph of $r_{environment}^{model}$ based on the environment/objects linear size (for all models). Determine the type of correlation, such as polynomial, exponential, etc.
- Correlation graph of C_1 from density p . Determine the type of correlation, such as polynomial, exponential, etc.

Illustrative graphs with explanation:

- Outward spiral / search pattern for the composite model, 3x1x2

Figure 1.



- Tracking pattern around different surroundings

Figure 2.





Figure 3.



Tracking/search pattern combined

- Tracking pattern turning into a shrinking spiral around large objects

Figure 4.





Figure 5.



The yellow trace, which highlights the traversed path, has been disabled for clarity

Discussion And Conclusion

We observed two distinct tactics of exploratory behavior: “tracking” (Figure 2), exhibited by all models, and “outward spiral” (Figure 1), discovered in the composite model, 3x1x2. The combination of these

tactics, when translated into the foraging strategy of primitive organisms, should encompass the following scenarios of resource availability:

- Normal resource availability level;
- Below-average level of resources;
- Above average, abundance of resources;

Under normal circumstances, when the average amount of resources is gathered in symmetrical or linear structures, we observe a simple "tracking" pattern. However, when resource availability drops below a certain level, the system transitions into an "outward spiral" or "search" pattern, which is considered an efficient search technique (9) (10). Additionally, there is a correlation between the amplitude excursion of the "tracking" pattern and resource density, often directly proportional (Figure 3). This enhances the system's efficiency in environments with 2nd-degree structures, such as symmetrical or continuous groups of lines, curves, and scribbles of various densities and sizes.

It is important to note that the "tracking" tactic works more effectively in a more structured environment, allowing for finding an optimal solution in polynomial time as the linear size of the environment increases. At the same time, the efficiency of the model increases with its internal complexity, reaching a plateau in the configuration $N \times 1 \times 2$, when $N > 5$. When comparing the performance of models with a single input (1×2) and models with spatially divided inputs (2×2), we observe a significant improvement in the latter. This improvement is attributed to the model's ability to distinguish between the left and right sides when approaching linearly congregated resources, resulting in fewer mistakes in determining directions.

Thus, by applying phylogenetic principles to minimalistic kinematic models, we can explore a possible progression in systems that lack the ability to learn from experience. These systems can be described as "evolutionary trained" and may serve as precursors to more evolved organisms, such as *C. Elegans*, whose foraging strategy exhibits similarities to what we observe in our model (11). While recent advances in integrative biological simulation of *C. Elegans* (12) allow for modeling the strategy to some extent, the model does not provide an explanation for the origin of the behavior or the opportunity to observe it in less complex organisms. We hypothesize that this behavior is ingrained into the control circuits at the lowest level, as it offers evolutionary advantages by facilitating cost-effective foraging.

Foraging, as a distinct subgroup of classic AI search problems, has been extensively studied (13) (14). However, we want to emphasize that even with the underlying logic reduced to a few basic rules, we can still achieve the same goals while maintaining the neuromorphic structure of the network. This network can be seen as a trivial case of spiking neural networks, lacking learning ability yet capable of discovering patterns. In this context, the transition to a Lévy type search strategy (15) (16) can be viewed as a switch between the "tracking" and "search" patterns explained earlier and illustrated in Figure 3.


Naturally, the model has certain limitations due to self-imposed restrictions on dimensionality and concurrency, what could take into account the role of competition for scarce resources among peers. However, the main factor that is removed from the equation is the ability to save state to learn from experience. The model cannot be trained in the conventional sense by repeatedly running it in the same environment. Nevertheless, it demonstrates structural development over longer evolutionary timeframes, suggesting a progression on an evolutionary scale. It would be an intriguing task to further investigate the evolution of such systems by adding more inputs (potentially responsive to aversive

stimuli) and outputs, and applying formal natural selection rules (17), to create a higher-level "evolutionary trained" model.

However, before delving into further development, it is important to understand how this "purely behavioral" model could be translated into a neural network model, considering certain restrictions that need to be enforced. The suggested variant of the translation, as depicted in Figure 6, incorporates two distinct properties:

- A wide range of working frequencies is covered by the same topology, as the summarizing neuron will only spike when its input signals of varying frequencies coincide;
- By applying the Hebbian Rule (18) to certain inputs, it becomes possible to generate the required outputs for either part of the behavioral model's piecewise function $f_i < C_1$ or $f_i \geq C_1$;

Figure 6



Thus, this network fragment can fulfill the requirements of both the 1x2 and composite 3x2x1 models serving as a basis for constructing a topologically uniform spiking neural network that describes the behavior of organisms trained by evolution to possess natural computational capabilities. We hypothesize that these simple functional principles could also be applicable to more advanced species, such as ants (19), worms, ichnospecies (20), honeybees, and other (21), and we encourage further research into this type of natural neural networks.

Combining trivial spiking networks, tuned to different frequencies, into a composite model that exhibits sophisticated track-and-search behavior, observed in nature, may serve as a promising starting point for understanding the foundational principles of intelligence.

Data availability

All code and data are publicly accessible at: <https://github.com/FoundAltion-ai/Its>

Additional information

Competing interests

The authors declare that no competing interests exist.

References

1. **Eliasmith, C.** *How to Build a Brain: A Neural Architecture for Biological Cognition*. s.l. : Oxford University Press, 2013.
2. **Nilamadhab Dash, Rojalina Priyadarshini, Brojo Kishore Mishra, Rachita Misra.** *Bio-Inspired Computing through Artificial Neural Network*. ISBN13: 9781522510086.
3. **Gerstner, W., Kistler, W. M., Naud, R. & Paninski, L.** *Neuronal dynamics: From single neurons to networks and models of cognition*. s.l. : Cambridge University Press, 2014.
4. **Liping Zhu, Song-Ju Kim, Masahiko Hara and Masashi Aono.** Remarkable problem-solving ability of unicellular amoeboid organism and its mechanism. [Online] <https://doi.org/10.1098/rsos.180396>.
5. **Gaelle Botton-Amiot, Pedro Martinez, and Simon G. Sprecher.** Associative learning in the cnidarian *Nematostella vectensi*. [Online] <https://doi.org/10.1073/pnas.2220685120>.
6. **Yunzhe Hao, Xuhui Huang, Meng Dong, Bo Xu.** A biologically plausible supervised learning method for spiking neural networks using the symmetric STDP rule. [Online] <https://doi.org/10.1016/j.neunet.2019.09.007>.
7. **Kasabov, Nikola K.** NeuCube: A spiking neural network architecture for mapping, learning and understanding of spatio-temporal brain data. [Online] <https://doi.org/10.1016/j.neunet.2014.01.006>.
8. **White., Frank M.** *Fluid Mechanics*. ISBN 978-0-07-352934-9.
9. **Scott Burlington, Gregory Dudek.** Spiral search as an efficient mobile robotic search technique. [Online] https://www.researchgate.net/publication/247623862_SPIRAL_SEARCH_AS_AN_EFFICIENT_MOBILE_ROBOTIC_SEARCH_TECHNIQUE.
10. **Langentepe, E.** On the optimality of spiral search. *USA: Society for Industrial and Applied Mathematics*. 2010, Proceedings of the Twenty-first Annual ACM-SIAM Symposium on Discrete Algorithms, ser. SODA '10., pp. 1-12.
11. **Adam J Calhoun, Sreekanth H Chalasani, Tatyana O Sharpee.** Maximally informative foraging by *Caenorhabditis elegans*. [Online] <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4358340/>.
12. **G.P. Sarma, C.W. Lee, T. Portegys, V. Ghayoomie, T. Jacobs, B. Alicea, M. Cantarelli, M. Currie, R. C. Gerkin, S. Gingell, P. Gleeson, R. Gordon, R. M. Hasani, G. Idili, S. Khayrulin, D. Lung, A. Palyanov, M.**

Watts, S.D. Larson. OpenWorm: overview and recent advances in integrative biological simulation of *Caenorhabditis elegans*. [Online] <https://doi.org/10.1098/rstb.2017.0382>.

13. **AF, Winfield.** Foraging robots. In: Meyers RA (ed) Encyclopedia of complexity and systems science. [Online] Springer, New York, NY, 2009. https://doi.org/10.1007/978-0-387-30440-3_217.

14. **Zedadra O, Seridi H, Jouandeau N, Fortino G.** An energy-aware algorithm for large scale foraging systems. Scalable Comput Pract Exp 16(4). [Online] 2016. <https://doi.org/10.12694/scpe.v16i4.1133>.

15. **A. M. Reynolds, C. J. Rhodes.** The Lévy flight paradigm: random search patterns and mechanisms. [Online] <https://doi.org/10.1890/08-0153.1>.

16. **Hisashi Murakami, Yukio-Pegio Gunji.** Autonomous change of behavior for environmental context: An intermittent search model with misunderstanding search pattern. [Online] <https://doi.org/10.1002/mma.4508>.

17. **Thompson, A., Harvey, I. and Husbands., P.** The natural way to evolve hardware. [Online] <https://doi.org/10.1109/ISCAS.1996.541895>.

18. **Hebb, D. O.** *The Organization of Behavior: A Neuropsychological Theory*. s.l. : Psychology Press, 2005.

19. *The hidden spiral: systematic search and path integration in desert ants, Cataglyphis fortis.* **Müller, M., Wehner, R.** 1994, Journal of Comparative Physiology A.

20. **Hayes, Brian.** In Search of the Optimal Scumsucking Bottomfeeder. *American Scientist*. Vol. 93, 5, p. 392.

21. **Andrew M. Reynolds, Alan D. Smith, Don R. Reynolds, Norman L. Carreck, Juliet L. Osborne.** Honeybees perform optimal scale-free searching flights when attempting to locate a food source. *J Exp Biol* . 2007, Vol. 210, 21, pp. 3763–3770.