



UNIVERSIDAD AUTÓNOMA DE CHIAPAS

**LICENCIATURA EN INGENIERIA EN DESARROLLO
Y TECNOLOGIAS DE SOFTWARE**



CONMUTADORES Y REDES INALAMBRICAS

Actividad 2.1


Nombre del alumno: Luis Gerardo Mendoza Gomez | A200004

Nombre del catedrático: Dr. Luis Gutiérrez Alfaro


Semestre: 7


Grupo: M

Fecha de entrega: 20/10/23



Asignación de IP's a cada equipo





Configuración del primer switch



Switch2

Physical Config CLI Attributes

IOS Command Line Interface

```
Power supply serial number: DAB0609127D
Model revision number: C0
Motherboard revision number: A0
Model number: WS-C2950-24
System serial number: FHK0610Z0WC
```

```
Cisco Internetwork Operating System Software
IOS (tm) C2950 Software (C2950-I6Q4L2-M), Version 12.1(22)EA4, RELEASE SOFTWARE(fcl)
Copyright (c) 1986-2005 by cisco Systems, Inc.
Compiled Wed 18-May-05 22:31 by jharirba
```

Press RETURN to get started!

%LINK-5-CHANGED: Interface FastEthernet0/2, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/2, changed state to up

%LINK-5-CHANGED: Interface FastEthernet0/3, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/3, changed state to up

%LINK-5-CHANGED: Interface FastEthernet0/4, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/4, changed state to up

%LINK-5-CHANGED: Interface FastEthernet0/5, changed state to up


%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/5, changed state to up

```
Switch>ena
Switch#conf t
Enter configuration commands, one per line. End with CNTL/Z.
Switch(config)#hostname SW2
SW2(config)#vlan 30
SW2(config-vlan)#name luis
SW2(config-vlan)#exit
SW2(config)#vlan 60
SW2(config-vlan)#name gerardo
SW2(config-vlan)#exit
SW2(config)#
```

Copy

Paste

☐ Top



Configuración del segundo Switch