

# Contents

<b>Fox ML Infrastructure – Release Notes &amp; Tagging Standard</b>	<b>1</b>
1. Semantic Versioning . . . . .	2
1.1 Version Format . . . . .	2
1.2 Pre-Release Versions . . . . .	2
2. Git Tagging . . . . .	2
2.1 Tag Format . . . . .	2
2.2 Tagging Commands . . . . .	2
2.3 Tag Naming Rules . . . . .	2
3. Release Notes Format . . . . .	3
3.1 Standard Structure . . . . .	3
3.2 Release Notes Sections . . . . .	3
4. Changelog Format . . . . .	4
4.1 Changelog Structure . . . . .	4
4.2 Changelog Categories . . . . .	4
5. Release Notes Content Guidelines . . . . .	5
5.1 Clarity and Conciseness . . . . .	5
5.2 Technical Detail Level . . . . .	5
5.3 Breaking Changes . . . . .	5
6. Enterprise Changelog . . . . .	5
6.1 Enterprise Changelog Format . . . . .	5
6.2 Enterprise Changelog Updates . . . . .	6
7. Tagging Workflow . . . . .	6
7.1 Pre-Release Checklist . . . . .	6
7.2 Tag Creation Process . . . . .	7
7.3 Post-Release . . . . .	7
8. Version Numbering Guidelines . . . . .	7
8.1 When to Increment MAJOR . . . . .	7
8.2 When to Increment MINOR . . . . .	7
8.3 When to Increment PATCH . . . . .	7
9. Examples . . . . .	8
9.1 Example Release Notes . . . . .	8
9.2 Example Changelog Entry . . . . .	8
10. Contact . . . . .	9
11. Related Documents . . . . .	9
12. Summary . . . . .	9

## Fox ML Infrastructure – Release Notes & Tagging Standard

This document defines the standard format for release notes, version tagging, and changelog entries. This standard ensures consistency and clarity for enterprise clients tracking updates and changes.

## 1. Semantic Versioning

### 1.1 Version Format

All releases use semantic versioning (SemVer): MAJOR.MINOR.PATCH

- **MAJOR** (v1.0.0 -> v2.0.0) – Breaking changes, incompatible API changes
- **MINOR** (v1.0.0 -> v1.1.0) – New features, backward-compatible additions
- **PATCH** (v1.0.0 -> v1.0.1) – Bug fixes, security patches, backward-compatible fixes

**Examples:** - v1.2.0 – Minor release with new features - v1.2.1 – Patch release with bug fixes - v1.2.2 – Patch release with security fixes - v2.0.0 – Major release with breaking changes

### 1.2 Pre-Release Versions

Pre-release versions (if applicable):

- **Alpha:** v1.2.0-alpha.1
- **Beta:** v1.2.0-beta.1
- **Release Candidate:** v1.2.0-rc.1

Pre-release versions are not recommended for production use.

---

## 2. Git Tagging

### 2.1 Tag Format

All releases are tagged in the enterprise base repository:

- **Format:** v1.2.0, v1.2.1, v1.2.2, etc.
- **Prefix:** Always use v prefix
- **Immutable:** Tags are immutable – once released, a version tag is never modified
- **Annotated tags:** Use annotated tags (not lightweight tags) for better metadata

### 2.2 Tagging Commands

Example tagging commands:

```
# Create annotated tag
git tag -a v1.2.0 -m "Release v1.2.0: New features and improvements"

# Push tag to remote
git push origin v1.2.0

# List tags
git tag -l "v*"
```

### 2.3 Tag Naming Rules

Tag naming rules:

- **Lowercase:** Use lowercase v prefix

- **No spaces:** No spaces in version numbers
  - **Consistent format:** Always use vMAJOR.MINOR.PATCH format
  - **No special characters:** No special characters except dots and hyphens (for pre-releases)
- 

### 3. Release Notes Format

#### 3.1 Standard Structure

Release notes follow this structure:

```
# Release v1.2.0 -- [Release Date]

## Summary
Brief one-paragraph summary of the release.

## New Features
- Feature 1: Description
- Feature 2: Description

## Improvements
- Improvement 1: Description
- Improvement 2: Description

## Bug Fixes
- Fix 1: Description (Issue #123)
- Fix 2: Description (Issue #124)

## Security Fixes
- Security fix 1: Description (CVE-YYYY-XXXXX, if applicable)

## Deprecations
- Deprecated feature: Description (removal planned in v2.0.0)

## Migration Notes
- Migration step 1: Description
- Migration step 2: Description

## Breaking Changes
- Breaking change 1: Description
- Breaking change 2: Description

## Contributors
- Contributor 1
- Contributor 2
```

#### 3.2 Release Notes Sections

Required sections (if applicable):

- **Summary** – Always include
- **New Features** – Include if new features added
- **Improvements** – Include if improvements made
- **Bug Fixes** – Include if bugs fixed
- **Security Fixes** – Include if security fixes applied
- **Deprecations** – Include if features deprecated
- **Migration Notes** – Include for major releases or significant changes
- **Breaking Changes** – Include for major releases

**Optional sections:**

- **Contributors** – Include if external contributors
  - **Performance** – Include if performance improvements
  - **Documentation** – Include if significant documentation updates
- 

## 4. Changelog Format

### 4.1 Changelog Structure

Changelog entries follow this format:

```
## [v1.2.0] - 2026-01-15
```

```
### Added
```

- New feature 1
- New feature 2

```
### Changed
```

- Changed behavior 1
- Changed behavior 2

```
### Fixed
```

- Bug fix 1 (Issue #123)
- Bug fix 2 (Issue #124)

```
### Security
```

- Security fix 1 (CVE-YYYY-XXXXX)

```
### Deprecated
```

- Deprecated feature 1 (removal in v2.0.0)

```
### Removed
```

- Removed feature 1 (was deprecated in v1.1.0)

### 4.2 Changelog Categories

Standard changelog categories:

- **Added** – New features

- **Changed** – Changes to existing functionality
- **Deprecated** – Features that will be removed
- **Removed** – Removed features
- **Fixed** – Bug fixes
- **Security** – Security fixes

**Additional categories (if applicable):**

- **Performance** – Performance improvements
  - **Documentation** – Documentation updates
  - **Refactoring** – Code refactoring (internal)
- 

## 5. Release Notes Content Guidelines

### 5.1 Clarity and Conciseness

Release notes should be:

- **Clear** – Use clear, concise language
- **Specific** – Be specific about what changed
- **Actionable** – Include actionable information (migration steps, etc.)
- **Scannable** – Use bullet points and headings for easy scanning

### 5.2 Technical Detail Level

Technical detail level:

- **User-facing** – Focus on user-visible changes
- **Technical context** – Include technical context when relevant
- **Examples** – Include examples for complex changes
- **Links** – Link to detailed documentation when available

### 5.3 Breaking Changes

Breaking changes must include:

- **Clear identification** – Clearly marked as “Breaking Changes”
  - **Impact description** – Description of impact on users
  - **Migration guide** – Step-by-step migration instructions
  - **Timeline** – Timeline for migration (if applicable)
- 

## 6. Enterprise Changelog

### 6.1 Enterprise Changelog Format

Enterprise changelog (CHANGELOG\_ENTERPRISE.md) follows this format:

```
# Fox ML Infrastructure -- Enterprise Changelog

## Version History
```

### v1.2.0 -- 2026-01-15  
\*\*Release Type:\*\* Minor Release

**\*\*New Features:\*\***

- Feature 1: Description
- Feature 2: Description

**\*\*Improvements:\*\***

- Improvement 1: Description
- Improvement 2: Description

**\*\*Bug Fixes:\*\***

- Fix 1: Description
- Fix 2: Description

**\*\*Security Fixes:\*\***

- Security fix 1: Description

**\*\*Migration Notes:\*\***

- Migration step 1: Description

---

### v1.1.0 -- 2025-12-10  
[Previous release notes...]

## 6.2 Enterprise Changelog Updates

Enterprise changelog is updated:

- **With each release** – Updated with each new release
  - **Chronological order** – Most recent releases first
  - **Complete history** – Maintains complete release history
  - **Version links** – Links to version tags in repository
- 

## 7. Tagging Workflow

### 7.1 Pre-Release Checklist

Before creating a release tag:

- ☐ All tests pass
- ☐ Documentation is updated
- ☐ Release notes are prepared
- ☐ Changelog is updated
- ☐ Version numbers are updated (if applicable)
- ☐ Security review completed (for security patches)

## 7.2 Tag Creation Process

Tag creation process:

1. **Prepare release** – Complete pre-release checklist
2. **Create tag** – Create annotated tag with release notes
3. **Push tag** – Push tag to remote repository
4. **Update changelog** – Update enterprise changelog
5. **Notify clients** – Notify enterprise clients (if applicable)

## 7.3 Post-Release

After creating a release tag:

- **Verify tag** – Verify tag is accessible in repository
  - **Update documentation** – Update any documentation referencing versions
  - **Client notification** – Notify clients of new release (Enterprise/Premium support)
- 

## 8. Version Numbering Guidelines

### 8.1 When to Increment MAJOR

Increment MAJOR version when:

- **Breaking API changes** – API changes that break backward compatibility
- **Removal of features** – Removal of previously available features
- **Architectural changes** – Significant architectural changes
- **Configuration changes** – Breaking configuration format changes

### 8.2 When to Increment MINOR

Increment MINOR version when:

- **New features** – New features added (backward-compatible)
- **Performance improvements** – Significant performance improvements
- **New model types** – New model types or strategies added
- **Enhanced functionality** – Enhanced functionality (backward-compatible)

### 8.3 When to Increment PATCH

Increment PATCH version when:

- **Bug fixes** – Bug fixes (backward-compatible)
  - **Security patches** – Security patches and fixes
  - **Documentation updates** – Documentation corrections
  - **Minor improvements** – Minor improvements and optimizations
-

## 9. Examples

### 9.1 Example Release Notes

#### Example: v1.2.0 Release Notes

# Release v1.2.0 -- January 15, 2026

#### ## Summary

This release adds new model types, improves performance, and fixes several bugs.

#### ## New Features

- Added Transformer model support for time-series forecasting
- Added multi-task learning capabilities
- Added new feature engineering functions

#### ## Improvements

- Improved training performance by 30% for large datasets
- Enhanced configuration validation with better error messages
- Updated documentation with new examples

#### ## Bug Fixes

- Fixed memory leak in feature engineering pipeline (Issue #123)
- Fixed incorrect validation split calculation (Issue #124)
- Fixed configuration loading error for nested configs (Issue #125)

#### ## Security Fixes

- Updated dependency with security vulnerability (CVE-2025-12345)

#### ## Migration Notes

- Configuration format unchanged -- no migration required
- New optional parameters available -- see documentation for details

### 9.2 Example Changelog Entry

#### Example: Changelog Entry

## [v1.2.0] - 2026-01-15

#### ### Added

- Transformer model support for time-series forecasting
- Multi-task learning capabilities
- New feature engineering functions

#### ### Changed

- Improved training performance by 30% for large datasets
- Enhanced configuration validation with better error messages

#### ### Fixed

- Memory leak in feature engineering pipeline (Issue #123)

- Incorrect validation split calculation (Issue #124)
- Configuration loading error for nested configs (Issue #125)

### ### Security

- Updated dependency with security vulnerability (CVE-2025-12345)
- 

## 10. Contact

For questions about release notes or tagging:

**Jennifer Lewis**

Fox ML Infrastructure LLC

Email: [jenn.lewis5789@gmail.com](mailto:jenn.lewis5789@gmail.com)

Subject: *Release Notes Inquiry – Fox ML Infrastructure*

---

## 11. Related Documents

- `LEGAL/RELEASE_POLICY.md` – Release policy (versioning strategy and cadence)
  - `LEGAL/CHANGELOG_ENTERPRISE.md` – Enterprise changelog
  - `docs/` – Technical documentation
- 

## 12. Summary

**Key Release Notes & Tagging Principles:**

1. **Semantic versioning** – Use MAJOR.MINOR.PATCH format consistently
2. **Annotated tags** – Use annotated tags with release notes
3. **Standard format** – Follow standard release notes and changelog format
4. **Clear communication** – Clearly communicate changes, especially breaking changes
5. **Complete history** – Maintain complete release history in changelog
6. **Client notification** – Notify clients of releases (Enterprise/Premium support)

**This standard ensures consistency and clarity for enterprise clients tracking updates.**