Midterm — 20 MCQs

Internal Medicine (Cardiology) · Physical Therapy

01 Anatomy & Physiology of the Heart

3 Q

1. The heart is enclosed in a double-walled sac called the:

a) Myocardium
b) Mediastinum
c) **Pericardium ✓**
d) Endocardium

2. The receiving chambers of the heart are the:

a) Ventricles
b) Coronary arteries
c) Great vessels
d) **Atria ✓**

3. The apex of the heart rests on the diaphragm at about the level of the:

a) **5th intercostal space ✓**
b) 2nd rib
c) 8th intercostal space
d) 1st intercostal space

02 Embryology & Congenital Heart Disease

4 Q

4. The development of the heart begins during the …… week of intrauterine life:

a) 8th
b) 1st
c) **4th ✓**
d) 12th

5. In fetal circulation, the organ of gas exchange is the:

a) Liver
b) Kidneys
c) Lungs
d) **Placenta ✓**

6. Maternal rubella infection is associated with:

a) Mitral stenosis
b) Tetralogy of Fallot
c) **Patent ductus arteriosus (PDA) ✓**
d) Coarctation of aorta

7. Tetralogy of Fallot consists of VSD, overriding of aorta, pulmonary stenosis and:

a) Left atrial enlargement
b) **Right ventricular hypertrophy ✓**
c) Coronary blockage
d) Mitral stenosis

03 Coronary Artery Disease

4 Q

8. The typical site of anginal pain is:

a) Lumbar region
b) **Retrosternal ✓**
c) Right hypochondrium
d) Right iliac fossa

9. Anginal pain is relieved by:

a) Physical exertion
b) Cold temperature
c) A heavy meal
d) **Rest and nitrates ✓**

10. Myocardial ischemia without any signs or symptoms is called:

a) Heart failure
b) **Silent ischemia ✓**
c) Pericarditis
d) Unstable angina

11. Smoking, diabetes and hypertension are:

a) Fetal shunts
b) Treatments of angina
c) **Risk factors for CAD ✓**
d) Types of valve disease

04 Valvular Heart Diseases

6 Q

12. The most common cause of mitral stenosis is:

a) Left atrial myxoma
b) SLE
c) Congenital
d) **Rheumatic fever ✓**

13. The principal symptom of mitral stenosis is:

a) Syncope
b) Abdominal discomfort
c) Fluttering in the neck
d) **Exertional dyspnea ✓**

14. The murmur of mitral regurgitation is best heard at the apex and radiates to the:

a) Carotids
b) **Axilla ✓**
c) Back
d) Neck veins

15. The most common cause of aortic stenosis in old age is:

a) **Calcific stenosis ✓**
b) Supravalvular membrane
c) Rheumatic
d) Syphilis

16. Water hammer pulse is a sign of:

a) Aortic stenosis
b) Tricuspid stenosis
c) **Aortic regurgitation ✓**
d) Mitral stenosis

17. A fluttering sensation in the neck is a symptom of:

a) Coronary artery disease
b) **Tricuspid stenosis ✓**
c) Mitral regurgitation
d) Pericarditis

05 Cardiac Rehabilitation

3 Q

18. Phase I of cardiac rehabilitation relates to:

a) Long-term maintenance

b) **The period of hospitalization after an acute cardiac event ✓**

c) Exercise in a leisure center

d) The immediate post-discharge period

19. Which is an ABSOLUTE contraindication to exercise?

a) Moderate stenotic valvular heart disease

b) High-degree AV block

c) Electrolyte abnormalities

d) **Unstable angina ✓**

20. The duration of phase III of cardiac rehabilitation is:

a) 2 days

b) 1 year

c) **6–12 weeks ✓**

d) 1 week

✓ Answer Key

1 C	2 D	3 A	4 C	5 D	6 C	7 B	8 B	9 D	10 B
11 C	12 D	13 D	14 B	15 A	16 C	17 B	18 B	19 D	20 C