

# MITx: CTL.SC2x Supply Chain Design

*F.J.Padt*

*2015-10-11*

## Contents

<b>1</b>	<b>Week 1: Overview of Supply Chain Design</b>	<b>3</b>
<b>2</b>	<b>Lesson 1: Overview of Supply Chain Design</b>	<b>3</b>
2.1	QQ 1 . . . . .	3
2.2	QQ 2 . . . . .	4
2.3	QQ 3.1 . . . . .	4
2.4	QQ 3.2 . . . . .	4
<b>3</b>	<b>Lesson 2: Network Flow Models</b>	<b>5</b>
3.1	QQ1 . . . . .	5
3.2	QQ2 . . . . .	6
3.3	QQ2.1 . . . . .	7
3.4	QQ2.2 . . . . .	7
3.5	QQ3.2 . . . . .	8
3.6	QQ3.3 . . . . .	9
3.7	QQ5 . . . . .	10
<b>4</b>	<b>Practice Problems</b>	<b>11</b>
4.1	PP1: STEELCO . . . . .	11
4.2	PP2: FRUITY JUICE . . . . .	12
4.3	PP3: RALPH CALVIN HILFIGER (RCH) INDUSTRIES . . . . .	14
4.4	PP3.1 . . . . .	15
4.5	PP3.2 . . . . .	15
4.6	PP3.3 . . . . .	16
4.7	PP3.4 . . . . .	16
<b>5</b>	<b>Verified Practice Problems</b>	<b>17</b>
5.1	VPP1: DISTRIBUTION OF GOLF CAPS . . . . .	17
5.2	VPP2: LOGCO . . . . .	18
<b>6</b>	<b>Supplemental Materials</b>	<b>19</b>
6.1	SELECTED MIT SUPPLY CHAIN MANAGEMENT (SCM) THESES . . . . .	19

<b>7</b>	<b>Graded Assignment</b>	<b>19</b>
7.1	GA1: BUYING BOLTS FOR INDUSTRYCO . . . . .	19
7.2	GA2: SANDYCO DISTRIBUTION . . . . .	25



MITx: CTL.SC2x Supply Chain Design

```
## Warning: package 'lpSolve' was built under R version 3.2.2
```

```
## Warning: package 'Rglpk' was built under R version 3.2.2
```

```
## Warning: package 'slam' was built under R version 3.2.2
```

```
## Using the GLPK callable library version 4.47
```

## 1 Week 1: Overview of Supply Chain Design

## 2 Lesson 1: Overview of Supply Chain Design

### 2.1 QQ 1

When we talk about Supply Chain design, it usually involves decisions about which of the below items? You may select more than one option:

1. Selection of suppliers, and location of distribution centers and manufacturing facilities
2. Type of Inventory Management software
3. Designing Supply Chain contracts with suppliers
4. Demand collaboration with customers
5. None of the above

answer: 1,2,3,4

#### 2.1.1 EXPLANATION

Supply chain design is about making the right decisions for physical, information, and payment flows. The major part of the process is the physical flow of course, but this is only the “tip of the iceberg”. Options 2, 3, and 4 are all about the information flow design - which is just as important as the physical flows in Supply Chain design. Some would argue that selection of software is not part of the design of the supply chain. I believe it is since the selection determines what I can and cannot consider in the design of the supply chain itself. Selecting, for example, Llamasoft’s Supply Chain Guru or JDA’s Supply Chain Strategist tool instead of using a spreadsheet for network design really establishes the limits of the planning activity!

## 2.2 QQ 2

After several meetings with the sales and operations teams, you decided to opt for a (R,S) inventory replenishment policy. Which of the following statements is true about the decision you just made?

1. Your design involves lower carrying costs than a Continuous Review system
2. You need optimal parameters to use this design
3. You do not need a computer managed system
4. None of the above
5. All of the above

answer: 3

### 2.2.1 EXPLANATION

The decision to use a Periodic Review replenishment policy involves some tradeoffs by comparison to a continuous system. The good thing is that for a periodic review system, you can manually check the level of your inventory every R time periods. This means you do not need to buy additional software or computers, and you only need reasonable parameters to implement the policy. The R,S policy is what you probably use when buying groceries at your home! However, carrying costs are usually higher for Periodic Review policies than for Continuous Review policies since you need to hold additional safety stock to cover this longer lead plus replenishment time.

## 2.3 QQ 3.1

You are manufacturing a highly innovative product domestically. While you have a rough idea of the demand for this product, your range is pretty wide since it is new to market. When designing your supply chain, you need to choose your inventory stocking model.

Which configuration do you recommend?

1. Build to Stock
2. Configure to Order
3. Build to Order

answer: 3

### 2.3.1 EXPLANATION

For a new product that is manufactured domestically, it is preferable to build to order since your demand visibility forecast is not necessarily reliable. Of course, there are other parameters to consider so you can satisfy your customers: shipping options, order fulfillment locations, number of distribution centers...

## 2.4 QQ 3.2

Fisher (1997) identified two general objectives for supply chains: Efficiency for Functional products and Matching Supply to Demand for Innovative products.

Which of the following products do you think should be treated as innovative products?

- a. Cans of Chicken Noodle Soup
- b. Cans of Chicken Noodle Soup with new holograms of Star Wars Characters on them
- c. A new anti-malaria medicine
- d. Gasoline and diesel
- e. White T-shirts
- f. Headphones for portable music devices

Note: Make sure you select all of the correct options—there may be more than one!

Answer: b,c

### 2.4.1 EXPLANATION

This is always a very context driven question, but we can make some guesses here. Obviously, cans of soup are not going to be innovative - unless, there is something different about them (promotions, limited runs, etc.). Choice b is an example of something that will have pretty uncertain demand - I would treat it as innovative. Choice c is not obvious - certain anti-malaria medicine have been around for ages and are made to stock in large volumes. However, if we consider a new drug we want to make sure we meet the demand rather than being just efficient! The remainder could be argued for, but generally you are looking for an efficient supply chain here - treat them as functional.

## 3 Lesson 2: Network Flow Models

### 3.1 QQ1

Which of the following statements are/is true about network models?

- 1. The minimum cost flow problem is about finding the shortest path between two nodes
- 2. There will never be more than two arcs for every node
- 3. A network is a connection of nodes and arcs
- 4. In a transportation setting, nodes are typically facilities such as stores or terminals
- 5. Network models always perfectly mimic reality
- 6. Arcs can only flow in one direction in a network

Answer: c,d

Note: Make sure you select all of the correct options—there may be more than one!

### 3.1.1 EXPLANATION

The minimum cost flow problem is about finding the lowest cost flow through the network to satisfy demand, not the shortest path.

There can be many arcs for every node. For instance, there could be several roads leading to one warehouse.

A network is a collection of nodes (DCs, warehouses, stores, terminals, etc.) and arcs (roads, railways, flows, etc.).

A model is always an abstraction of reality, which means the model does not perfectly mimic reality. If correctly specified, though, it provides insights about reality.

Arcs can be single direction or multi-directional, just like roads.

## 3.2 QQ2

```
# SandyCoPART1 v2

costs <- matrix(c(250, 325, 445,
                  275, 260, 460),
               nrow=2, ncol=3, byrow = TRUE)
row.signs <- rep("<=", 2)
row.rhs <- c(100, 125)
col.signs <- rep(">=", 3)
col.rhs <- c(25, 95, 80)

lp.transport(costs, "min", row.signs, row.rhs, col.signs, col.rhs)

## Success: the objective function is 66625

lp.transport(costs, "min", row.signs, row.rhs, col.signs, col.rhs)$solution
```

25	0	75
0	95	5

```
# SandyCoPART1 v1
# Using Rglpk
obj <- c(250, 325, 445, 275, 260, 460)
mat <- matrix(c(1, 1, 1, 0, 0, 0,
               0, 0, 0, 1, 1, 1,
               1, 0, 0, 1, 0, 0,
               0, 1, 0, 0, 1, 0,
               0, 0, 1, 0, 0, 1), nrow=5, byrow = TRUE)
dir <- c("<=", "<=", ">=", ">=", ">=")
rhs <- c(100, 125, 25, 95, 80)
max <- FALSE

Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
```

```
## $optimum
```

```
## [1] 66625
##
## $solution
## [1] 25  0 75  0 95  5
##
## $status
## [1] 0
```

### 3.3 QQ2.1

Consider a retailer with a distribution network consisting of a DC and four stores. Suppose the manager wants to build a network flow model and use a linear program to minimize transport costs in the network. Transport capacity is widely available.

Which of the following statements describe the constraints in such a model?

1. The number of shipments per period from the DC to the stores
2. The cost of a shipment from the DC to the stores
3. The demand in each store and period and the capacity of the DC
4. The minimization of cost

answer: 3

#### 3.3.1 EXPLANATION

1. These are the decision variables
2. These are the coefficients of the decision variables in the objective function
3. These are the constraints! The retailer wants to minimize cost such that these constraints are satisfied.
4. This is the objective

### 3.4 QQ2.2

Suppose you have a network with 3 distribution centers (DCs) each of which can serve any of the 8 customer regions. You want to solve the transportation problem.

2.2a. How many decision variables will you have?

answer: 24

2.2b. How many supply constraints will you need?

answer: 3

2.2c. How many demand constraints will you need?

answer: 8

### 3.4.1 EXPLANATION

You will need 24 arcs to connect 3 DCs to 8 regions. Therefore, you will need 24  $x_{i,j}$  variables.

There will be 3 Supply Constraints since there are three DCs and 8 Demand Constraints since there are that many customer regions.

### 3.5 QQ3.2

Use the SandyCo model that is in the Reference Material section for Lesson2 (under Video 1). Suppose that the demand changes such that  $D1=90, D2=30, D3=100$ . What are the new values for the following variables?

```
costs <- matrix(c(250, 325, 445, 275, 260, 460), 2, 3, byrow = TRUE)
row.signs <- rep("<=", 2)
row.rhs <- c(100, 125)
col.signs <- rep(">=", 3)
col.rhs <- c(90, 30, 100)

lp.transport(costs, "min", row.signs, row.rhs, col.signs, col.rhs)
```

Success: the objective function is 76150

```
lp.transport(costs, "min", row.signs, row.rhs, col.signs, col.rhs)$solution
```

90	0	10
0	30	90

$x_{1,1}$

90

$x_{1,2}$

0

$x_{1,3}$

10

$x_{2,1}$

0

$x_{2,2}$

30

$x_{2,3}$

90

What is the cost for this solution?

76150



### 3.5.1 EXPLANATION

All you need to do is change the values for the RHS of the Demand constraints. In the first formulation (SandyCo v1) these are cells K13:K15.

## 3.6 QQ3.3

Using the same model for SandyCo, suppose the demand for each region is changed to 80 tons.

What would the outcome be when you optimize this model?

1. The solution will be roughly the same
2. The solution value will be higher since the total demand is higher
3. Some of the decision variables will turn negative
4. The problem will not solve
5. None of the above

```
costs <- matrix(c(250, 325, 445, 275, 260, 460), 2, 3, byrow = TRUE)
row.signs <- rep("<=", 2)
row.rhs <- c(100, 125)
col.signs <- rep(">=", 3)
col.rhs <- c(80, 80, 80)

lp.transport(costs, "min", row.signs, row.rhs, col.signs, col.rhs)
```

Error: no feasible solution found

```
lp.transport(costs, "min", row.signs, row.rhs, col.signs, col.rhs)$solution
```

0	0	0
0	0	0

### 3.6.1 EXPLANATION

Changing the demand for each region to be 80 tons, would mean we have a total demand of 240 tons. The total supply is only 225 tons, so the problem is infeasible and will not solve. You will get an error statement!

Infeasible problems can happen a lot when we have capacity constraints. It simply means that the solution space, as defined by the constraints, is empty. It has nothing to do with the objective function. The space bounded by the constraints is called the “Feasible Region”. When this happens to you in practice - try relaxing the different constraints to see where the model is having problems.

```
costs <- matrix(c(250, 325, 445, 275, 260, 460), 2, 3, byrow = TRUE)
row.signs <- rep("<=", 2)
row.rhs <- c(100, 125)
col.signs <- rep(">=", 3)
```

```
col.rhs <- c(80, 80, 80)
```

```
lp.transport (costs, "min", row.signs, row.rhs, col.signs, col.rhs)
```

Error: no feasible solution found

```
lp.transport (costs, "min", row.signs, row.rhs, col.signs, col.rhs)$solution
```

0	0	0
0	0	0

```
# SandyCoPART1 v2
# Using Rglpk
obj <- c(190, 210, 185, 205, 175, 180, 165, 235, 130, 145)
mat <- matrix(
  c(1, 1, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 1, 1, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 1, 0, 0, 1, 0, 0,
    0, 0, 0, 0, 0, 1, 0, 0, 1, 0,
    0, 0, 0, 0, 0, 0, 1, 0, 0, 1,
    1, 0, 1, 0, -1, -1, -1, 0, 0, 0,
    0, 1, 0, 1, 0, 0, 0, -1, -1, -1),
  nrow=7, byrow = TRUE)
dir <- c("<=", "<=", ">=", ">=", ">=", "==", "==")
rhs <- c(100, 125, 25, 95, 80, 0, 0)
max <- FALSE

Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
```

```
## $optimum
## [1] 69200
##
## $solution
## [1] 0 75 105 20 25 0 80 0 95 0
##
## $status
## [1] 0
```

## 3.7 QQ5

### 3.7.1 EXPLANATION

The correct order:

Read and understand the problem thoroughly

Determine the Decision Variables (DVs)

Formulate Objective Function as a linear function of DVs

Formulate Constraints as linear functions of DVs

Identify Upper and Lower bounds on DVs

Also, be sure to understand your assumptions and limitations! Remember that a model is an abstraction of reality.

## 4 Practice Problems

### 4.1 PP1: STEELCO

SteelCo is a small steel distributor in Northern USA. They have two distribution centers (DCs), one in Allentown, PA, and one in Toledo, OH.

SteelCo has just received a large order from a construction contractor and will be supplying steel to four construction projects in the Northeast: one in Buffalo, one in Albany, one in Philadelphia, and one in Cleveland.

The contractor has ordered the following amounts to be shipped each week: Project | Pounds ——— | ——— Buffalo | 40,500 pounds Albany | 22,230 pounds Philadelphia| 85,200 pounds Cleveland | 47,500 pounds

Both DCs can each handle an additional 100,000 pounds of steel per week.

The transport costs for a pound of steel for the different DC-construction site combinations are given in the table below.

DC	Buffalo	Albany	Philadelphia	Cleveland
Allentown	52	32	11	69
Toledo	45	84	76	15

```
# Using Rglpk
# decision variables x1:x8 representing the flow from DC to project
obj <- c(52, 32, 11, 69, 45, 84, 76, 15)
mat <- matrix(c(1, 1, 1, 1, 0, 0, 0, 0,
                0, 0, 0, 0, 1, 1, 1, 1,
                1, 0, 0, 0, 1, 0, 0, 0,
                0, 1, 0, 0, 0, 1, 0, 0,
                0, 0, 1, 0, 0, 0, 1, 0,
                0, 0, 0, 1, 0, 0, 0, 1
                ), nrow=6, byrow = TRUE)
dir <- c("<=", "<=", ">=", ">=", ">=", ">=")
rhs <- c(100000, 100000, 40500, 22230, 85200, 47500)
max <- FALSE

sol <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
sol
```

```
## $optimum
## [1] 4569920
##
## $solution
## [1] 0 14800 85200 0 40500 7430 0 47500
##
## $status
## [1] 0
```

```
# sol[[1]]
```

#### 4.1.1 PP1.1

Suppose SteelCo wants to minimize costs. How many pounds of steel should be shipped from the DC in Allentown, PA, to the four construction projects, in total?

100000

#### 4.1.2 PP1.2

4569920 -> sol[[1]]

#### 4.1.3 PP1.3

If we follow the suggested strategy, only one of the DCs will have additional available capacity. Which one?

1. Allentown, PA
2. Toledo, OH
3. Both will have available capacity

DC: AllenTown 0 DC: Toledo 4570

## 4.2 PP2: FRUITY JUICE

Fruity Juice sells freshly squeezed fruit drinks from its two (2) stores in the greater Boston area. One of the main ingredients for their specialty drinks is bananas. Each store uses 20 boxes of bananas per week for these fruit drinks.

Currently, Fruity Juice uses two (2) wholesalers to supply the bananas. Wholesaler 1 charges \$25 per box to supply Store 1, but adds a surcharge at \$1 per box to supply Store 2 (for a total of \$26 per box) because Store 2 does not permit back room loading by hand lift. Wholesaler 2 charges \$25.50 per box regardless of the store. Each wholesaler has the capacity to deliver 50 boxes per week to the stores.

Now, a manager at Fruity Juice has been given the option to source directly from a Boston-area distributor at \$20 per box. However, in order to get the bananas at the lower price they have to be picked up at the warehouse by Fruity Juice. For this they can use the company van, which only fits 10 boxes. The van would be available for this trip only once a week.

Considering the cost of being stuck in the Boston traffic, bananas are not shipped between the stores.

```
# Using Rglpk
# decision variables x1:x8 representing the flow from DC to project
obj <- c(25, 26, 25.5, 25.5, 20, 20)
mat <- matrix(c(1, 1, 0, 0, 0, 0,
               0, 0, 1, 1, 0, 0,
               0, 0, 0, 0, 1, 1,
               1, 0, 1, 0, 1, 0,
               0, 1, 0, 1, 0, 1
               ), nrow=5, byrow = TRUE)
```

```

dir <- c("<=", "<=", "<=", ">=", ">=")
rhs <- c(50, 50, 10, 20, 20)
max <- FALSE

sol <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
sol

```

```

## $optimum
## [1] 955
##
## $solution
## [1] 20 0 0 10 0 10
##
## $status
## [1] 0

```

#### 4.2.1 PP2.1

Suppose Fruity Juice wants to minimize costs. What is the optimal number of boxes of bananas to source directly from the Distributor?

10

#### 4.2.2 PP2.2

Which is the minimum cost of the system? Round your answer to the nearest dollar value, without the dollar sign, e.g. , if your answer is \$35.49, enter 35 and if it is \$35.50 enter 36.

955

#### 4.2.3 PP2.3

How many boxes of bananas are purchased at \$26 per box according to the cost-optimal solution?

0

#### 4.2.4 PP2.4

Wholesaler 2 really wants your business. They are willing to offer you all the bananas you want, at \$24 per box fully delivered to both stores.

What should you do?

```

obj <- c(25, 26, 24, 24, 20, 20)
sol <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
sol

```

```

## $optimum
## [1] 920
##
## $solution
## [1] 0 0 20 10 0 10

```

```
##
## $status
## [1] 0
```

1. Ignore the offer
2. Accept the offer and source 40 boxes of bananas from Wholesaler 2 each week
3. Accept the offer and source 30 boxes of bananas from Wholesaler 2 each week
4. Accept the offer and source 20 boxes of bananas from Wholesaler 2 each week

30 answer: 3

### 4.3 PP3: RALPH CALVIN HILFIGER (RCH) INDUSTRIES

Clothing manufacturer and retailer Ralph Calvin Hilfiger (RCH) Industries operates five (5) factories. They distribute their products through five (5) regional distribution centers (DCs) each of which supports a specific market.

To reduce the number of direct shipments between factories and regional DCs, as well as improve the load factor of shipments, RCH has utilized a crossdocking (XD) facility for some time. Owing to the success of their existing crossdocking facility (XD1), RCH has now decided to open an additional facility (XD2).

The clothes are transported through the network in small plastic totes via truck. The transportation costs for a tote between the five factories and the two crossdocking facilities are given in the table below.

Factory	Crosdock 1	Crossdock 2
1	30	50
2	23	66
3	35	14
4	70	12
5	65	70

The transportation costs for a tote between the crossdocking facilities and the regional DCs are given in the table below.

Crossdock	DC1	DC2	DC3	DC4	DC5
XD1	12	25	22	40	41
XD2	65	22	23	12	15

The five factories have the following production capacities per week (number of totes):

Factory 1: 200 Factory 2: 300 Factory 3: 100 Factory 4: 150 Factory 5: 220

The five regional DCs face the following demand per week (number of totes):

DC 1: 150 DC 2: 100 DC 3: 110 DC 4: 200 DC 5: 180

The crossdocking facilities have much spare capacity.

```

# Using Rglpk
# decision variables x1:x8 representing the flow from DC to project
obj <- c(30, 50, 23, 66, 35,
        14, 70, 12, 65, 70,
        12, 25, 22, 40, 41,
        65, 22, 23, 12, 15)

mat <- matrix(
  c(1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 0, 0, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0, 0,
    0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 0,
    0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0,
    0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0,
    1, 0, 1, 0, 1, 0, 1, 0, 1, 0, -1, -1, -1, -1, -1, 0, 0, 0, 0, 0,
    0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 0, 0, 0, 0, 0, -1, -1, -1, -1, -1),
  nrow=12, byrow = TRUE)
dir <- c(rep("<=", 5), rep(">=", 5), rep("==", 2))
rhs <- c(200, 300, 100, 150, 220, 150, 100, 110, 200, 180, 0, 0)
max <- FALSE

PP3 <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
PP3

```

```

## $optimum
## [1] 30220
##
## $solution
## [1] 60 130 300 0 0 100 0 150 0 0 150 100 110 0 0 0 0
## [18] 0 200 180
##
## $status
## [1] 0

```

#### 4.4 PP3.1

Suppose RCH wishes to plan the flow of product from Factories to Crossdocks to Distribution Centers in order to minimize total costs.

How much should be shipped through the new facility, crossdocking facility two?

```
sum(sol$solution[seq(from=2, to=10, by=2)])
```

#### 4.5 PP3.2

Which DC's will be supported by the new crossdocking facility, XD2?

1. DC 1

2. DC 2
3. DC 3
4. DC 4
5. DC 5

Note: Make sure you select all of the correct options—there may be more than one!

answer: 4,5

```
## [1] 0 0 0 200 180
```

## 4.6 PP3.3

What is the minimum cost? Enter your answer in dollars without the dollar sign.

```
## [1] 30220
```

30220

## 4.7 PP3.4

Which of the following changes would not affect the optimal solution?

1. Only allowing a weekly flow of 400 totes through each of the crossdocking facilities
2. Closing Factory 5
3. Reducing the capacity of Factory 1 to 190 totes
4. All of the above All of the above - correct

Factory 1:  $\text{sum}(\text{solsolution}[1 : 2])$  Factory 5 :  $\text{sum}(\text{solsolution}[9:10])$  XD1 Flow :  $\text{sum}(\text{solsolution}[11 : 15])$  XD2 Flow :  $\text{sum}(\text{solsolution}[16:20])$

```
sum(sol$solution[1:2])
```

```
## [1] 0
```

```
sum(sol$solution[9:10])
```

```
## [1] NA
```

```
sum(sol$solution[11:15])
```

```
## [1] NA
```



```
sum(sol$solution[16:20])
```

```
## [1] NA
```

## 5 Verified Practice Problems

### 5.1 VPP1: DISTRIBUTION OF GOLF CAPS

A large Golf equipment retailer with 20 stores across Europe has decided to sell a new type of multi-purpose, one-size-fits-all golf cap. The logistics manager has approached you to help him decide how to plan the distribution.

There are five (5) wholesale locations that can supply the caps, and the retailer uses two (2) distribution centers (DCs) to break the shipments and sort them for the stores. The Golf Caps will flow from the wholesalers to the DCs and then onto the stores.

The transport costs for a single cap from the wholesalers to the DCs, the transport costs from DCs to stores, as well as weekly demand and capacities, are found in this Excel file or this Libre Office file.

#### 5.1.1 VPP1.1

Which wholesalers' shipments should be routed through DC 1 in order to minimize costs?

1. Wholesaler 1
2. Wholesaler 2
3. Wholesaler 3
4. Wholesaler 4
5. Wholesaler 5

Note: Make sure you select all of the correct options—there may be more than one!

#### 5.1.2 VPP1.2

How many stores are supplied by more than one DC in the cost optimal solution?

unanswered

#### 5.1.3 VPP1.3

What is the cost of the cost-optimal solution?

unanswered

#### 5.1.4 VPP1.4

Wholesaler 3 has offered to increase its capacity to as much as you need. Should you accept their offer?  
Should you accept their offer?

1. Yes
2. No
3. You need more information to make the decision

### 5.2 VPP2: LOGCO

LogCo is a logistics service provider. They just signed a contract with a large manufacturer, making them the exclusive provider of transport services from three of the manufacturer's plants to its six regional warehouses. LogCo has also been contracted to do the logistics planning for this network.

The six regional warehouses face the following demand in number of truckloads per week:

Providence : 4 Philadelphia: 15 Columbus : 5 Knoxville : 12 Jacksonville: 3 Richmond : 8

Since transportation costs are a large part of total costs for the client, the three plants (located in Cincinnati, Atlanta, and Detroit) can adjust production planning to fit the transport network. They do, however, have a capacity limit of producing enough goods to fill 20 truckloads per week.

LogCo owns and operates two large terminals, one in Scranton, PA, and one in Charlotte, NC.

The transportation costs are given in the table below and can be downloaded [here](#) (Excel) or [here](#) (Libre Office).

#### 5.2.1 VPP2.1

LogCo is not sure whether it would be optimal to route the traffic through the terminals, or have all shipments going straight from a plant to a warehouse.

In choosing between using both terminals or using none, what should LogCo do to minimize costs?

1. Use the terminals for this client
2. Not use the terminals for this client
- unanswered

#### 5.2.2 VPP2.2

Which of the following is true about the cost-optimal solution with and without the two terminals?

1. Philadelphia should have Detroit as the sole supplier if terminals are used.
2. It is optimal to produce at full capacity in Cincinnati independently of whether the terminals are used or not.

3. The Knoxville warehouse should have incoming shipments from two sources independently of whether the terminals are used or not.
4. Richmond, Philadelphia, and Columbus warehouses should have shipments from two sources if the terminals are not used.

## 6 Supplemental Materials

### 6.1 SELECTED MIT SUPPLY CHAIN MANAGEMENT (SCM) THESES

[linked phrase](#)

## 7 Graded Assignment

### 7.1 GA1: BUYING BOLTS FOR INDUSTRYCO

You have recently been appointed Category Manager for nuts and bolts at IndustryCo, a manufacturer with a large demand for bolts at its three (3) factories. You have surveyed the market and found four (4) suppliers for a certain steady selling SKU, XA21R45.

Your factories' weekly demand for bolts are:

- Factory 1: 4,000 cases/week
- Factory 2: 11,000 cases/week
- Factory 3: 19,000 cases/week

Each of the four suppliers can provide the XA21R45, but they differ in unit price, weekly capacity, and distance to IndustryCo's three factories.

The unit prices and the weekly capacity for each of the four suppliers are shown below:

- Supplier 1: U.S. Ainbolt - Unit cost: 0.12 \$/case Capacity 10,000 cases/week
- Supplier 2: Der Bolt, Thun - Unit cost: 0.15 \$/case Capacity 10,000 cases/week
- Supplier 3: Li Thingbolt - Unit cost: 0.10 \$/case Capacity 5,000 cases/week
- Supplier 4: M. Bolton - Unit cost: 0.13 \$/case Capacity 10,000 cases/week

You are trying to plan the weekly flow of bolts from these suppliers to your factories. Based on the current contract with your transportation carrier, the unit transportation cost for a case of bolts is \$0.05 per mile from any of the suppliers to any of the factories. The distances between the four suppliers and the three factories are given in the tables below. (and Fredrik apologizes for the bad puns in advance)

Transport Distance (miles)

Supplier	Factory 1	Factory 2	Factory 3
1	400	700	850
2	120	340	760
3	500	500	680
4	790	19360	400

```

dist <- matrix(c(400, 700, 850, 120,
                 340, 760, 500, 500,
                 680, 790, 360, 400),
              nrow=4, ncol=3, byrow=TRUE)
tcsts <- dist * 0.05
pcsts <- matrix(c(rep(0.12, 3),
                  rep(0.15, 3),
                  rep(0.10, 3),
                  rep(0.13, 3)),
              nrow=4, ncol=3, byrow = TRUE)
costs <- tcsts + pcsts
row.signs <- rep("<=", 4)
row.rhs <- c(10000, 10000, 5000, 10000)
col.signs <- rep(">=", 3)
col.rhs <- c(4000, 11000, 19000)

GA1_lp <- lp.transport (costs, "min", row.signs, row.rhs, col.signs, col.rhs)
GA1_lp

```

```
## Success: the objective function is 827880
```

```
GA1_lp$solution
```

4000	0	5000
0	10000	0
0	1000	4000
0	0	10000

```

# SandyCoPART1 v2
# Using Rglpk
obj <- c(as.vector(t(costs)))
mat <- matrix(
  c(1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0,
    0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1,
    1, 0, 0, 1, 0, 0, 1, 0, 0, 1, 0, 0,
    0, 1, 0, 0, 1, 0, 0, 1, 0, 0, 1, 0,
    0, 0, 1, 0, 0, 1, 0, 0, 1, 0, 0, 1),
  nrow=7, byrow = TRUE)
dir <- c(rep("<=", 4), rep(">=", 3))
rhs <- c(10000, 10000, 5000, 10000, 4000, 11000, 19000)
max <- FALSE

GA1_Rglp <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
GA1_Rglp

## $optimum
## [1] 827880
##
## $solution

```

```
## [1] 4000      0 5000      0 10000      0      0 1000 4000      0      0
## [12] 10000
##
## $status
## [1] 0
```

```
matrix(GA1_Rglp$solution, nrow=4, byrow=TRUE)
```

4000	0	5000
0	10000	0
0	1000	4000
0	0	10000

### 7.1.1 GA1.1 (1 point possible)

Currently, the factories operate independently. Disregarding any of the other factories, which supplier should Factory 1 select in order to have the lowest total (purchase and transport) cost for them?

1. Supplier 1: U.S. Ainbolt
2. Supplier 2: Der Bolt, Thun
3. Supplier 3: Li Thingbolt
4. Supplier 4: M. Bolton

answer: 2

```
which(costs[, 1]==min(costs[, 1]))
```

```
## [1] 2
```

```
costs[which(costs[, 1]==min(costs[, 1])),1]
```

```
## [1] 6.15
```

### 7.1.2 GA1.2 (1 point possible)

You want to take a holistic view of bolt sourcing instead of having each factory select its supplier on its own. You decide to create a model to help you select the optimal sourcing assignment for all of the factories for the XA21R45 bolts. Based on this optimization model, what is the total weekly cost for supplying bolts for IndustryCo? Be sure to include the purchase price as well as the transportation costs. Enter your answer in dollars without a dollar sign.

answer: 827880

```
GA1_Rglp$optimum
```

```
## [1] 827880
```

**7.1.2.1 EXPLANATION** To solve this we need to create a spread sheet model of the Transportation Problem. There are four supply nodes and three demand nodes and so there will be 12 decision variables (4 suppliers times 3 factories), 4 supply constraints, and 3 demand constraints. The capacities and demand levels for each were provided. The variable cost of flowing one case from Supplier  $i$  to Factory  $j$  = UnitPurchaseCost $_i$  + (0.05) Distance $_{i,j}$ . If your solution does not give a value of \$827,880 you should stop and fix it so that it does in order to answer the following questions.

### 7.1.3 GA1.3 (1 point possible)

Based on your optimization model, which supplier should Factory 1 select in order to have the lowest total (purchase and transport) cost for IndustryCo?

1. Supplier 1: U.S. Ainbolt
2. Supplier 2: Der Bolt, Thun
3. Supplier 3: Li Thingbolt
4. Supplier 4: M. Bolton

answer: 1

GA1\_lp

## Success: the objective function is 827880

GA1\_lp\$solution

4000	0	5000
0	10000	0
0	1000	4000
0	0	10000

**7.1.3.1 EXPLANATION** So, you might ask, why is it optimal for Factory 1 to source from a supplier that is NOT its lowest cost vendor! Well, the answer lies in the difference between a “locally optimal” solution and a “system optimal” solution. In the earlier question when Factory 1 could do whatever it wanted, it selected Supplier 2. However, if Factory 1 grabbed 4000 cases from Supplier 2 (Der Bolt, Thun), then Supplier 2 cannot supply 10,000 cases to Factory 2. Instead, Factory 2 will need to secure an additional 4000 cases of bolts from Supplier 1 at a much higher cost (total cost of \$843,880 versus \$827,880).

The system optimal solution makes trade offs between the three factories while a local solution only considers each factory by itself. This will always happen in practice! The trick is to compensate or incent Factory 1 for its higher costs that benefit the company as a whole. One way to do this is transfer payments.

### 7.1.4 GA1.4 (1 point possible)

You want to discuss the situation with the general manager of Factory 1. How much is the difference between Factory 1’s total landed cost per week in part 1.1 compared to the total landed cost per week from part 1.3?

Enter your answer in dollars without the dollar sign. For example, if the  $TLC(1.1) = \$100$  and  $TLC(1.3) = \$200$ , your answer would be  $= \$100 - \$200 = -\$100$  and you would enter -100. (note the negative sign)

$TLC(1.1) - TLC(1.3)$

```
4000*(costs[2,1]-costs[1,1])
```

```
## [1] -55880
```

**7.1.4.1 EXPLANATION** We are essentially asking you to find how much Factory 1 is paying extra for the globally optimal solution. For part 1.1, the TLC for Factory 1 = 4000 cases/week \* \$6.15 \$/case = \$24,600 per week. For part 1.3, the TLC for Factory 1 = 4000 cases/week \* 20.12 \$/case = \$80,480 \$/week. Thus, the differential is  $24,600 - 80,480 = -55,880$  \$/week.

So, in the globally optimal solution, Factory 1 ends up paying more so that the system as a whole saves money.

### 7.1.5 GA1.5 (1 point possible)

You decide to negotiate with Supplier 2 (Der Bolt, Thun) to increase their capacity. They agree to increase it to 11,000 cases per week. How many cases per week does Supplier 2 (Der Bolt, Thun) send to Factory 1 in the new optimal solution?

```
row.rhs <- c(10000, 11000, 5000, 10000)
GA15_lp <- lp.transport (costs, "min", row.signs, row.rhs, col.signs, col.rhs)
GA15_lp
```

```
## Success: the objective function is 811410
```

```
GA15_lp$solution
```

4000	0	4000
0	11000	0
0	0	5000
0	0	10000

```
GA15_lp$solution[2,1]
```

```
## [1] 0
```

```
rhs <- c(10000, 11000, 5000, 10000, 4000, 11000, 19000)
GA15_Rglp <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
GA15_Rglp
```

```
## $optimum
## [1] 811410
##
## $solution
## [1] 4000    0 4000    0 11000    0    0    0 5000    0    0
```

```
## [12] 10000
##
## $status
## [1] 0
```

```
GA15_Rglp$solution[4]
```

```
## [1] 0
```

```
0
```

**7.1.5.1 EXPLANATION** What happened? Well, having more capacity helps lower the total cost (\$811,410 per week instead of \$827,880), but none of the new supply goes to Factory 1. Why not? Well, the differential benefit of supplying Factory 2 with this extra capacity from Supplier 2 outweighs sending them to Factory 1. The model will always look for the best way save the entire system money - not an individual component. Factory 2 is loving this global optimization as it is really saving it money!

### 7.1.6 GA1.6 (1 point possible)

THE EXPLANATION FOR THIS PROBLEM WILL NOT BE RELEASED UNTIL AFTER THE DUE DATE.

Note: When checking answers - it will check for both of the responses, not one at a time.

You decide to re-negotiate with Supplier 2 (Der Bolt, Thun) to increase their capacity even more. They agree to increase it to 14,000 cases per week. How many cases per week does Supplier 2 (Der Bolt, Thun) send to Factory 1 in the new optimal solution?

```
row.rhs <- c(10000, 14000, 5000, 10000)
GA16_lp <- lp.transport(costs, "min", row.signs, row.rhs, col.signs, col.rhs)
GA16_lp
```

```
## Success: the objective function is 769500
```

```
GA16_lp$solution
```

1000	0	4000
3000	11000	0
0	0	5000
0	0	10000

```
GA16_lp$solution[2,1]
```

```
## [1] 3000
```

```
rhs <- c(10000, 14000, 5000, 10000, 4000, 11000, 19000)
GA16_Rglp <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
GA16_Rglp
```



```
## $optimum
## [1] 769500
##
## $solution
## [1] 1000      0 4000  3000 11000      0      0      0 5000      0      0
## [12] 10000
##
## $status
## [1] 0
```

```
GA16_Rglp$solution[4]
```

```
## [1] 3000
```

```
3000
```

Based on your last optimization model, what is the total weekly cost for supplying bolts for IndustryCo? Be sure to include the purchase price as well as the transportation costs. Enter your answer in dollars without a dollar sign.

```
GA16_lp
```

```
## Success: the objective function is 769500
```

```
GA16_Rglp$optimum
```

```
## [1] 769500
```

## 7.2 GA2: SANDYCO DISTRIBUTION

For this problem, we will use the Transshipment Model for SandyCo (SandyCo Part 2). To recap, SandyCo has two (2) facilities that mine, clean, and sort sand for use in cement, children's playboxes, and small beaches. They distribute the sand from their two (2) plants, through two (2) packaging centers (DCs), to three (3) different customer regions where it is packaged and sold.

Each plant has a specific maximum weekly supply of available sand and each region has an expected minimum weekly required demand. The cost to distribute a ton of sand differs between each plant and region pairing due to distance and other factors.

The maximum weekly supply from \* Plant 1 is 100  
Plant 2 is 125

The expected minimum weekly required demand (tons) is:

- Region 1: 25
- Region 2: 95
- Region 3: 80

The transportation costs per ton of sand are given in the table below.

DC	Plant 1	Plant 2	Region 1	Region 2	Region 3
A	190	185	175	180	165
B	210	205	235	130	145

```
# SandyCoPART1 v2
# Using Rglpk
obj <- c(180, 190, 175, 180, 165, 210, 205, 235, 130, 145)
mat <- matrix(
  c(1, 0, 0, 0, 0, 1, 0, 0, 0, 0,
    0, 1, 0, 0, 0, 0, 0, 1, 0, 0,
    0, 0, 1, 0, 0, 0, 0, 0, 1, 0,
    0, 0, 0, 1, 0, 0, 0, 0, 0, 1,
    0, 0, 0, 0, 1, 0, 0, 0, 0, 0,
    1, 1, -1, -1, -1, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 0, 1, 1, -1, -1, -1),
  nrow=7, byrow = TRUE)
dir <- c("<=", "<=", ">=", ">=", "==" , "==" )
rhs <- c(100, 125, 25, 95, 80, 0, 0)
max <- FALSE

GA2_glpk <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
mGA2_glpk <- matrix(GA2_glpk$solution, nrow = 2, byrow = TRUE)
```

### 7.2.1 GA2.1 (1 point possible)

After discussions with a number of carriers, SandyCo realizes that transportation costs to DC A need to be updated. The new costs are 180 per ton from Plant 1 to DC A and 190 per ton from Plant 2 to DC A.

How many tons of sand should be delivered from Plant 2 to DC B with the new costs?

```
mGA2_glpk[2, 2]
```

```
## [1] 100
```

**7.2.1.1 EXPLANATION** With the new costs it is less costly to deliver to DC A compared to DC B. Plant 1 can supply DC A at the lowest cost and will max out its capacity in doing so. Plant 2 will deliver the remaining demand (100) through DC B.

You get this by simply changing the costs in the spread sheet and resolve. Your solution should be \$68,325 - make sure it is before you continue!

### 7.2.2 GA2.2 (1 point possible)

After hearing that a rival sand distributor is facing economic difficulties, SandyCo wants to reconsider its demand estimates. Were the rival to default, SandyCo believes that their demand would increase by roughly 10% across the board, leading to the following minimum expected demands:

- Region 1 - 28
- Region 2 - 105

- Region 3 - 87 tons respectively.

How many tons of sand should be delivered from DC A to Region 3 if the expected minimum demand was to increase by the amount specified? Note that the costs from (2.1) still apply.

```
rhs <- c(100, 125, 28, 105, 87, 0, 0)

GA22_glpk <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
mGA22_glpk <- matrix(GA22_glpk$solution, nrow = 2, byrow = TRUE)
mGA22_glpk[1,5]
```

```
## [1] 72
```

**7.2.2.1 EXPLANATION** Ok, this is a bit of a surprise! Even though demand is greater now, there is less sand shipped from DC A to Region 3. The increase in the demand at Region 3 is instead handled by DC B, the more expensive option to supply Region 3 (205+145 compared to 180+165)! This is because capacity at Plant 1 is maxed out, and the entire increase in demand needs to be handled by Plant 2. And supplying Region 1 through DC B is too expensive. Instead, the increase in Region 1 is handled by Plant 1 and DC A.

### 7.2.3 GA2.3 (1 point possible)

The rival firm did not default - so your demand is back to the original values (Region 1: 25, Region 2: 95, and Region 3: 80).

The management of Plant 2 has suggested they may use some of the available space in the plant for an on-site packaging machine. With such a machine in place, Plant 2 would be able to bypass the DCs and ship directly to Region 1. Direct transport from Plant 2 to Region 1 costs 275 per ton. All other costs remain the same as in question 2.1.

If Plant 2 invests in a on-site sand packaging machine, how many tons of sand should be delivered directly from Plant 2 to Region 1?

```
obj <- c(180, 190, 175, 180, 165, 210, 205, 235, 130, 145, 275)
mat <- matrix(
  c(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0,
    0, 1, 0, 0, 0, 0, 1, 0, 0, 0, 0,
    0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 1,
    0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0,
    0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0,
    1, 1, -1, -1, -1, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 0, 1, 1, -1, -1, -1, 0),
  nrow=7, byrow = TRUE)
dir <- c("<=", "<=", ">=", ">=", "==", "==")
rhs <- c(100, 125, 25, 95, 80, 0, 0)
max <- FALSE

GA23_glpk <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
matrix(c(GA23_glpk$solution, rep(0, 4)), nrow=3, byrow=TRUE)
```

80	0	0	0	80
0	95	0	95	0
25	0	0	0	0

```
GA23_glpk$solution[11]
```

```
## [1] 25
```

**7.2.3.1 EXPLANATION** Now, things change quite a bit. With this machine, all of Regions 1's demand can be fulfilled by Plant 2 directly at a lower cost than what was achieved using the DCs (275 instead of  $180+175=355$ ). Consequently, Plant 2 ships 25 directly to Region 1, whereas Regions 2 and 3 are supplied through the DCs. Note that this changes the optimal production levels - Plant 2 should now produce more! (hopefully the machine will still fit)

For the coming question, make sure that your model provides the correct result before continuing. To make it work, add the direct transport as a new decision variable (for a total of 11 decision variables), and include it in your demand and supply constraints. An easy trick for this is to just insert a new column. The optimal cost should be \$66,300.

#### 7.2.4 GA2.4 (1 point possible)

THE EXPLANATION FOR THIS PROBLEM WILL NOT BE RELEASED UNTIL AFTER THE DUE DATE.

After investing in the new machine, a breakdown in DC B reduces the weekly capacity of DC B to 80. All other costs and demand remain the same as in question 2.1.

How many tons of sand should Plant 1 produce if the capacity of DC B drops to 80? There is no capacity constraint for DC A.

```
obj <- c(180, 190, 175, 180, 165, 210, 205, 235, 130, 145, 275)
mat <- matrix(
  c(1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0,
    0, 1, 0, 0, 0, 0, 1, 0, 0, 0, 0,
    0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 1,
    0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0,
    0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0,
    1, 1, -1, -1, -1, 0, 0, 0, 0, 0, 0,
    0, 0, 0, 0, 0, 1, 1, -1, -1, -1, 0,
    0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0),
  nrow=8, byrow = TRUE)
dir <- c("<=", "<=", ">=", ">=", ">=", "==", "==", "<=")
rhs <- c(100, 125, 25, 95, 80, 0, 0, 80)
max <- FALSE

GA24_glpk <- Rglpk_solve_LP(obj, mat, dir, rhs, max = max)
mGA24 <- matrix(c(GA24_glpk$solution[1:10], 0,
  GA24_glpk$solution[11], rep(0, 3)),
  nrow=3, byrow=TRUE)
sum(mGA24[, 1])
```

```
## [1] 95
```