

SRNTM

0.0.1

Generated by Doxygen 1.8.11

Contents

| | | |
|----------|---|----------|
| 1 | File Index | 1 |
| 1.1 | File List | 1 |
| 2 | File Documentation | 3 |
| 2.1 | src/bbe_if.c File Reference | 3 |
| 2.1.1 | Detailed Description | 3 |
| 2.1.2 | Macro Definition Documentation | 4 |
| 2.1.2.1 | BBE_IF_H | 4 |
| 2.1.3 | Function Documentation | 4 |
| 2.1.3.1 | get_block_hexstr() | 4 |
| 2.1.3.2 | get_ccsds_pktlen() | 4 |
| 2.1.3.3 | get_dds_hd_hex() | 4 |
| 2.1.3.4 | get_dds_hd_pktlen() | 4 |
| 2.1.3.5 | get_packet_hex() | 4 |
| 2.2 | src/cat_dds_to_pus.c File Reference | 4 |
| 2.2.1 | Detailed Description | 4 |
| | Index | 5 |

Chapter 1

File Index

1.1 File List

Here is a list of all files with brief descriptions:

| | | |
|---------------------------------------|---|-------------------|
| src/ bbe_if.c | Extract fields values from binary files and other binary editing calling the bbe program Jouni. ↔ | |
| Ryno@fmi.fi | | 3 |
| src/ cat_dds_to_pus.c | Convert dds file to ccscs pus files from an original program by Jouni Ryno Jouni. ↔ | |
| Ryno@fmi.fi | | 4 |

Chapter 2

File Documentation

2.1 src/bbe_if.c File Reference

extract fields values from binary files and other binary editing calling the bbe program Jouni.Ryno@fmi.fi

Macros

- `#define BBE_IF_H`

Functions

- void [get_dds_hd_pktlen](#) ()
- void [get_ccsds_pktlen](#) ()
- void [get_block_hexstr](#) ()
- void [get_dds_hd_hex](#) ()
- void [get_packet_hex](#) ()

2.1.1 Detailed Description

extract fields values from binary files and other binary editing calling the bbe program Jouni.Ryno@fmi.fi

Author

Francesco Lazzarotto francesco.lazzarotto@inaf.it

Copyright

2019 GPL 2 free software license

2.1.2 Macro Definition Documentation

2.1.2.1 `#define BBE_IF_H`

2.1.3 Function Documentation

2.1.3.1 `void get_block_hexstr ()`

2.1.3.2 `void get_ccsds_pktlen ()`

2.1.3.3 `void get_dds_hd_hex ()`

2.1.3.4 `get_dds_hd_pktlen ()`


2.1.3.5 `void get_packet_hex ()`

2.2 `src/cat_dds_to_pus.c` File Reference

convert dds file to ccsds pus files from an original program by Jouni Ryno Jouni.Ryno@fmi.fi

```
#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <sys/stat.h>
#include <fcntl.h>
#include <endian.h>
```

Include dependency graph for `cat_dds_to_pus.c`:



2.2.1 Detailed Description

convert dds file to ccsds pus files from an original program by Jouni Ryno Jouni.Ryno@fmi.fi

Author

Francesco Lazzarotto francesco.lazzarotto@inaf.it

Copyright

2019 GPL 2 free software license

Index

- BBE_IF_H
 - bbe_if.c, [4](#)
- bbe_if.c
 - BBE_IF_H, [4](#)
 - get_block_hexstr, [4](#)
 - get_ccsds_pktlen, [4](#)
 - get_dds_hd_hex, [4](#)
 - get_dds_hd_pktlen, [4](#)
 - get_packet_hex, [4](#)
- get_block_hexstr
 - bbe_if.c, [4](#)
- get_ccsds_pktlen
 - bbe_if.c, [4](#)
- get_dds_hd_hex
 - bbe_if.c, [4](#)
- get_dds_hd_pktlen
 - bbe_if.c, [4](#)
- get_packet_hex
 - bbe_if.c, [4](#)
- src/bbe_if.c, [3](#)
- src/cat_dds_to_pus.c, [4](#)