



pH SOLUTIONS

CERTIFICATE OF ANALYSIS

260908-899-NHS-8

Issued Sep 29, 2026

SAMPLE

GLP-2 (T) 30 mg

Prepared for Vantix Bio · Lot VBI-GLT30-20260902-01

PASS



ISO/IEC 17025:2017 ACCREDITED

A2LA R243 · PJLA Testing #84351 · Zero recalls since 2016

181 W Huntington Dr, Suite 181, Monrovia, CA 91016 · (818)

808-9757

| BATCH / LOT           | SAMPLE ID        | MATRIX       | PANELS RUN |
|-----------------------|------------------|--------------|------------|
| VBI-GLT30-20260902-01 | 260908-899-NHS-8 | —            | 10         |
| RECEIVED              | ANALYZED         | REPORTED     | CLIENT     |
| Sep 14, 2026          | —                | Sep 29, 2026 | Vantix Bio |

REPORT INFORMATION

| ANALYTE                         | RESULT                    | UNIT | LIMIT / METHOD | STATUS |
|---------------------------------|---------------------------|------|----------------|--------|
| Laboratory certificate number   | 260908-899-NHS-8          |      |                | TESTED |
| Customer certificate identifier | SIM-NHS-GLT30-20260902-01 |      |                | TESTED |
| Customer report number          | SIM-NHS-GLT30-20260902-01 |      |                | TESTED |
| Report date                     | 2026-09-29                |      |                | TESTED |

IDENTITY

| ANALYTE           | RESULT         | UNIT | LIMIT / METHOD | STATUS |
|-------------------|----------------|------|----------------|--------|
| Identity          | Match          |      |                | PASS   |
| Expected MW       | 4813.5 g/mol   |      |                | TESTED |
| Molecular formula | C225H348N48O68 |      |                | TESTED |
| CAS               | 2023788-19-2   |      |                | TESTED |

## PEPTIDE PURITY

| ANALYTE         | RESULT  | UNIT | LIMIT / METHOD | STATUS |
|-----------------|---------|------|----------------|--------|
| Purity          | 99 %    |      |                | PASS   |
| Wavelength (nm) | 274 nm  |      |                | PASS   |
| By mass         | 29.82 % |      |                | TESTED |

## ASSAY

| ANALYTE            | RESULT                                                                   | UNIT | LIMIT / METHOD | STATUS |
|--------------------|--------------------------------------------------------------------------|------|----------------|--------|
| Net content        | 30.0897 mg/vial                                                          |      |                | PASS   |
| Appearance         | White to off-white lyophilized powder cake; free of visible particulates |      |                | TESTED |
| Water content (KF) | 0.967 %                                                                  |      |                | TESTED |
| pH                 | 7.0                                                                      |      |                | TESTED |

## WATER ACTIVITY

| ANALYTE        | RESULT    | UNIT | LIMIT / METHOD | STATUS |
|----------------|-----------|------|----------------|--------|
| Water activity | 0.1121 aw |      |                | PASS   |

## MICROBIALS

| ANALYTE               | RESULT             | UNIT | LIMIT / METHOD | STATUS |
|-----------------------|--------------------|------|----------------|--------|
| E. Coli               | Not Detected in 1g |      |                | PASS   |
| Salmonella spp.       | Not Detected       |      |                | TESTED |
| Aspergillus flavus    | Not Detected       |      |                | TESTED |
| Aspergillus fumigatus | Not Detected       |      |                | TESTED |
| Aspergillus niger     | Not Detected       |      |                | TESTED |
| Aspergillus terreus   | Not Detected       |      |                | TESTED |
| Yeast & Mold          | Not Detected in 1g |      |                | PASS   |
| Coliforms             | Not Detected in 1g |      |                | PASS   |
| Aerobic Bacteria      | Not Detected       |      |                | PASS   |
| Enterobacteriaceae    | Not Detected       |      |                | PASS   |
| Microbials panel      | PASS               |      |                | PASS   |

## HEAVY METALS

| ANALYTE            | RESULT | UNIT | LIMIT / METHOD | STATUS |
|--------------------|--------|------|----------------|--------|
| Arsenic            | 0.000  | ppm  |                | PASS   |
| Cadmium            | 0.000  | ppm  |                | PASS   |
| Lead               | 0.000  | ppm  |                | PASS   |
| Mercury            | 0.000  | ppm  |                | PASS   |
| Heavy metals panel | PASS   |      |                | PASS   |

## RESIDUAL SOLVENTS

| ANALYTE                 | RESULT | UNIT | LIMIT / METHOD | STATUS |
|-------------------------|--------|------|----------------|--------|
| Acetone                 | 0.000  | ppm  |                | PASS   |
| Acetonitrile            | 0.000  | ppm  |                | PASS   |
| Ethanol                 | 0.000  | ppm  |                | PASS   |
| Ethyl Acetate           | 0.000  | ppm  |                | PASS   |
| Isopropyl Alcohol       | 0.000  | ppm  |                | PASS   |
| Methanol                | 0.000  | ppm  |                | PASS   |
| Toluene                 | 0.000  | ppm  |                | PASS   |
| Benzene                 | 0.000  | ppm  |                | PASS   |
| Butane                  | 0.000  | ppm  |                | PASS   |
| Chloroform              | 0.000  | ppm  |                | PASS   |
| Ethyl Ether             | 0.000  | ppm  |                | PASS   |
| Trichloroethylene       | 0.000  | ppm  |                | PASS   |
| Residual solvents panel | PASS   |      |                | PASS   |

## ADDITIONAL REPORTED PANEL OUTCOMES

| ANALYTE    | RESULT | UNIT | LIMIT / METHOD | STATUS |
|------------|--------|------|----------------|--------|
| Sterility  | Pass   |      |                | PASS   |
| Mycotoxins | Pass   |      |                | PASS   |

**CONTENT AND RECOVERY**

| ANALYTE                     | RESULT            | UNIT | LIMIT / METHOD | STATUS |
|-----------------------------|-------------------|------|----------------|--------|
| Recovery                    | 100.299 % nominal |      |                | PASS   |
| Component nominal amounts   | GLT: 30 mg        |      |                | TESTED |
| Net peptide content outcome | Pass              |      |                | PASS   |
| Net peptide content (mg/g)  | 298.2 mg/g        |      |                | TESTED |

**PH SOLUTIONS LAB INC.**

Analysis performed in accordance with ISO/IEC 17025:2017. Results relate only to the sample as submitted. This certificate may not be reproduced except in full without the written approval of the laboratory. The online copy at the address beside is authoritative: if a printed COA disagrees with it, the online copy governs. Questions: info@phsolutionslab.com · (818) 808-9757.



SCAN TO VERIFY

www.phsolutionslab.com/c/  
eyJjIjoIMjYwOTA4LTg5OS10SFMtOCIsInAiOiJW  
YW50aXggQmlvIiwibCI6IlZC51HTFQzMCOyMDI2  
MDkwMi0wMSJ9.ANRjjpgYF6sBo8aR16La9m59IH2  
SFeJP