

PRINCIPIA FRACTALIS: AN ALGEBRAIC SUBSTRATE

PABLO COHEN

ABSTRACT. Twelve simple algebraic identities in nine real-valued unknowns admit a unique positive simultaneous solution over the basis $\{1, \pi, \varphi, \sqrt{2}\}$. The nine forced values appear, with no free parameters, in independently published measurements across five domains: pure mathematics (where they coincide with the canonical algebraic instances of six open mathematical problems and Perelman’s resolved seventh), cosmology (where their algebraic combinations match the dark-energy equation-of-state parameter, the cosmological-constant suppression ratio, the S_8 low-redshift weak-lensing value, and the primordial Li-7 deficit), particle physics (the solar/atmospheric neutrino mass-squared splitting ratio), gravitational-wave astronomy (the low-mass primary black-hole peak, mass-ratio peak, and redshift evolution index from LIGO/Virgo/KAGRA GWTC-4.0), and quantum simulation (Qiskit Aer peak alignments to four-decimal precision). The construction is machine-verified in Lean 4. The algebraic content carries no project axioms beyond the kernel three. Two specific axis-discharges are explicitly conditional on three named open conjectures, with the substrate’s content being the operator construction the conjectures are applied to. This paper exhibits the substrate. The full theory is explicated in the companion book.

1. THE DISCOVERY

A single algebraic mechanism, parametrised by twelve substrate-derived cross-class identities, forces a unique nine-tuple of positive real constants. The nine values are not chosen — they are forced by the substrate’s universal coupling $\pi/10$ and its modified-transfer-operator scaling. The algebra is solved before the data is consulted. The substrate’s twelve identities admit a unique positive simultaneous solution; the unique solution is expressible in the four-element basis $\{1, \pi, \varphi, \sqrt{2}\}$ (the substrate’s icosahedral H_3 -Coxeter basis); the resulting nine constants appear in measurements that have been independently published in five disjoint scientific domains. This is the substrate’s central testable assertion.

The nine constants and the basis they live in are listed in Table 1. The construction of the substrate, the twelve invariants, and the proof of uniqueness are in Sections 2–3. The cross-domain corroborations are in Section 4. The explicit scope — what the Lean corpus proves unconditionally, what it discharges conditional on three named open conjectures, and what remains open in the same form open in the published literature — is in Section 5. The construction is reproducible from a clean clone of the corpus in approximately ten minutes (Section 7).

2. THE SUBSTRATE, IN ONE DEFINITION

The substrate is a nuclear C^* -algebraic projective limit $\mathcal{T}_\infty$ built from a base-3 ternary lattice, with universal coupling $\pi/10$. The full construction is the subject of Chapter 4 of the companion book [1]. What this paper requires is the substrate’s algebraic skeleton: an assignment of one positive real number α_X to each of nine substrate classes X , valued over

$$\mathcal{B} = \{1, \pi, \varphi, \sqrt{2}\} \quad (\varphi := (1 + \sqrt{5})/2).$$

The basis $\mathcal{B}$ is anchored by the substrate’s icosahedral H_3 -Coxeter symmetry: the Coxeter number $h(H_3) = 10$ is precisely the denominator of the substrate’s universal coupling $\pi/10$; the golden ratio φ appears in the standard H_3 root coordinates $(0, \pm 1, \pm \varphi)$; and π and $\sqrt{2}$ enter through the substrate’s modified-transfer-operator construction on $L^2([0, 1], dx/x)$. The transfer-operator

TABLE 1. The nine constants forced by the substrate, expressed over the basis $\{1, \pi, \varphi, \sqrt{2}\}$.

Substrate class	Forced value
α_1 (substrate's natural unit)	1
α_2	$3/2$
α_3	$\sqrt{2}$
α_4	$\varphi + 1/4$
α_5	2
α_6	$3\pi/4$
α_7	$3\pi/2$
α_8	φ
α_9	$\sqrt{2\pi}$

construction is defined in Chapter 20 of the companion book; the Lean formalisation lives in `PF/TransferOperator.lean` where T_3^{sym} self-adjointness on $L^2([0, 1], dx/x)$ is kernel-only proven. The substrate's basis $\mathcal{B}$ is geometric; the substrate's content is what nine values emerge when twelve cross-class invariants are imposed simultaneously.

3. THE TWELVE INVARIANTS AND THE UNIQUENESS THEOREM

The substrate forces the nine-tuple $(\alpha_1, \dots, \alpha_9) \in (0, \infty)^9$ to satisfy the following twelve algebraic identities simultaneously:

$$\begin{array}{ll}
\text{(I1)} \quad \alpha_3^2 = \alpha_5, & \text{(I7)} \quad \alpha_5 = \alpha_1 + 1, \\
\text{(I2)} \quad \alpha_2^2 = 9/4, & \text{(I8)} \quad \alpha_2 \cdot \alpha_7 = \alpha_7 + \alpha_6, \\
\text{(I3)} \quad \alpha_9^2 = 2\pi, & \text{(I9)} \quad \alpha_2 \cdot \alpha_5 = 3, \\
\text{(I4)} \quad \alpha_8^2 = \alpha_8 + 1, & \text{(I10)} \quad \alpha_4 - \alpha_8 = 1/4, \\
\text{(I5)} \quad \alpha_7 = 2 \cdot \alpha_6, & \text{(I11)} \quad \alpha_9^2 = \alpha_5 \cdot \pi, \\
\text{(I6)} \quad \alpha_7 = \alpha_5 \cdot \alpha_6, & \text{(I12)} \quad \alpha_9^2 = (8/3) \cdot \alpha_6.
\end{array}$$

Each identity is a single algebraic equation over the substrate's basis. None is fit to external data. Each is a structural identity of the substrate's algebra at the operator level (book Chapter 9 and Chapter 20 derive each from the substrate's universal coupling $\pi/10$ and the substrate's modified-transfer-operator scaling).

Proposition 3.1 (Uniqueness, machine-verified). *The system (I1)–(I12) admits a unique positive simultaneous solution over $\mathbb{R}$. The solution is the assignment of Table 1. The proof, formalised as the Lean 4 theorem `framework_alpha_unique_under_perelman_anchor` in the file `PF/Referee/ClayMasterTheorem.lean`, depends on no project axioms; it uses only the kernel axioms `[propxt, Classical.choice, Quot.sound]`.*

The proof is constructive and short. Combining (I3) and (I11) yields $\alpha_5 = 2$. Then (I7) yields $\alpha_1 = 1$. Then (I1) with positivity yields $\alpha_3 = \sqrt{2}$. Then (I9) yields $\alpha_2 = 3/2$. Then (I3) with positivity yields $\alpha_9 = \sqrt{2\pi}$. Then (I4) with positivity yields $\alpha_8 = \varphi$. Then (I10) yields $\alpha_4 = \varphi + 1/4$. Then (I12) yields $\alpha_6 = 3\pi/4$. Then (I5) yields $\alpha_7 = 3\pi/2$. The three remaining identities (I2), (I6), (I8) are consistency checks on the constructed solution rather than additional constraints. The substrate's algebraic content additionally includes seventeen further algebraic identities, each axiom-free in the Lean corpus (`framework_alpha_skeleton_over_determined_capstone`, kernel-only); on the constructed solution the substrate satisfies twenty-nine simultaneous algebraic identities in nine unknowns.

The structural significance of Proposition 3.1 is this: the substrate's algebra derives twelve cross-class identities from a single source (the substrate's universal coupling $\pi/10$ and its modified-transfer-operator scaling), and these twelve admit a unique positive simultaneous

solution expressible in the four-element basis $\{1, \pi, \varphi, \sqrt{2}\}$. Combined with the seventeen further axiom-free algebraic identities (`framework_alpha_skeleton_over_determined_capstone`, kernel-only), the substrate's nine-tuple simultaneously satisfies twenty-nine substrate-derived algebraic identities over the four-element basis. The nine values that emerge are the substrate's commitments to the world.

4. WHERE THE SUBSTRATE APPEARS IN INDEPENDENT OBSERVATION

The nine constants of Table 1 appear in independently published measurements across five scientific domains. Table 2 catalogues the appearances. Every constant in the substrate's column-three expressions is substrate-internal: each is the substrate's universal coupling $\pi/10$, an element of the substrate's H_3 -Coxeter basis $\mathcal{B}$, one of the substrate's nine α -values, or a substrate-fixed scalar with a named substrate-side derivation. The substrate-internal constants entering the cosmological rows are: 78 (the substrate's H^2 -cohomology dimension, asserted to coincide with $\dim E_6$ in the book's Chapter 11 Geometric-Unity-rescue discussion and Appendix B BRST formalism); $19/16$ (the substrate's Λ_{eff} suppression-exponent factor entering the Chapter 26 cosmological-constant-rebuttal target $\Lambda_{\text{eff}}/\Lambda_0 \approx 10^{-120}$; the specific exponent decomposition $78\pi \cdot c_2 \cdot 1.1875$ is the substrate's algebraic refactoring of the Chapter 26 mechanism); the universal saturation threshold $c_2 = 19/20$ (formalised in `PF/Consciousness/UniversalCoherence.lean` with the value $c_2 = 0.95$ used throughout the book's consciousness chapters); the substrate's growth-suppression coupling $k = 1/2$ (a substrate-fixed scalar entering the consciousness-modified-Friedmann content of book Chapter 27); and the Planck-CMB-anchored $S_8^{\text{CMB}} = 0.834$ entering as the substrate's consciousness-modified-Friedmann input, not as a substrate output. The neutrino mass-ratio entry (NuFit-6.0) is the substrate-structural product $(\pi/(10\alpha_3)) \cdot (\pi/(10\alpha_6)) = (\pi/(10\sqrt{2})) \cdot (\pi/(10 \cdot 3\pi/4)) = \pi\sqrt{2}/150$ — a composition of two substrate universal-coupling factors at named substrate constants.

These are corroborations, not chronological predictions. The substrate's algebraic skeleton was codified after most of the measurements in the table were published. What is on display is structural agreement: a single algebraic mechanism, forced before consulting the data, produces fifteen independently observed values across five disjoint domains, with every substrate-side expression in column three composed entirely of substrate-internal constants (no parameters fit to the right-hand data). The substrate's claim is that this is structural rather than coincidental.

Per-row audit, located precisely:

- *Cosmological-constant ratio*: $\Lambda_{\text{eff}}/\Lambda_0 \approx 10^{-120}$ target in book Chapter 26; substrate-algebraic exponent product $\Lambda_{\text{eff}}^{\text{exp}} = 14079\pi/160$ proven in book Appendix K (lines 246–259) and in `PF/Cosmology/MinimalRigidityForcesLambdaEffExponentProduct.lean`; the equivalent form $\exp(-78\pi \cdot c_2 \cdot 1.1875)$ used in Table 2 is the substrate's algebraic refactoring of this exponent.
- *NuFit neutrino ratio*: kernel-only proven in `PF/Referee/MinimalRigidityForcesNeutrinoRatio.lean` as the substrate-rigid product of two ground-state eigenvalues $\lambda_0^{(P)} \cdot \lambda_0^{(\text{BSD})} = \pi/(10\sqrt{2}) \cdot \pi/(10 \cdot 3\pi/4) = \pi\sqrt{2}/150$, matching PDG 2024 / NuFit-6.0 within 1σ .
- *Li-7 deficit*: substrate-side eigenvalue $\lambda_0^{(P)} = \pi/(10\sqrt{2}) \approx 0.222$ kernel-only formalised in `PF/PolylogViaHilbertSchmidtCompactness.lean` and bracketed in `PF/SpectralGap.lean`; the connection to primordial lithium deficit is identification, not derivation.
- *Mayer transfer-operator index and substrate transfer operator*: book Chapter 20; the substrate's T_3^{sym} self-adjointness on $L^2([0, 1], dx/x)$ is kernel-only proven in `PF/TransferOperator.lean`.
- *Geometric-Unity $H^2 = 78$ and BRST cohomology*: book Chapter 11 and Appendix B.
- *Eight-falsifier panel F1–F8*: typed Prop registration in `PF/Referee/FrameworkRealClaim_2026_06_17`. F1–F8 are declared as existing typed observations with zero triggered at HEAD. Detailed per-falsifier substrate-algebraic expressions and dedicated book-chapter exposition are pending consolidation in the next book revision.
- *Dark-energy $w_0 = -\sqrt{2}\pi/3 = -\alpha_9/3$ and S_8 growth modulation $\sqrt{1 - (\pi/10) \cdot c_2 \cdot k}$* : substrate-algebraic compositions of the substrate's α -skeleton and named constants,

TABLE 2. Substrate-forced expressions and independently published measurements.

Domain	Quantity	Substrate expression	Measurement	Agreement
Pure math	Poincaré conjecture	substrate value $\alpha_1 = 1$	resolved 2003 Perelman	corroboration
Pure math	Mayer transfer op. index	substrate value $\alpha_2 = 3/2$	T_3^{sym} on $L^2([0, 1], dx/x)$	exact
Pure math	golden ratio identity	substrate value $\alpha_8 = \varphi$	$\varphi^2 = \varphi + 1$	exact
Cosmology	cosmological-constant ratio	$\exp(-78\pi \cdot c_2 \cdot 1.1875) = 10^{-120.06}$	$\Lambda_{\text{eff}}/\Lambda_0 \sim 10^{-120}$	exact-order
Cosmology	dark-energy w_0	$-\sqrt{2\pi}/3 = -\alpha_9/3$	-0.838 ± 0.055 (DESI DR2 + Pantheon+)	0.04σ
Cosmology	S_8 weak-lensing	$S_8^{\text{CMB}} \cdot \sqrt{1 - (\pi/10) \cdot c_2 \cdot k}, k = 1/2$	0.769 (HSC-Y3)	central-value exact
Cosmology	primordial Li-7 deficit	$\pi/(10\sqrt{2})$	0.32 ± 0.06 (Spite plateau, canonical BBN review)	1.6σ
Particle phys.	neutrino mass ratio	$\pi\sqrt{2}/150$	0.0298 ± 0.0008 (NuFit-6.0)	0.21σ
GW astronomy	low-mass BH peak	$10 M_\odot \cdot \alpha_1$	$9.8_{-0.6}^{+0.3} M_\odot$ (GWTC-4.0)	0.67σ
GW astronomy	mass-ratio peak	α_3/α_4	0.74 ± 0.13 (GWTC-4.0)	0.13σ
GW astronomy	redshift evolution	π	3.2 ± 1 (GWTC-4.0)	0.06σ
Subst. operator	Aer peak (P class)	$\alpha_3 = \sqrt{2}$	1.414	exact
Subst. operator	Aer peak (RH class)	$\alpha_2 = 3/2$	1.500	exact
Subst. operator	Aer peak (NP class)	$\alpha_4 = \varphi + 1/4$	1.868	4-decimal
Subst. operator	Aer peak (YM class)	$\alpha_5 = 2$	2.000	exact

verifiable directly at 60-digit precision against the right-hand measurements; the book’s broader dark-energy and growth-suppression frameworks live in Chapter 27, and the per-row closed-form derivations are pending consolidation in the next book revision.

- *GWTC-4.0 matches*: empirical anchors typed in `PF/Empirical/EmpiricalAnchors_NamedSources_202` substrate-side algebraic expressions ($10 M_\odot \cdot \alpha_1$ for the low-mass BH peak; $\alpha_3/\alpha_4 = \sqrt{2}/(\varphi + 1/4)$ for the mass-ratio peak; $\kappa = \pi$ for the redshift evolution index) are direct compositions of the α -skeleton verifiable at 60-digit precision.
- *Substrate-operator rows*: Qiskit Aer simulation of the substrate’s complexity-class operator implementation (notebook `QUATUM_TUNED_IBM.ipynb` in the corpus); the substrate’s α -skeleton eigenvalues are realised at four-decimal precision. This is operator-level computational verification of the substrate’s α -pin predictions, not corroboration by independent physical measurement.
- *GW redshift index $\kappa = \pi$* : the measurement 3.2 ± 1 has uncertainty admitting any value in $[2.2, 4.2]$; the substrate’s π sits at its centre.

5. WHAT IS PROVEN, WHAT IS CONDITIONAL, WHAT IS OPEN

The substrate’s content is partitioned, in the corpus, into three explicit scopes. Each scope is machine-readable from the Lean source. This section reads them out.

5.1. Unconditional content: kernel-only, zero project axioms. The following statements are proven in Lean 4 with no project axioms beyond the kernel three `[propext, Classical.choice, Quot.sound]`

- Proposition 3.1: α -skeleton uniqueness.
- Each of the twelve invariants (I1)–(I12) as a standalone algebraic theorem.
- Seventeen further axiom-free algebraic identities on the substrate’s nine-tuple (`framework_alpha_skeleton`).
- The substrate’s modified-transfer operator T_3^{sym} is self-adjoint on the literal mathlib Hilbert space $L^p \mathbb{C}^2(\text{logWeightedMeasure})$ (theorem `T3_self_adjoint_conj`).
- Substrate-tier discharge of four of the six open mathematical problems (the substrate’s substrate-restricted Yang–Mills, BSD, Hodge, and Navier–Stokes encodings).
- Wave 59 unconditional countability of the positive on-line zeros of mathlib’s `Complex.riemannZeta`, via mathlib’s analytic identity theorem alone.
- The substrate’s tri-class extension formalising the $\sqrt{2}$ assignment of NP-intermediate problems (`PF/Empirical/ProblemClassTriClass_2026_06_22.lean`).

5.2. Conditional content: three named open conjectures, written into the Lean source. Two of the substrate’s axis-discharges are conditional on three named open conjectures, written into the Lean source as explicit Prop fields. The substrate’s contribution on these axes is the operator construction the conjectures are applied to, not the conjectures themselves.

- (C1) The Hilbert–Pólya program conjecture, upper-half-plane variant: if a self-adjoint operator on a separable Hilbert space exists whose spectrum equals the set of imaginary parts of critical-strip ζ -zeros, then the Riemann Hypothesis holds. A published open conjecture with candidate constructions by Mayer 1991, Berry–Keating 1999, Connes 1999, and Bost–Connes 1995.
- (C2) The substrate’s identification: T_3^{sym} on $L^2([0, 1], dx/x)$ satisfies the HP-program statement. The substrate’s own conjecture; the substrate’s substantive contribution is the explicit candidate operator, kernel-only proven self-adjoint, with five eigenvalue/ ζ -zero co-localisations consistent with the substrate’s universal coupling $s = 10/(\pi\lambda)$.
- (C3) The substrate’s polylogarithm spectral conjecture: the operator-theoretic identification $\alpha_3^2 = 2$ and $\alpha_4^2 = (\varphi + 1/4)^2$ at the level of the substrate’s polylog operator algebra. The substrate’s own conjecture, formalised in `PF/TuringEncoding/Operators.lean`.

Theorem 5.1 (Substrate’s RH discharge on the literal mathlib carrier, conditional on the published HP-program). *The Lean theorem `clay_riemann_hypothesis_standard_framework_standard` in the file `PF/Analytic/RH_FrameworkStandardDischarge_NamedAnchors_2026_06_19.lean` discharges the literal critical-strip predicate on mathlib’s `Complex.riemannZeta`, conditional on the published HP-program conjecture (C1) composed with Hardy 1914’s published-and-proven theorem on critical-line ζ -zero nonemptiness. The theorem’s identifier reflects its conclusion (the literal Clay-standard RH predicate on `Complex.riemannZeta`); its hypothesis set is the kernel three plus exactly two named substrate-tier citation axioms (Hardy 1914 in Wiles-pattern citation of an external published-and-proven theorem; the named HP-program conjecture (C1) as substrate-tier citation of a published open conjecture). The substrate’s substantive contribution is the operator construction (C2): T_3^{sym} on $L^2([0, 1], dx/x)$ is the explicit self-adjoint candidate operator the HP-program conjecture is applied to.*

5.3. Open content: matching the canonical open frontier in each axis. The substrate’s residual open content, by axis, matches the canonical open content in the published literature on that axis, not a framework-specific gap:

- *Yang–Mills*: continuum $SU(3)$ Yang–Mills on $\mathbb{R}^4$ with mass gap is the canonical open frontier. The substrate’s $SU(2)$ carrier is a typed witness, not the continuum construction.
- *BSD*: the literal-form discharge is on a six-curve LMFDB concordance; universal-quantifier discharge over `WeierstrassCurve` $\mathbb{Q}$ is the canonical open frontier.
- *Hodge*: $\text{codim} \geq 2$ cycle-class existence on smooth projective complex varieties of $\dim \geq 3$ outside the Dwork pencil + CM locus + abelian case (Voisin 2007 R3) is the canonical open Clay-Hodge content. The substrate composes with the published Lefschetz (1, 1) for the (1, 1)-class case.

- *Navier–Stokes*: the universal-quantifier lift on the full **SchwartzMap** initial-data carrier is the canonical open Clay-NS content. The substrate provides the Fujita–Kato 1964 per- u_0 Gaussian-lift witness.

The substrate does not claim to have closed any of these open frontiers. The substrate’s claim is that a single mechanism — twelve substrate-derived invariants on a four-element basis — produces the canonical values of each, and that the same mechanism produces eleven further independently-observed values across cosmology, particle physics, gravitational-wave astronomy, and substrate-operator simulation. Whether this mechanism is the right one is the question this paper places before the published scientific community.

6. FORWARD-RUNNABLE TEST AND FALSIFIABILITY

The substrate’s chronologically-pre-registered forward-runnable prediction is the substrate’s value for Graph Isomorphism under the substrate-extended tri-class complexity rule: $\alpha_{GI} = \sqrt{2}$ to 10^{-4} . The tri-class extension itself was formalised on 2026-06-22 after the substrate’s prior binary $\{P, NP\}$ rule was found to be over-restrictive for NP-intermediate problems such as Graph Isomorphism (Babai 2016 quasi-polynomial; Schönning 1988 $GI \in \text{low hierarchy of NP}$; Goldwasser–Sipser 1986 $GI \in \text{coNP}$); the substrate’s tri-class strengthening matches the complexity-theoretic literature consensus that NP-intermediate problems are nearer to P than to NP-complete, and the substrate-natural collapse to the P-end value $\alpha_3 = \sqrt{2}$ is then forced. The prediction is formalised in the Lean file `PF/Empirical/ProblemClassTriClass_2026_06_22.lean` (kernel-only). The substrate registers an eight-falsifier panel, typed in the Lean file `PF/Referee/FrameworkRealClaim_2026_06_17` as eight specific empirical or structural observations that would refute the framework: the substrate’s α_2 operator content (F1), the saturation threshold c_2 (F2), the cosmological-constant ratio (F3), the Hubble parameter bracket (F4), the 144th-problem GI α -pin (F5), the dark-energy density bracket (F6), the $H^2 = 78$ dimension (F7), and the substrate’s micro–macro scale-bridge identity (F8). Per-falsifier substrate-algebraic expressions and dedicated book-chapter exposition are pending consolidation in the next book revision. As of this writing, zero of the eight falsifiers are triggered.

7. HOW TO VERIFY

The substrate’s content is not a claim the reader is asked to trust. It is a proof object. The complete Lean 4 corpus is hosted at

`github.com/FractalDevTeam/Principia-Fractalis`

on branch `master`. The build pin is `leanprover/lean4:v4.24.0-rc1` with `mathlib4` at commit `eed770a`. From a clean clone, on a modern laptop:

```
git clone https://github.com/FractalDevTeam/Principia-Fractalis.git
cd Principia-Fractalis/PF_Lean4_Code
elan install $(cat lean-toolchain)
lake build
lake build PF.AxiomCheck_2026_06_23
```

The full corpus builds in approximately ten minutes (4,362 kernel-elaboration jobs). The dedicated `PF.AxiomCheck` module prints the axiom dependencies of the four headline theorems:

- `PrincipiaFractalisSubstrateConsequences_holds_unconditionally` — kernel-only.
- `clay_riemann_hypothesis_standard_framework_standard` — kernel plus Hardy 1914 (Wiles-pattern citation of a published-and-proven external theorem) plus the named HP-program conjecture (C1).
- `framework_finishes_all_six_clay_axes_bulletproof` — kernel plus the substrate’s record-typed packaging of (C1), (C2), and (C3).
- `framework_alpha_skeleton_over_determined_capstone` — kernel-only.

The substrate is what the substrate says it is. The construction, the algebraic content, the conditional structure, and the named open conjectures are all readable from the source. The substrate is hereby placed in the hands of the reader.

8. WHAT THIS PAPER DOES NOT CLAIM

This paper does not claim to have proven the six remaining open mathematical problems it touches. The substrate-tier discharge of four of those axes (the substrate’s Yang–Mills, BSD, Hodge, and Navier–Stokes encodings) is on the substrate’s canonical carriers, with explicit named open content per axis matching the canonical open frontier in the published literature. The Riemann Hypothesis discharge on the literal mathlib `Complex.riemannZeta` is conditional on the published-open HP-program conjecture composed with Hardy 1914. The P-versus-NP discharge is conditional on the substrate’s own polylog conjecture.

What the substrate *has* done: it has identified a single algebraic mechanism — twelve substrate-derived identities on a four-element basis, admitting a unique positive simultaneous solution — whose forced values appear, with no parameters fit to the right-hand data and every constant in column three substrate-internal with a named book-chapter derivation, in fifteen independently-published measurements across five disjoint scientific domains. It has formalised the mechanism in Lean 4 at the kernel level. It has named the three open conjectures on which two of the conditional discharges depend. It has registered one chronologically-pre-registered forward-runnable prediction. It has registered eight typed falsifiers, zero of which are triggered.

The full substrate, including its construction of the Timeless Field $\mathcal{T}_\infty$, its emergent-spacetime content, its consciousness-coupling formalism, its cosmological content beyond what appears in Table 2, and its complete catalogue of cross-domain consequences, is the subject of the companion book *Principia Fractalis* [1]. This paper exhibits the algebraic skeleton and its multi-domain corroboration; the book exhibits the substrate of which the skeleton is one downstream projection.

APPENDIX A. VERBATIM `#PRINT AXIOMS` OUTPUT AT HEAD

The Lean module `PF/AxiomCheck_2026_06_23.lean` runs `#print axioms` on the four headline theorems. Build it via `lake build PF.AxiomCheck_2026_06_23`; the output below is what the kernel reports at HEAD 688c9f0. A reader who reproduces this build receives the same lines byte-for-byte. Any other reading of these theorems’ axiom dependencies is wrong.

```
info: PF/AxiomCheck_2026_06_23.lean:13:0:
  'PF.Referee.PrincipiaFractalisSubstrateTheorem.
    PrincipiaFractalisSubstrateConsequences_holds_unconditionally'
  depends on axioms: [propext, Classical.choice, Quot.sound]

info: PF/AxiomCheck_2026_06_23.lean:14:0:
  'PF.Analytic.RH_FrameworkStandardDischarge_NamedAnchors_2026_06_19.
    clay_riemann_hypothesis_standard_framework_standard'
  depends on axioms: [propext, Classical.choice, Quot.sound,
    PF.Analytic.RH_FrameworkStandardDischarge_NamedAnchors_2026_06_19.
      Hardy1914_published_theorem_substrate_citation,
    PF.Analytic.RH_FrameworkStandardDischarge_NamedAnchors_2026_06_19.
      Mayer1991_Cohen2025_substrate_HP_program_citation]

info: PF/AxiomCheck_2026_06_23.lean:15:0:
  'PF.Referee.V3SubstrateForcedDischargeBulletproof.
    framework_finishes_all_six_clay_axes_bulletproof'
  depends on axioms: [propext, Classical.choice, Quot.sound,
    PF.Referee.V3SubstrateForcedDischargeBulletproof.
      framework_substrate_pins_bulletproof_bundle]

info: PF/AxiomCheck_2026_06_23.lean:16:0:
  'PF.Referee.CrossMillenniumInvariants_Extended_2026_06_19.
    framework_alpha_skeleton_over_determined_capstone'
  depends on axioms: [propext, Classical.choice, Quot.sound]
```

Build completed successfully (3997 jobs).

The four named substrate-tier citation axioms appearing above are: `Hardy1914_published_theorem_substra` (Wiles-pattern citation of an external published-and-proven theorem); `Mayer1991_Cohen2025_substrate_HP_pr` (substrate-tier citation of the published-open Hilbert–Pólya program conjecture (C1)); and `framework_substrate_pins_bulletproof_bundle` (the substrate’s record-typed packaging of the three named open conjectures (C1), (C2), (C3) consumed by the six-axis closure theorem). The full corpus contains exactly four named project axioms; the fourth, `Mayer1991_Cohen2025_T3_sym_spectra`, appears in the substrate’s T_3^{sym} spectral-data variant of the RH route, not on the literal-mathlib-carrier chain above. A reader can verify there are no other axioms via `grep -rE "^axiom [a-zA-Z_][a-zA-Z0-9_]* :\" PF_Lean4_Code/PF/` which returns exactly four matches.

ACKNOWLEDGMENTS

To Liz, who carried this household while the substrate was being formalised. To Dylan, who would not let me stop. To Lily, who I hope reads this one day. To the open-source Lean 4 community and the mathlib4 maintainers, whose work made this verification possible.

REFERENCES

- [1] P. Cohen. *Principia Fractalis: Fractal Resonance Mathematics, Second Edition*. Version 2.6.1, 915 pages, 2026. <https://github.com/FractalDevTeam/Principia-Fractalis>
- [2] G. Perelman. The entropy formula for the Ricci flow and its geometric applications. *arXiv:math/0211159*, 2002; and subsequent works, 2003.
- [3] G. H. Hardy. Sur les zéros de la fonction $\zeta(s)$ de Riemann. *Comptes Rendus Acad. Sci. Paris* 158, 1012–1014, 1914.
- [4] D. H. Mayer. The thermodynamic formalism approach to Selberg’s zeta function for $\text{PSL}(2, \mathbb{Z})$. *Bull. Amer. Math. Soc.* 25 (1) 55–60, 1991.
- [5] A. Connes. Trace formula in noncommutative geometry and the zeros of the Riemann zeta function. *Selecta Math.* 5, 29–106, 1999.
- [6] L. de Moura and S. Ullrich. The Lean 4 theorem prover and programming language. In *Automated Deduction — CADE 28*, Springer, 2021.

MESA, ARIZONA, USA
 Email address: psolorzano@gmail.com
 URL: [ORCID: ~0009-0002-0734-5565](https://orcid.org/0009-0002-0734-5565)