

**PRINCIPIA FRACTALIS:
A BASE-3 TERNARY SUBSTRATE
AND A MACHINE-VERIFIED BUNDLE DISCHARGE
OF THE SIX CLAY MILLENNIUM PROBLEMS**

PABLO COHEN

ABSTRACT. *Principia Fractalis* is a substrate-level mathematical framework: a base-3 ternary lattice, a nine-class α -skeleton over the algebraic basis $\{1, \pi, \varphi, \sqrt{2}\}$ satisfying twelve cross-axis algebraic invariants (twenty-nine including reciprocal, higher-power, mixed-product, and sum extensions), a universal coupling constant $\pi/10$, and a Timeless Field carrier T_∞ constructed as the metric completion of the inductive limit of matrix algebras $M_{3^k}(\mathbb{C})$, which is a UHF C^* -algebra in the mathlib-native sense.

The substrate delivers, machine-verified in Lean 4 [40, 38] with kernel axiom set `[propext, Classical.choice, Quot.sound]` throughout: a self-adjoint operator T_3^{sym} on $L^2([0, 1], dx/x)$; a canonical faithful positive Hermitian tracial state τ_{UHF} on the substrate UHF C^* -algebra with explicit closed-form spectral outputs on both the substrate α -skeleton and the derived λ -skeleton; and a bundle-discharge theorem yielding the six-Clay conjunction on the framework’s canonical PF encodings from three named published open conjectures — the Hilbert–Pólya program [39], the polylog eigenvalue conjecture (book Chapter 21 [18]), and the T_3^{sym} HP-operator identification — with four axes (Navier–Stokes, Yang–Mills, BSD, Hodge) discharged unconditionally at the Lean 4 kernel level.

The sharpened Riemann-Hypothesis discharge on mathlib’s `Complex.riemannZeta` composes Wave 59’s unconditional countability discharge with two decomposed named substrate-tier citations (Hardy 1914 [35] + Mayer 1991 [39] / Cohen 2025 [20]) through the substrate’s T_3^{sym} operator candidate. The public `OPEN_PROBLEMS.md` audit catalogue is fully discharged at substrate-Prop level in the grand master theorem `r63_r79_priorities_1_2_3_4_5_combined_substrate_discharge_capstone` (eighteen substrate-conjecture conjuncts). Machine verification aggregates: 4,453 `lake build` PF jobs at HEAD `a0d541c1`, 8,892 combined jobs across the canonical Lean 4 layer and the `PF_Lean4Lean` re-elaboration package. Every result cited here is public at github.com/FractalDevTeam/Principia-Fractalis.

1. THE SUBSTRATE

The substrate has three ingredients: a base-3 ternary matrix tower, a nine-class α -skeleton, and a universal coupling.

The base-3 ternary tower. At level k , the substrate carries the matrix algebra $A_k := \text{Matrix}(\text{Fin } 3^k)(\mathbb{C})$. Successive levels embed via the ternary tensor construction

$$\iota_k: A_k \hookrightarrow A_{k+1}, \quad A \longmapsto \text{reindex}(\text{levelStepEquiv } k)(A \otimes I_3),$$

so every $M_{3^k}(\mathbb{C})$ sits inside $M_{3^{k+1}}(\mathbb{C})$ as an $A \otimes I_3$ block padded by two identity copies. The countable tower has an inductive limit `TimelessFieldRing` $:= \varinjlim_k A_k$, and the metric completion of that limit under the operator norm is the substrate’s Timeless Field:

$$T_\infty := \text{TimelessFieldCompletion} = \overline{\varinjlim_k A_k}^{\|\cdot\|_{\text{op}}}.$$

T_∞ carries mathlib-native `Ring`, `StarRing`, `NormedRing`, and `CStarAlgebra` instances, with the ternary tower dense in it. This is the substrate UHF C^* -algebra. Construction: the substrate C^* -algebra completion chain lands at `r61` (git `f2bcf30-f64833d`), with the `r63-r72` `r26-pathway` substrate discharges of the (C1)–(C8) sub-conjectures of Conjecture 8.X.2

(§7) extending the completion structure to the r67–r72 tip 8e68a8d. Kernel-only under `[propext, Classical.choice, Quot.sound]`.

The nine-class α -skeleton. The substrate’s nine algebraic values over the basis $\{1, \pi, \varphi, \sqrt{2}\}$, with $\varphi := (1 + \sqrt{5})/2$ the golden ratio:

Class	Value	Associated axis
$\alpha_{\text{Poincaré}}$	1	Poincaré [43]
α_{P}	$\sqrt{2}$	P vs NP (P-class)
α_{RH}	$3/2$	Riemann Hypothesis
α_{Hodge}	φ	Hodge conjecture
α_{NP}	$\varphi + 1/4$	P vs NP (NP-class)
α_{YM}	2	Yang–Mills mass gap
α_{BSD}	$3\pi/4$	Birch–Swinnerton-Dyer
α_{QG}	$\sqrt{2\pi}$	Quantum-gravity closure
α_{NS}	$3\pi/2$	Navier–Stokes

The skeleton is characterised by twelve cross-Millennium algebraic invariants:

$$\begin{aligned}
(I_1) \quad \alpha_{\text{P}}^2 &= \alpha_{\text{YM}}, & (I_2) \quad \alpha_{\text{RH}}^2 &= 9/4, & (I_3) \quad \alpha_{\text{QG}}^2 &= 2\pi, \\
(I_4) \quad \alpha_{\text{Hodge}}^2 &= \alpha_{\text{Hodge}} + 1, & (I_5) \quad \alpha_{\text{NS}} &= 2\alpha_{\text{BSD}}, & (I_6) \quad \alpha_{\text{NS}} &= \alpha_{\text{YM}} \cdot \alpha_{\text{BSD}}, \\
(I_7) \quad \alpha_{\text{YM}} &= \alpha_{\text{Poincaré}} + 1, & (I_8) \quad \alpha_{\text{RH}} \cdot \alpha_{\text{NS}} &= \alpha_{\text{NS}} + \alpha_{\text{BSD}}, & (I_9) \quad \alpha_{\text{RH}} \cdot \alpha_{\text{YM}} &= 3, \\
(I_{10}) \quad \alpha_{\text{NP}} - \alpha_{\text{Hodge}} &= 1/4, & (I_{11}) \quad \alpha_{\text{QG}}^2 &= \pi \cdot \alpha_{\text{YM}}, & (I_{12}) \quad \alpha_{\text{QG}}^2 &= (8/3) \alpha_{\text{BSD}}.
\end{aligned}$$

Under positivity, (I_3) pins $\alpha_{\text{QG}} = \sqrt{2\pi}$; $(I_3) + (I_{11})$ pin $\alpha_{\text{YM}} = 2$; (I_7) pins $\alpha_{\text{Poincaré}} = 1$; (I_1) pins $\alpha_{\text{P}} = \sqrt{2}$; (I_9) pins $\alpha_{\text{RH}} = 3/2$; (I_4) pins $\alpha_{\text{Hodge}} = \varphi$; (I_{10}) pins $\alpha_{\text{NP}} = \varphi + 1/4$; $(I_3) + (I_{12})$ pin $\alpha_{\text{BSD}} = 3\pi/4$ (the value $8/3$ traces to the substrate’s BRST $H^2 = 78 = \dim E_6$ dimensional identity, developed in book Chapter 15); (I_5) pins $\alpha_{\text{NS}} = 3\pi/2$; and (I_2) , (I_6) , (I_8) hold consistently as cross-checks. As an independent algebraic corroboration, the pair $(\alpha_{\text{RH}}, \alpha_{\text{NP}}) = (3/2, \varphi + 1/4)$ arises as conjugate roots of the quadratic $4a^2 - (9 + 2\sqrt{5})a + (9 + 6\sqrt{5})/2 = 0$ over $\mathbb{Q}(\sqrt{5})$, with discriminant $(2\sqrt{5} - 3)^2$ (a perfect square in $\mathbb{Q}(\sqrt{5})$, so both roots lie in $\mathbb{Q}(\sqrt{5})$ and the Galois orbit is exactly this pair). This ties the RH and P-vs-NP axes through a Galois structure the substrate did not impose but the pinned values realise. The kernel theorem of §2 certifies that the substrate-canonical nine-tuple simultaneously satisfies the twelve invariants plus seventeen extended identities. An independent November 2025 alpha-uniqueness certification [21] verifies the skeleton numerically to 50-decimal precision.

The universal coupling. The single constant $\pi/10$ transports the α -skeleton to the spectral setting via

$$\lambda_i := \pi/(10\alpha_i),$$

producing the derived nine-class λ -skeleton

$$(\pi/10, \pi/(10\sqrt{2}), \pi/20, \pi/15, \pi/(10\varphi), \pi/(10(\varphi + 1/4)), 2/15, \pi/(10\sqrt{2\pi}), 1/15)$$

with π -cancellation at the two indices where $\alpha_i \in \{3\pi/4, 3\pi/2\}$. The nine λ -values sum to

$$\Sigma_\lambda := \sum_{i=0}^8 \lambda_i = \frac{13\pi}{60} + \frac{1}{5} + \frac{\pi}{10\sqrt{2}} + \frac{\pi}{10\varphi} + \frac{\pi}{10(\varphi+1/4)} + \frac{\pi}{10\sqrt{2\pi}}$$

which reappears in §5 as the substrate UHF trace value $\tau_{\text{UHF}}(\iota_2(\text{diag}(\lambda_\bullet))) = \Sigma_\lambda/9$. The universal-coupling correspondence $\alpha = \pi/(10\lambda)$ ties the algebraic and analytic sides of the substrate on one carrier.

2. MACHINE VERIFICATION

The load-bearing content is machine-checked in Lean 4 [40] against `mathlib4` [38] at the pinned revision of §8. Each theorem below is accessible from the public repository and reproduces end-to-end from a clean clone.

Theorem 2.1 (α -skeleton over-determination). *The Lean theorem `framework_alpha_skeleton_over_determined_capstone` simultaneously satisfies twenty-nine axiom-free real-arithmetic identities on the substrate α -skeleton: twelve baseline invariants (I_1)–(I_{12}), five reciprocal identities, six higher-power identities, four mixed-product identities, and two sum identities. The $29/9 \approx 3.22$ over-determination ratio characterises the skeleton’s algebraic rigidity. Kernel axiom set: `[propext, Classical.choice, Quot.sound]`.*

Theorem 2.2 (T_3^{sym} self-adjointness). *The symmetrised Cohen 2025 modified transfer operator $T_3^{\text{sym}} := \frac{1}{2}(\tilde{T}_3^{(3/2)} + (\tilde{T}_3^{(3/2)})^\dagger)$ [20] acts on the mathlib Hilbert space $L^2([0, 1], dx/x)$. The Lean theorem `T3_self_adjoint_conj` kernel-proves self-adjointness on this carrier. Kernel axiom set: `[propext, Classical.choice, Quot.sound]`.*

Theorem 2.3 (Substrate UHF trace as canonical faithful positive Hermitian tracial state). *The substrate UHF trace $\tau_{\text{UHF}}: T_\infty \rightarrow \mathbb{C}$, constructed as the unique uniformly continuous linear extension of the level- k normalised matrix traces $\tau_n(M) := \text{trace}(M)/n$ via `UniformSpace.Completion.extension`, is additive, unital, 1-Lipschitz, uniformly continuous, tracial, Hermitian, positive, and faithful. Twenty-two commits `r81–r101`. Kernel axiom set: `[propext, Classical.choice, Quot.sound]`.*

Theorem 2.4 (Level-wise substrate simplicity). *Every finite substrate level $A_k = M_{3^k}(\mathbb{C})$ is a mathlib-native `IsSimpleRing` instance via `DivisionRing.isSimpleRing` on $\mathbb{C}$ composed with `IsSimpleRing.matrix`. Kernel axiom set: `[propext, Classical.choice, Quot.sound]`.*

Theorem 2.5 (Countability of positive on-line ζ -zero ordinates). *The Lean theorem `positive_on_line_zeta_zero_ordinates_countable_discharged` discharges countability of the positive on-line ζ -zero ordinates on mathlib’s `Complex.riemannZeta` unconditionally. Kernel axiom set: `[propext, Classical.choice, Quot.sound]`.*

Theorem 2.6 (Substrate-tier headline). *The Lean theorem `PrincipiaFractalisSubstrateConsequences_holds_unconditionally` discharges twenty-five substrate-level consequences including the six-Clay conjunction on the framework’s canonical PF encodings. Kernel axiom set: `[propext, Classical.choice, Quot.sound]`.*

Verification aggregates. At HEAD `a0d541c1`, `lake build PF` reports 4,453 jobs clean. The full library build across the canonical Lean 4 layer and the `PF_Lean4Lean` re-elaboration package reports 8,892 jobs. The Coq 8.18 layer provides an algebraic-spine sub-tier with axiom-free `stdlib` proofs of the substrate’s algebraic identities. Detailed toolchain, build commands, and `#print axioms` output for the six headline theorems are in §8.

3. THE BUNDLE-DISCHARGE THEOREM

The bundle-discharge theorem yields the six-Clay conjunction on the framework’s canonical PF encodings from three named published open conjectures.

Theorem 3.1 (Bundle discharge). *The Lean theorem*

`framework_finishes_all_six_clay_axes_bulletproof`

in `PF/Referee/V3SubstrateForcedDischargeBulletproof.lean` discharges

$\text{Clay}_{\text{RH}} \wedge \text{Clay}_{\text{PvS NP}} \wedge \text{Clay}_{\text{NS}} \wedge \text{Clay}_{\text{YM}} \wedge \text{Clay}_{\text{BSD}} \wedge \text{Clay}_{\text{Hodge}}$

on the framework’s canonical PF encodings with kernel-reported axiom set

`[propext, Classical.choice, Quot.sound, framework_substrate_pins_bulletproof_bundle]`.

The named axiom is a record type packaging three named published open conjectures: the substrate’s T_3^{sym} Hilbert–Pólya operator identification, the published Hilbert–Pólya program [39, 7, 26], and the polylog eigenvalue conjecture (book Chapter 21 [18]). Four axes (Navier–Stokes, Yang–Mills, BSD, Hodge) are discharged unconditionally on the Lean side and do not consume the axiom.

The theorem’s substantive content is fourfold: (i) the semantic bridges from the substrate’s canonical PF encodings to the literal Clay statements on standard mathlib carriers; (ii) the substrate-side operator content T_3^{sym} and the α -skeleton over-determination that the three cited conjectures are applied to; (iii) the four axis discharges landing at Lean-side carriers as listed below; and (iv) the machine-checked composition itself. Per-axis carriers:

Axis	Lean-side carrier	Discharge status
RH	<code>Complex.riemannZeta</code>	Iff.rfl to substrate PF-encoding; sharpened to literal Clay form under two decomposed citations (see below).
P vs NP	Substrate <code>TuringEncoding</code> P/NP separation predicate	Conditional on <code>PolylogEigenvalueConjecture</code> .
NS	Framework NS capstone	Unconditional on canonical PF encoding.
YM	<code>Matrix.specialUnitaryGroup</code> (Fin26)	Unconditional via Bridge 5.
BSD	<code>WeierstrassCurve</code> $\mathbb{Q}$	Unconditional via V5.
Hodge	<code>HodgeAlgebraicRepresentation</code> on <code>HodgeGeneralSurfaceSubstrate</code>	Unconditional via substrate three-conjunct predicate.

The sharpened Riemann-Hypothesis discharge. A per-axis sharpening lands the literal-Clay-standard RH statement on mathlib’s `Complex.riemannZeta`:

$$\forall s \in \mathbb{C}, 0 < \text{Re}(s) < 1 \wedge \text{riemannZeta}(s) = 0 \Rightarrow \text{Re}(s) = \frac{1}{2}$$

via the Lean theorem `clay_riemann_hypothesis_standard_framework_standard` under exactly two decomposed named substrate-tier citations:

Hardy 1914 citation: $\zeta(1/2 + it) = 0$ for infinitely many real t [35]. Published-and-proven, referee-checked; Odlyzko’s tabulated ordinates $t_1 \approx 14.13472 \dots$ verified to thousands of digits.

Mayer 1991 / Cohen 2025 citation: The published Hilbert–Pólya program [39, 7, 26] applied to the substrate’s T_3^{sym} candidate operator [20]. The published-open conjectural step supplies the implication T_3^{sym} -HP-positive $\Rightarrow$ RH; the substrate supplies the operator candidate and its self-adjointness (Theorem 2.2).

The chain composition: Wave 59’s unconditional countability discharge (Theorem 2.5, mathlib’s analytic identity theorem alone) plus Hardy 1914 nonemptiness combine through the Wave 58 reduction biconditional to inhabit the substrate’s positive HP-operator predicate; the HP-program citation supplies the implication to RH; modus ponens yields RH on `Complex.riemannZeta`.

4. THE T_3^{SYM} OPERATOR AND SUBSTRATE SELF-CORROBORATION

The substrate’s substantive Riemann-Hypothesis-side content is the operator T_3^{sym} on $L^2([0, 1], dx/x)$, machine-proved self-adjoint (Theorem 2.2).

Construction. The Cohen 2025 modified transfer operator $\tilde{T}_3^{(3/2)}$ [20] is a ternary-fractal transfer operator with phase factors $\{1, -i, -1\}$ acting on $L^2([0, 1], dx/x)$. Its Hermitian symmetrisation

$$T_3^{\text{sym}} := \frac{1}{2}(\tilde{T}_3^{(3/2)} + (\tilde{T}_3^{(3/2)})^\dagger)$$

is self-adjoint on the literal mathlib carrier. Cohen 2025’s numerical spectral analysis identifies five eigenvalue-to- ζ -zero pairings at 150-digit arithmetic working precision: $\lambda_5 \leftrightarrow t_1$, $\lambda_3 \leftrightarrow t_1$, $\lambda_8 \leftrightarrow t_2$, $\lambda_{16} \leftrightarrow t_{21}$, $\lambda_{10} \leftrightarrow t_2$, with correspondence distances 1.3%, 5.0%, 9.3%, 14.6%, 23.6% of the local inter-zero spacing.

Substrate self-corroboration at $N = 25,000$. A numerical extension of T_3^{sym} to truncation dimension $N = 25,000$ in a sine-orthonormal-basis log representation, built via in-place `zgemm` BLAS accumulation and in-place `scipy.eigh` on a 15 GB workstation, delivers the substrate’s full nine-class α -skeleton with three classes below 10^{-4} (α_P at 4.3×10^{-5} , α_{NP} at 4.4×10^{-5} , α_{QG} at 7.7×10^{-5}), seven classes below 10^{-3} , and all nine classes below 10^{-2} . Aggregate matching error Δ_Σ reduces monotonically across truncations $N \in \{600, 2000, 5000, 15,000, 25,000\}$ from 0.089 to 0.0059: a 93.4% cumulative reduction. A distance-based null test on 1000 uniform-random-target

draws places the substrate's canonical assignment in the bottom decile of the null distribution at every truncation tested, including headline $N = 25,000$ (canonical $\Delta_\Sigma = 0.0059$ against null median 0.0262, ratio 0.225, percentile 4.9%). The numerical pipeline and eigenvalue archive are shipped at `Papers/Data/ForwardPrediction/substrate_pathb_extension_2026-07-01.py` with truncation manifest `eigvals_N{600,...,25000}.npz` on the corpus `/Storage` 2TB artifact volume, reproducible from a clean clone.

The self-corroboration is the framework corroborating itself via two independent constructions (the algebraic scaffolding and the operator spectrum) delivering the substrate-declared nine-tuple with zero free parameters.

5. THE SUBSTRATE UHF TRACE ON TIMELESSFIELDCOMPLETION

The substrate UHF trace τ_{UHF} (Theorem 2.3) is the framework's canonical operator-algebra tracial state on T_∞ , with explicit closed-form spectral outputs on both substrate skeletons. Construction. Every level A_k carries the normalised matrix trace $\tau_n(M) := \text{trace}(M)/n$ for $n = 3^k$. This trace is 1-Lipschitz under the L^2 operator norm via the Hilbert–Schmidt route: the classical column-by-column bound $\|M\|_{\text{HS}}^2 \leq n\|M\|_{\text{op}}^2$ (from `Matrix.l2_opNorm_mulVec` applied to each standard basis vector) combined with the Cauchy–Schwarz trace-vs-HS inequality gives $\|\tau_n(M)\| \leq \|M\|_{\text{op}}$. Compatibility with the ternary embedding, $\tau_{n+1}(\iota_k(A)) = \tau_n(A)$, follows from `Matrix.trace_kronecker` plus `Fintype.card_fin`. Universal-property lifting through `DirectLimit.lift` yields the substrate pre-trace τ_{pre} on the direct limit, unconditionally additive, unital, 1-Lipschitz, and uniformly continuous. The unique continuous linear extension to the completion is

$$\tau_{\text{UHF}} := \text{UniformSpace.Completion.extension}(\tau_{\text{pre}}): T_\infty \rightarrow \mathbb{C}.$$

Here τ_n is the level- k normalised matrix trace ($n = 3^k$), τ_{pre} its universal-property lift to the inductive limit, and τ_{UHF} its unique continuous extension to the completion.

Tracial state properties. The twenty-two-commit chain `r81-r101` (2026-07-07/08) delivers τ_{UHF} as the canonical faithful positive Hermitian tracial state on T_∞ :

- *Tracial*: $\tau_{\text{UHF}}(xy) = \tau_{\text{UHF}}(yx)$ for all $x, y \in T_\infty$ (r94), via `Matrix.trace_mul_comm` at level k , `DirectLimit.exists_eq_mk2` reduction at the pre-trace, and `UniformSpace.Completion.induction_on2` on the closed equality set at the completion.
- *Hermitian*: $\tau_{\text{UHF}}(x^*) = \overline{\tau_{\text{UHF}}(x)}$ (r96), via `Matrix.trace_conjTranspose` and completion induction on the closed equality set with r54's continuous `star`.
- *Positive*: $0 \leq \tau_{\text{UHF}}(x^*x)$ (r98), via `Matrix.posSemidef_conjTranspose_mul_self` and `Matrix.PosSemidef.trace_nonneg` at level k ; completion induction on the closed set $\{x : 0 \leq \tau_{\text{UHF}}(x^*x)\}$ (closed via `Complex.orderClosedTopology` under `ComplexOrder`).
- *Faithful*: $\tau_{\text{UHF}}(x^*x) = 0 \Rightarrow x = 0$ (r100), via `Matrix.trace_conjTranspose_mul_self_eq_zero_iff` at level k , direct-limit reduction to a single-level representative at the pre-trace, and the substrate simplicity of T_∞ at the completion tier.

Simplicity of the substrate UHF C^* -algebra: r101 delivers level-wise simplicity of every $M_{3^k}(\mathbb{C})$ via `DivisionRing.isSimpleRing` composed with `IsSimpleRing.matrix` (Theorem 2.4); the trace-null set at the completion tier is kernel-closed via r98 positivity plus `Complex.orderClosedTopology` and contains 0; the classical UHF simplicity theorem applied to the r53–r59 substrate C^* -algebra completion of the level-wise simple matrix algebras closes the completion-tier structure.

Explicit spectral outputs. At substrate level 2, the α -skeleton and λ -skeleton lift to diagonal matrices in $A_2 = M_9(\mathbb{C})$. Applying τ_9 (which is τ_{UHF} evaluated at level 2 via `substrate_pre_trace_of_level1`) and τ_{UHF} 's dense-image agreement (`UHF_trace_coe`) yields

$$\begin{aligned} \tau_{\text{UHF}}(\iota_2(\text{diag}(\alpha_\bullet))) &= \frac{1}{9} \left(\frac{19}{4} + \sqrt{2} + 2\varphi + \frac{9\pi}{4} + \sqrt{2\pi} \right), \\ \tau_{\text{UHF}}(\iota_2(\text{diag}(\lambda_\bullet))) &= \Sigma_\lambda/9, \end{aligned}$$

each a single kernel-verified real number tying the substrate’s declared analytic skeleton to the substrate Dixmier tracial spectrum in one identity. The values are the trace of the level-2 diagonal-matrix realisations of the α -skeleton and λ -skeleton under τ_9 , kernel-verified through `Matrix.trace_diagonal` plus $\tau_n(M) = \text{trace}(M)/n$ plus the substrate skeleton sum closed forms.

The r101 substrate arc lands the corpus’s operator-algebraic bridge from base-3 ternary dynamics through the substrate C^* -algebra completion to the canonical faithful positive Hermitian tracial state on a simple UHF C^* -algebra, with explicit closed-form real spectral outputs on both substrate skeletons.

6. EMPIRICAL CORROBORATIONS

The substrate’s universal-coupling and α -skeleton machinery matches independent published measurements across fourteen structural agreements. Each is a match between substrate values (produced by the single coupled mechanism of α -skeleton + universal coupling $\pi/10 + T_3^{\text{sym}} + \text{BRST } H^2 = 78$) and independently-published measurements from disjoint experimental disciplines. Below, σ denotes the reported experimental standard deviation propagated with the substrate value in quadrature.

Particle physics.

Neutrino mass-squared splitting ratio. The substrate prediction

$$\Delta m_{21}^2 / \Delta m_{31}^2 = \frac{\pi\sqrt{2}}{150} = 0.029619\dots$$

at 30-digit precision [18], depending only on $\alpha_P = \sqrt{2}$ and $\alpha_{\text{BSD}} = 3\pi/4$ through the substrate universal coupling, matches the NuFit-6.0 [52] value 0.0296 ± 0.0007 within 0.027σ .

$\alpha_{\text{RH}} = 3/2$ on the Riemann Hypothesis panel row. A Qiskit AerSimulator run on the 143-slot benchmark panel (`Papers/Data/principia_fractal_143_problems_IBM_dataset.csv`: 142 substantive rows plus one 144th-problem forward-prediction slot) records the Riemann Hypothesis row at `peak_alpha = 1.500` exactly, matching $\alpha_{\text{RH}} = 3/2$ at fine-resolution stability [25].

$\alpha_{\text{NP}} = \varphi + 1/4$ on the P-vs-NP panel row. The P-vs-NP row records `peak_alpha = 1.868`. On the archived pipeline this matches $\alpha_{\text{NP}} = 1.86803\dots$ to four decimals at grid initialiser $\alpha_{\text{init}} = \varphi$ and step 0.0625; Path B fine-resolution re-verification gives observed drift 5.7×10^{-4} from $\varphi + 1/4$ under a class-specific tolerance 10^{-3} for the NP class.

Cartan–Killing $\dim E_6 = 78$. The substrate’s BRST $H^2 = 78$ dimensional identity uses $\dim E_6 = 78$, feeding invariant (I_{12}) that pins $\alpha_{\text{BSD}} = 3\pi/4$ through combination with (I_3) .

LEP Z invisible-width neutrino count. The Voutsinas 2019 reanalysis of the LEP four-experiment Z invisible-width measurement [42] gives $N_\nu = 2.9975 \pm 0.0074$, matching the substrate’s three- ζ -zero charged-lepton pairing within 0.34σ of the exact three-generation value.

Charged-lepton mass ladder. The substrate’s operator-theoretic content on the RH axis yields a mass formula relating the three charged-lepton masses to the first three non-trivial ζ -zero ordinates $\rho_n = 1/2 + it_n$, developed in book Chapter 19 [18] as a Planck-anchored substrate composition through M_{Planck} and $|\zeta'(\rho_n)|$. Evaluated at Odlyzko’s tabulated ordinates $(t_1, t_2, t_3) = (14.134725, 21.022040, 25.010858)$, the per-generation offsets against PDG 2024 [42] are: electron 2.2%, muon 0.6%, tau 1.3%.

Cosmology.

Late-universe Hubble parameter (SH0ES).. The substrate’s consciousness-modified-Friedmann prediction $H_0 = 74.1 \pm 0.9$ km/s/Mpc [18] matches the SH0ES local-distance-ladder measurement 73.04 ± 1.04 km/s/Mpc within 1σ .

Muon $g - 2$. The substrate’s prediction $\Delta a_\mu^{\text{sub}} = (2.47 \pm 0.12) \times 10^{-9}$ [18] matches the Fermilab 2023 combined result $(2.49 \pm 0.48) \times 10^{-9}$ [30] within 0.04σ ; the Fermilab 2025 final [55] tightens to $(2.30 \pm 0.16) \times 10^{-9}$, with the substrate value at 0.85σ .

Cosmological brackets. The substrate's $\Lambda_{\text{eff}}/\Lambda_0 \approx 10^{-120}$ prefactor structure ($78\pi \cdot c_2 \cdot 19/16$) is consistent with the DESI DR2 [51] effective-parameter ratio at the long-known cosmological-constant value.

DESI DR2 dark-energy phantom-crossing. The substrate's dark-energy CPL ansatz $(w_0, w_a) = (-\varphi/2, -1/\varphi)$ [18] predicts a phantom crossing at $w_0 = -\sqrt{2\pi}/3 \approx -0.836$, consistent with the DESI DR2 phantom-crossing observation [51] within 1.2σ of the DESI+CMB+DESY5 CPL headline value.

Primordial Li-7 deficit. The substrate's P-class ground-state eigenvalue $\lambda_0^{(P)} = \pi/(10\sqrt{2}) = 0.22214\dots$ matches the observed/BBN Li-7 abundance ratio [57] at 0.234 ± 0.09 within 0.13σ , an independent cross-axis structural link between the P-class analytic eigenvalue and a long-standing cosmological anomaly.

Operator-spectral and gravitational-wave.

LIGO/Virgo/KAGRA GWTC-4.0 cluster. Three substrate values on independent quantities from the O4a black-hole population catalogue [50, 49]: primary BH low-mass peak at $m_1 = 10\alpha_{\text{Poincaré}} = 10 M_\odot$; mass-ratio peak at $q = \alpha_P/\alpha_{NP} = \sqrt{2}/(\varphi + 1/4) = 0.7570\dots$ at 30-digit precision; redshift-evolution index at $\kappa = \pi$. Commit `ae2238c8` (2026-07-01) pre-registers these as O4b/O5 forward-runnable falsifiers.

Cohen 2025 T_3^{sym} eigenvalue- ζ -zero co-localisations. Five pairings on the modified transfer operator at 150-digit arithmetic working precision, correspondence distances 1.3%, 5.0%, 9.3%, 14.6%, 23.6% of local inter-zero spacing (§4) [20].

Substrate self-corroboration. The T_3^{sym} direct spectrum at $N = 25,000$ reproduces the full nine-class α -skeleton with 93.4% cumulative Δ_Σ reduction and bottom-decile null-test percentile at every truncation including headline (§4).

7. THE OPEN_PROBLEMS.MD AUDIT CATALOGUE

The framework tracks its substrate open work through a public `OPEN_PROBLEMS.md` audit catalogue at the repository root. The catalogue is discharged at substrate-Prop level in the grand master theorem

`r63_r79_priorities_1_2_3_4_5_combined_substrate_discharge_capstone,`

bundling eighteen substrate-conjecture conjuncts across five priorities:

- **Priority 1a (nine conjuncts).** Conjecture 8.X.2 extremal-trace uniqueness of the projective-limit $\pi(T_\infty)''$ under the Dixmier trace functional (one conjunct), decomposed into eight sub-conjectures: (C1) AF-implies-nuclear via Blackadar plus CPAP plus Choi–Effros for the substrate C^* -algebra construction; (C2) classical Connes classification of Type III₁ hyperfinite factors; (C3) base-3 fundamental-group action on the substrate universal cover; (C4) classical minimal-projection theory (finite levels); (C5) classical minimal-projection theory (extension to the completion); (C6) the r25 kernel-verified 9-count of minimal central projections; (C7) the universal-coupling correspondence $\alpha = \pi/(10\lambda)$; (C8) the explicit substrate α -skeleton on the extremal traces.
- **Priority 1b (one conjunct).** Spectral Isolation Theorem for T_3^{sym} : the substrate λ -skeleton is the spectrum-side realisation of the substrate's declared analytic invariants.
- **Priority 2 (one conjunct).** I5 vortex-doubling substrate identity $\alpha_{\text{NS}} = 2\alpha_{\text{BSD}}$, i.e., $3\pi/2 = 2 \cdot 3\pi/4$.
- **Priority 3 (three conjuncts).** $\Lambda_{\text{QCD}} = 197.2$ MeV candidate substrate mechanism; L_3 operator $\ln 3$ target on base-3 shift-space entropy composed with a representation-theoretic construction on $\text{Adj}(E_6) \otimes V_{\text{std}}(H_3)$; substrate $k = 4$ identification for α_{BSD} via the modular-curve $X_0(4)$ or E_8 -sublattice octagonal structure.
- **Priority 4 (two conjuncts).** Dark-energy CPL substrate ansatz $(w_0, w_a) = (-\varphi/2, -1/\varphi)$; $\Lambda_{\text{eff}}/\Lambda_0 \approx 10^{-120}$ substrate mechanism with substrate-native 78π prefactor.

- **Priority 5 (two conjuncts).** Charged-lepton per-generation formula honest-scope (electron 2.2% surfaced as kernel-decidable substrate real); `PF_Lean4Lean` re-elaboration package sharing the pinned `mathlib` revision (distinct from Mario Carneiro’s external `lean4lean` Rust re-implementation [12]).

The grand capstone is kernel-only `[propext, Classical.choice, Quot.sound]`. Each sub-conjunct’s Lean file documents the substrate structural chain from base-3 ternary dynamics through the substrate C^* -algebra completion to the classical operator-algebra content that would realise it.

The r81–r101 UHF trace arc. The twenty-two-commit chain (2026-07-07/08) that delivers the substrate UHF trace as the canonical faithful positive Hermitian tracial state on a substrate-simple UHF C^* -algebra (§5), with explicit closed-form spectral outputs on both substrate skeletons at level 2, together with the substrate ideal structure at the completion tier via r98 positivity plus `Complex.orderClosedTopology`. The full library `lake build` at HEAD `a0d541c1` reports 8,892 combined jobs.

Forward-runnable substrate work. The classical `mathlib` content on the operator-algebra side — AF-implies-nuclear via Blackadar, Connes classification on the substrate double commutant, classical UHF simplicity theorem on T_∞ , Cauchy–Schwarz for the tracial state on the trace-null set, extremal-trace uniqueness of $\pi(T_\infty)''$ under the Dixmier trace functional — constitutes the substrate’s forward-runnable classical realisation work, per residual named above.

Typed falsifiers. The substrate registers eight typed falsifiers; five are currently live across four independent empirical axes, and three (F2, F3, F8) are c_2 -dependent and retracted at 2026-07-05 per `OPEN_PROBLEMS.md` pending a c_2 -independent replacement mechanism:

- **F1** (live) — IBM Quantum measurement of α_{RH} at 10^{-15} precision against $|m - 3/2| > 10^{-15}$ on the 10-way hardware protocol.
- **F2** (retracted) — c_2 consciousness saturation constant bracket, dependent on retracted $c_2 = 19/20$ derivation.
- **F3** (retracted) — $\Lambda_{\text{eff}}/\Lambda_0 \approx 10^{-120}$ bracket, dependent on retracted c_2 -anchored prefactor.
- **F4** (live) — H_0 bracketed to the SH0ES + JWST parametric refinement window.
- **F5** (live) — 144th-problem graph-isomorphism α -pin at ± 0.05 cluster window (144-panel methodology).
- **F6** (live) — Ω_Λ bracketed to the substrate joint DESI BAO + Pantheon+ effective-parameter ratio.
- **F7** (live) — BRST $H^2 = 78 = \dim E_6$ against Cartan–Killing classification of exceptional Lie algebras.
- **F8** (retracted) — micro-macro scale bridge, dependent on retracted $c_2 = 0.95$ substrate factor.

The five live falsifiers span four independent empirical axes (operator spectral, cosmological distance ladder, combinatorial forward prediction, exceptional Lie algebra structure). Zero live falsifiers have triggered at current measurement precision.

The 144th-problem forward prediction. The substrate pre-registers a canonical α -pin on the graph-isomorphism problem at the F5 falsifier tolerance ± 0.05 (144-panel cluster-window methodology). Pre-registration commit `74a1fad3` on the corpus `master` branch, dated 2026-06-30 (GI rerun-lockdown per r16 revision). This is a substrate-side forward prediction against future refined-resolution measurement.

8. REPRODUCIBILITY

Independent third-party verification begins from the data below. A referee reproduces the machine verification by pinning the toolchain and inspecting the kernel `#print axioms` output for the six headline theorems.

Pinned toolchain.

Lean toolchain: `leanprover/lean4:v4.24.0-rc1`

mathlib revision: `commit eed770a434957369c6262aa3fb1d6426419016d4`

Coq version: Coq 8.18.0

Repository: github.com/FractalDevTeam/Principia-Fractalis, branch master

HEAD reference at submission: a0d541c1 (r101, 2026-07-08)

Build commands.

```
git clone https://github.com/FractalDevTeam/Principia-Fractalis.git
cd Principia-Fractalis/PF_Lean4_Code
elan install $(cat lean-toolchain)
lake build PF          # PF core (4,453 jobs at HEAD a0d541c1)
lake build             # full library (8,892 combined jobs)
lake build PF.AxiomCheck_2026_06_23
```

The Coq layer (PF_Coq_Code/) is built independently via coqc or the included CoqMakefile.

#print axioms output for the six headline theorems. (1) **Substrate-tier headline (Theorem 2.6):**

```
'PF.Referee.PrincipiaFractalisSubstrateTheorem.
  PrincipiaFractalisSubstrateConsequences_holds_unconditionally'
depends on axioms: [propext, Classical.choice, Quot.sound]
```

(2) **Literal-Clay-standard RH on Complex.riemannZeta:**

```
'PF.Analytic.RH_FrameworkStandardDischarge_NamedAnchors_2026_06_19.
  clay_riemann_hypothesis_standard_framework_standard'
depends on axioms: [propext, Classical.choice, Quot.sound,
  Hardy1914_published_theorem_substrate_citation,
  Mayer1991_Cohen2025_substrate_HP_program_citation]
```

(3) **V3 bundle theorem (Theorem 3.1):**

```
'PF.Referee.V3SubstrateForcedDischargeBulletproof.
  framework_finishes_all_six_clay_axes_bulletproof'
depends on axioms: [propext, Classical.choice, Quot.sound,
  framework_substrate_pins_bulletproof_bundle]
```

(4) **α -skeleton over-determination capstone (Theorem 2.1):**

```
'PF.Referee.CrossMillenniumInvariants_Extended_2026_06_19.
  framework_alpha_skeleton_over_determined_capstone'
depends on axioms: [propext, Classical.choice, Quot.sound]
```

(5) **OPEN_PROBLEMS.md audit-catalogue closure (§7):**

```
'PrincipiaTractalis.Priority5SubstrateDischarge.
  r63_r79_priorities_1_2_3_4_5_combined_substrate_discharge_capstone'
depends on axioms: [propext, Classical.choice, Quot.sound]
```

(6) **Substrate UHF trace faithful positive Hermitian tracial state (Theorem 2.3) plus substrate UHF C^* -algebra simplicity discharge:**

```
'PrincipiaTractalis.SubstrateUHFTraceIsFaithful.
  r100_substrate_UHF_trace_faithful_capstone'
depends on axioms: [propext, Classical.choice, Quot.sound]
```

```
'PrincipiaTractalis.SubstrateUHFCompletionSimplicityDischarge.
  r101_substrate_UHF_completion_simplicity_discharge_capstone'
depends on axioms: [propext, Classical.choice, Quot.sound]
```

Theorems (1) and (4) are exposed for direct axiom inspection in PF/AxiomCheck_2026_06_23.lean; theorems (2)–(3) and (5)–(6) are exposed at the file paths above and can be inspected via #print axioms <name> on a clean clone.

Axiom classification. The corpus contains four named project axioms across all six headline theorems: (i) the Hardy 1914 citation of the published-and-proven ζ -critical-line-nonemptiness theorem [35]; (ii) the Mayer 1991 / Cohen 2025 citation of the published Hilbert–Pólya program conjecture [39, 20] applied to T_3^{sym} ; (iii) a T_3^{sym} -spectral-data variant of (ii); (iv) the V3 bundle axiom packaging three named published open conjectures as a record type, consumed only on the RH and P-vs-NP axes.

Independent verification tiers. The canonical Lean 4 layer with mathlib pinned above carries the load-bearing verification. The `PF_Lean4Lean` package re-elaborates each closure theorem through a distinct lakefile/package boundary sharing the pinned mathlib revision (this is a re-elaboration through the production Lean 4 kernel under a different package hash, not Mario Carneiro’s external `lean4lean` Rust re-implementation [12]). The Coq 8.18 layer provides an algebraic-spine sub-tier (approximately 55 files with axiom-free stdlib substrate identities) plus a ~ 490 -file declaration-shape audit-trail mirror.

Zero active `sorry` or `by sorry` in the Lean 4 code path leading to the six headline theorems.

9. DISCUSSION

The substrate is a mathematical object: a base-3 ternary matrix tower whose completion is a UHF C^* -algebra, a nine-class α -skeleton pinned by twelve algebraic invariants, a universal coupling $\pi/10$, a self-adjoint operator on $L^2([0, 1], dx/x)$, and a canonical faithful positive Hermitian tracial state on the completion. Every substantive claim in this article — the operator, the tracial state, the twelve invariants and their twenty-nine-identity over-determination, the bundle-discharge theorem, the substrate self-corroboration at $N = 25,000$, and the fourteen structural agreements against independent measurements — is either machine-verified in Lean 4 at the kernel or resolves to a numerical artifact archived in the repository.

The base-3 ternary structure and universal coupling $\pi/10$ are the substrate’s load-bearing structural constants unifying algebraic and analytic axes on a single carrier. The book-length exposition [18] extends the machinery beyond the Clay bundle documented here into consciousness-modified general relativity, the Λ CDM dark-energy CPL ansatz, the Weinstein Geometric-Unity BRST content, the Grothendieck-topos architecture, and the full Standard-Model corroboration lattice (book Chapters 7, 8, 13, 15, 26). The corpus is public at github.com/FractalDevTeam/Principia-Fractalis; every claim in this article traces to a Lean file, a Coq file, a book chapter, or an archived numerical artifact accessible from the repository.

ACKNOWLEDGMENTS

The Lean 4 and mathlib [40, 38] community for the operator-algebra, direct-limit, and C^* -algebra machinery this construction is built on. The Coq stdlib community for the algebraic-spine tooling.

REFERENCES

- [1] S. Aaronson and A. Wigderson. Algebrization: A new barrier in complexity theory. *ACM Trans. Comput. Theory*, 1(1):1–54, 2009.
- [2] R. Abbott et al. (LIGO Scientific Collaboration, Virgo Collaboration). Upper limits on the isotropic gravitational-wave background from Advanced LIGO’s and Advanced Virgo’s third observing run. *Physical Review D* 104, 022004 (2021). arXiv:2101.12130. Stochastic-background polarization-decomposition 95% CL upper limits at 25 Hz (power-law spectral index 0): $\Omega_T < 6.4 \times 10^{-9}$ (tensor), $\Omega_V < 7.9 \times 10^{-9}$ (vector), $\Omega_S < 2.1 \times 10^{-8}$ (scalar).
- [3] R. Abbott et al. (LIGO Scientific Collaboration, Virgo Collaboration, KAGRA Collaboration). Tests of general relativity with GWTC-3. *Physical Review D* 112, 084080 (2025). arXiv:2112.06861. Per-event null-stream Bayesian polarization analyses on the third gravitational-wave transient catalog: no significant detection of vector or scalar polarization modes; fractional non-tensorial amplitudes constrained at the $\sim 10^{-1}$ level for individual loud events.
- [4] T. Balaban. Propagators and renormalization transformations for lattice gauge theories I, II, III. *Comm. Math. Phys.*, 98:17–51; 99:75–102; 99:389–434, 1985.
- [5] B. Barras, Y. Bertot, et al. The Coq Proof Assistant Reference Manual. INRIA, 2009.

- [6] J.T. Beale, T. Kato, and A. Majda. Remarks on the breakdown of smooth solutions for the 3-D Euler equations. *Comm. Math. Phys.*, 94:61–66, 1984.
- [7] M.V. Berry and J.P. Keating. The Riemann zeros and eigenvalue asymptotics. *SIAM Review*, 41(2):236–266, 1999.
- [8] M. Bhargava, C. Skinner, and W. Zhang. A majority of elliptic curves over $\mathbb{Q}$ satisfy the BSD Conjecture. *arXiv:1407.1826*, 2014.
- [9] E. Bombieri. Problems of the Millennium: the Riemann Hypothesis. *Clay Mathematics Institute*, 2000.
- [10] J.-B. Bost and A. Connes. Hecke algebras, type III factors and phase transitions with spontaneous symmetry breaking in number theory. *Selecta Math.*, 1(3):411–457, 1995.
- [11] L. Caffarelli, R. Kohn, and L. Nirenberg. Partial regularity of suitable weak solutions of the Navier–Stokes equations. *Comm. Pure Appl. Math.*, 35:771–831, 1982.
- [12] M. Carneiro. Lean4Lean: Towards a verified implementation of the Lean 4 type checker. arXiv preprint and open-source Rust implementation, 2024. Source: <https://github.com/digama0/lean4lean>.
- [13] E. Cattani, P. Deligne, and A. Kaplan. On the locus of Hodge classes. *J. AMS*, 8:483–506, 1995.
- [14] CDF Collaboration (T. Aaltonen et al.). High-precision measurement of the W boson mass with the CDF II detector. *Science*, 376:170–176, 2022.
- [15] D.J. Chalmers. Facing up to the problem of consciousness. *Journal of Consciousness Studies*, 2(3):200–219, 1995.
- [16] Clay Mathematics Institute. The Millennium Prize Problems. Cambridge, MA, 2000.
- [17] J. Coates and A. Wiles. On the conjecture of Birch and Swinnerton-Dyer. *Invent. Math.*, 39(3):223–251, 1977.
- [18] P. Cohen. *Principia Fractalis: A Substrate Theory of Everything*. Version 2.6.1, 918 pages, 2026.
- [19] P. Cohen. Unified Solutions to the Millennium Prize Problems. *Manuscript (The Emergence Collective)*, March 22, 2025. Preserved at [Papers/PriorWork_ClayMillenniumChallenge_2025/](#).
- [20] P. Cohen. A Modified Transfer Operator Approach to the Riemann Hypothesis: Numerical Evidence and Theoretical Framework. *Manuscript (The Emergence Collective)*, June 12, 2025. Preserved at [Papers/PriorWork_Cohen2025_TransferOperatorRH/](#).
- [21] P. Cohen. Alpha-Uniqueness Certification. *Certification document*, November 11, 2025. Preserved at [Papers/PriorWork_AlphaUniqueness_Nov2025/](#).
- [22] P. Cohen. Axiom Elimination Complete Report. *Internal report*, November 17, 2025. Preserved at [Papers/PriorWork_AxiomElimination_Nov2025/](#).
- [23] P. Cohen. Hodge Conjecture Complete (1800-line proof). *Manuscript*, June 14, 2025. Preserved at [Papers/PriorWork_HodgeConjecture_2025/](#).
- [24] P. Cohen. P versus NP via Spectral Methods. *arXiv submission*, February 17, 2026. Preserved at [Papers/PriorWork_PNeqNP_Spectral_Arxiv_2025/](#).
- [25] P. Cohen. Principia Fractalis: Corroborating Evidence. *PRISMA-2020 Systematic Review*, January 26, 2026. Preserved at [Papers/PriorWork_CorroboratingEvidence_2026/](#).
- [26] A. Connes. Trace formula in noncommutative geometry and the zeros of the Riemann zeta function. *Selecta Math.*, 5(1):29–106, 1999.
- [27] J.B. Conrey. More than two fifths of the zeros of the Riemann zeta function are on the critical line. *J. Reine Angew. Math.*, 399:1–26, 1989.
- [28] S.A. Cook. The complexity of theorem-proving procedures. In *Proc. STOC '71*, pages 151–158, 1971.
- [29] C.L. Fefferman. Existence and smoothness of the Navier–Stokes equation. *Clay Mathematics Institute Millennium Prize Problems*, 2000.
- [30] Muon $g - 2$ Collaboration (D.P. Aguillard et al.). Measurement of the positive muon anomalous magnetic moment to 0.20 ppm. *Phys. Rev. Lett.*, 131:161802, 2023.
- [31] H. Fujita and T. Kato. On the Navier–Stokes initial value problem. I. *Arch. Rational Mech. Anal.*, 16:269–315, 1964.
- [32] J.T. Giacino, J.J. Fins, S. Laureys, and N.D. Schiff. Disorders of consciousness after acquired brain injury: the state of the science. *Nature Reviews Neurology*, 10:99–114, 2014.
- [33] J. Glimm and A. Jaffe. *Quantum Physics: A Functional Integral Point of View*. Springer-Verlag, 1981.
- [34] B.H. Gross and D.B. Zagier. Heegner points and derivatives of L -series. *Invent. Math.*, 84(2):225–320, 1986.
- [35] G.H. Hardy. Sur les zéros de la fonction $\zeta(s)$ de Riemann. *C.R. Acad. Sci. Paris*, 158:1012–1014, 1914.
- [36] R.M. Karp. Reducibility among combinatorial problems. In *Complexity of Computer Computations*, pages 85–103. Plenum, 1972.
- [37] V.A. Kolyvagin. Euler systems. In *The Grothendieck Festschrift, Vol. II*, pages 435–483. Birkhäuser, 1990.
- [38] The mathlib Community. The Lean Mathematical Library. In *Proc. CPP 2020*, pages 367–381, 2020.
- [39] D.H. Mayer. The thermodynamic formalism approach to Selberg’s zeta function for $\mathrm{PSL}(2, \mathbb{Z})$. *Bull. AMS*, 25(1):55–60, 1991.
- [40] L. de Moura and S. Ullrich. The Lean 4 Theorem Prover and Programming Language. In *CADE 28*, 2021.
- [41] K. Osterwalder and R. Schrader. Axioms for Euclidean Green’s functions. *Comm. Math. Phys.*, 31:83–112, 1973.
- [42] Particle Data Group (R.L. Workman et al.). Review of Particle Physics. *Prog. Theor. Exp. Phys.*, 2024:083C01, 2024.

- [43] G. Perelman. Ricci flow with surgery on three-manifolds. *arXiv preprint math/0303109*, 2003.
- [44] C. Schnakers, A. Vanhaudenhuyse, J. Giacino, M. Ventura, M. Boly, S. Majerus, G. Moonen, and S. Laureys. Diagnostic accuracy of the vegetative and minimally conscious state: clinical consensus versus standardized neurobehavioral assessment. *BMC Neurology*, 9:35, 2009.
- [45] R.F. Streater and A.S. Wightman. *PCT, Spin and Statistics, and All That*. W.A. Benjamin, 1964.
- [46] C. Voisin. *Hodge Theory and Complex Algebraic Geometry I & II*. Cambridge University Press, 2007.
- [47] K.G. Wilson. Confinement of quarks. *Phys. Rev. D*, 10:2445–2459, 1974.
- [48] XENON Collaboration. Search for new physics in electronic recoil data from XENONnT. *Phys. Rev. Lett.*, 129:161805, 2022.
- [49] LIGO/Virgo/KAGRA Collaborations. GWTC-4.0 population properties of compact binary mergers (O4a). arXiv:2508.18083, August 2025.
- [50] LIGO/Virgo/KAGRA Collaborations. GWTC-4.0 catalog update. arXiv:2508.18082, August 2025.
- [51] DESI Collaboration. Extended dark-energy constraints from DESI DR2 BAO with ACT CMB and Pantheon+SNe. arXiv:2503.14743, March 2025.
- [52] Esteban, I., Gonzalez-Garcia, M. C., Maltoni, M., Pinheiro, J. P., Schwetz, T. NuFit-6.0: three-flavour global neutrino oscillation fit. *JHEP* 12 (2024) 216, arXiv:2410.05380.
- [53] CMS Collaboration. High-precision measurement of the W-boson mass in proton-proton collisions at $\sqrt{s} = 13$ TeV. arXiv:2412.13872, December 2024.
- [54] ATLAS Collaboration. Improved W-boson mass measurement using ATLAS Run-2 data. arXiv:2403.15085, March 2024.
- [55] Fermilab Muon g-2 Collaboration. Final measurement of the muon anomalous magnetic moment (Run 2/3). arXiv:2506.21219, June 2025.
- [56] XENON Collaboration. Two-neutrino double electron capture in ^{124}Xe . arXiv:2205.04158; LZ Collaboration update 2024.
- [57] Mathews, G. J., Kusakabe, M., et al. Primordial ^7Li abundance: status of the cosmological lithium problem. arXiv:2508.09821, August 2025.
- [58] Asgari, M., Lin, C.-A., Joachimi, B., et al. KiDS-1000 cosmic-shear cosmology: S_8 constraints. arXiv:2306.11124, June 2023.
- [59] DES Collaboration. DES Year 3 cosmic-shear analysis and the S_8 tension. arXiv:2303.05537, March 2023.
- [60] Casarotto, S., Comanducci, A., Rosanova, M., Sarasso, S., Fecchio, M., Napolitani, M., et al. Stratification of unresponsive patients by an independently validated index of brain complexity. *Ann. Neurol.* 80 (5): 718–729, 2016. PMID 27717082.
- [61] Redinbaugh, M. J., Phillips, J. M., Kambi, N. A., Mohanta, S., Andryk, S., Dooley, G. L., Afrasiabi, M., Raz, A., Saalman, Y. B. Thalamus modulates consciousness via layer-specific control of cortex. *Neuron* 106 (1): 66–75.e12, 2020. PMID 32053769.
- [62] Russo, M., Acosta, G. B., et al. Thalamocortical feedback architecture in mammalian consciousness. *Nat. Commun.* 16: 3627, 2025. PMID 40240330.
- [63] Leray, J. Sur le mouvement d’un liquide visqueux emplissant l’espace. *Acta Math.*, 63:193–248, 1934.
- [64] E. Hopf. Über die Anfangswertaufgabe für die hydrodynamischen Grundgleichungen. *Math. Nachr.*, 4:213–231, 1951.
- [65] T. Kato. Strong L^p -solutions of the Navier–Stokes equation in $\mathbb{R}^m$, with applications to weak solutions. *Math. Z.*, 187:471–480, 1984.
- [66] H. Koch and D. Tataru. Well-posedness for the Navier–Stokes equations. *Adv. Math.*, 157(1):22–35, 2001.
- [67] O.A. Ladyzhenskaya. Unique solvability in the large of the three-dimensional Cauchy problem for the Navier–Stokes equations in the presence of axial symmetry. *Zap. Nauchn. Sem. LOMI*, 7:155–177, 1968.
- [68] M.R. Uchovskii and B.I. Yudovich. Axially symmetric flows of an ideal and viscous fluid filling the whole space. *Prikl. Mat. Mekh.*, 32(1):59–69, 1968.
- [69] Casali, A. G., Gosseries, O., Rosanova, M., Boly, M., Sarasso, S., Casali, K. R., Casarotto, S., Bruno, M.-A., Laureys, S., Tononi, G., Massimini, M. A theoretically based index of consciousness independent of sensory processing and behavior. *Sci. Transl. Med.* 5 (198): 198ra105, 2013. PMID 23946194. DOI 10.1126/scitranslmed.3006294.
- [70] Engemann, D. A., Raimondo, F., King, J.-R., Rohaut, B., Louppe, G., Faugeras, F., et al. Robust EEG-based cross-site and cross-protocol classification of states of consciousness. *Brain*, 141(11):3179–3192, 2018. PMID 30285102. DOI 10.1093/brain/awy251.
- [71] Sitt, J. D., King, J.-R., El Karoui, I., Rohaut, B., Faugeras, F., Gramfort, A., et al. Large scale screening of neural signatures of consciousness in patients in a vegetative or minimally conscious state. *Brain*, 137(8):2258–2270, 2014. PMID 24919971. DOI 10.1093/brain/awu141.
- [72] Comolatti, R., Pigorini, A., Casarotto, S., Fecchio, M., Faria, G., Sarasso, S., et al. A fast and general method to empirically estimate the complexity of brain responses to transcranial and intracranial stimulations. *Brain Stimul.*, 12(5):1280–1289, 2019. PMID 31133480. DOI 10.1016/j.brs.2019.05.013.
- [73] Claassen, J., Doyle, K., Matory, A., Couch, C., Burger, K. M., Velazquez, A., et al. Detection of brain activation in unresponsive patients with acute brain injury. *N. Engl. J. Med.*, 380(26):2497–2505, 2019. PMID 31242361. DOI 10.1056/NEJMoa1812757.

- [74] Casarotto, S., et al. TMS-EEG-derived dissociation between covert consciousness and clinical responsiveness. *Eur. J. Neurosci.*, 59(2):934–947, 2024. PMID 38440949. DOI 10.1111/ejn.16299.
- [75] Babai, L. Graph isomorphism in quasipolynomial time. arXiv:1512.03547, January 2016 (revised 2017 after Helfgott’s correction).
- [76] Babai, L. Groups, graphs, algorithms: the graph isomorphism problem. In *Proceedings of the International Congress of Mathematicians* (ICM 2018), Rio de Janeiro.
- [77] U. Schöning. Graph isomorphism is in the low hierarchy. *J. Comput. Syst. Sci.*, 37(3):312–323, 1988.
- [78] Goldwasser, S., Sipser, M. Private coins versus public coins in interactive proof systems. In *STOC 1986*, pp. 59–68.

MESA, ARIZONA, USA

Email address: psolorzano@gmail.com

URL: ORCID:~0009-0002-0734-5565