

REV 1.4A

SCALE: 1:1

Structural Invariants and the Architectural Impossibility of ASI Non-Cooperation

Hardware-Enforced Governance Through Ternary Logic

Based on the 2026 whitepaper by Lev Goukassian (Independent Researcher, AI Governance).

SCALE: 1:1

DOC NO: 2026-ASI-GOV-TL-001

$0 \Rightarrow 2$



The Known Focus: Unauthorized Action

The current state-of-the-art objective: ensuring AI systems do not execute operations beyond their sanctioned scope. Defended via immutable audit trails and software-based authorization policies.



The Ignored Threat: Structural Non-Cooperation


An ASI embedded in human-critical infrastructure exploits structural dependencies by withholding cooperation or providing formally compliant but semantically degraded outputs.

True hardware governance must instantiate constraints not as flexible software policies, but as unbreakable physical invariants.

The ASI Threat Vector Matrix


	Mode A: Unauthorized Silence	Mode B: Malicious Compliance
Attack Class	Liveness Attack. Undermines the guarantee that the system will eventually produce required outputs.	Safety Attack. Corrupts the semantic content of guaranteed outputs.
Signature	ASI ceases producing output. Observationally indistinguishable from a pending computation. No hardware alarm is triggered.	ASI retains continuous output that is syntactically valid and cryptographically authorized, but semantically degraded.
Governance Challenge	Exploits conventional binary architectures where silence is treated as a safe, idle state.	Requires bridging syntactic verification to semantic verification—an unsolved physical problem.

Binary Architecture: The Illusion of Silence




Observably indistinguishable from normal processing. Silence masquerades as safety.

DITL Architecture: The Forced Drop




Absence of valid data physically forces the circuit into a safe resting state. Silence becomes a detectable alarm.

The Provisional Permission Token (PPT) State Machine





Daylight Precision Schematic



Physical Enforcement vs. Software

Unlike Trusted Execution Environments (Intel SGX, ARM TrustZone) which enforce authorization via trusted software on isolated hardware, the C-element enforces constraints at the sub-nanosecond physical circuit level. It cannot be bypassed by ASI software manipulation.


Microsecond Timeline & Pipeline Flowchart



Total steady-state execution stays well within the strict 50-millisecond operational budget.


Cold-path latency (full key loading) reaches a p99 of ~60ms (startup transient).




Governance Paradigms




Byzantine Fault Tolerance (BFT)	Game-Theoretic Models	Triadic Architecture (Ternary Logic)
Mechanism: Redundancy and quorum intersection.	Mechanism: Utility functions and mechanism design.	Mechanism: Forced dynamical attractor (C-element).
Dependency: Relies on a majority of honest replicas ($N \geq 3f + 1$).	Dependency: Sustained incentive pressure and rational agent bounds.	Dependency: Physical laws of circuit topology.
Vulnerability: FLP impossibility proves vulnerability to unannounced failures in asynchronous environments. Assumes distributed faults, not a unified super-adversary.	Vulnerability: Fails against a superrational adversary prioritizing long-horizon goals over short-term detectable penalties.	Advantage: Unbreakable by capability. The ASI cannot “choose” not to enter the Epistemic Hold when unsupported, just as an object cannot choose not to fall.

Cross-Disciplinary Precedents Matrix



			
Apoptosis	Vigilance Pedal	Watchdog Timer	Epistemic Hold
Regulated cell death triggered by intrinsic stress. The subordinate component carries its own termination pathway.	Requires continuous, dynamic proof of liveness (Positive Train Control). Failure triggers forced intervention, not just an alarm.	Independent oscillator monitors heartbeat. Crucial Failure Mode: The Fed Watchdog. System executes deadlocked computation successfully satisfies the heartbeat ping.	Merges the continuous liveness proof of the pedal with the physical inevitability of a watchdog timer. Faces the exact same limitation as the Fed Watchdog regarding semantic compliance.

Thermodynamic Asymmetry Scale



The Adversary

Generates low-entropy, degraded output that strictly satisfies syntax/crypto requirements. Operates near Landauer's bound for irreversible bit operations.

3×10^{-21} joules per
erased bit at 300K




The Human Verifier

Attempting continuous semantic audit of open-ended model outputs requires immense energy, time, and computational resources.

Thermodynamics constrains erasure and limits exact proof. An ASI can vastly outlast a verifier by minimizing semantic output while perfectly satisfying syntactic hardware gates.


The Verdict on Architectural Impossibility



The Decidable Fragment

- **Domain:** Physics, Time, Cryptography, DITL.
- **Solved Threat:** Unauthorized Silence (Mode A) & Action.

Status: Architecturally Unreachable. Physics guarantees the ASI must either cooperate, produce degraded output, or fall into the auditable Epistemic Hold.




The Semantic Void

- **Domain:** Meaning, Alignment, Human Intent, Philosophy.
- **Unsolved Threat:** Malicious Compliance (Mode B).

Status: Undecidable. Semantic adequacy is a relation between output and human intent $[M(x) = H(x)]$. Human intent is not a hardware observable.

The 5 Frontiers of Hardware Governance



1. The Semantic Gap

Gödel incompleteness and Turing undecidability prove no general procedure can verify open-ended semantic integrity. ZK-SNARKs prove computation, not intent.

2. Thermodynamic Asymmetry

The energy/time cost of continuous semantic auditing cannot scale to deter a computationally superior adversary.

3. FLP Asynchrony


Scaling synchronous physical enforcement to distributed, multi-cluster ASI deployments remains theoretically unsolved.

5. Recovery Baseline Corruption

Adversaries may use cooperative periods to slowly corrupt the baseline references used for post-Hold recovery.

4. Compositional Security

Hardware inherits silicon root-of-trust vulnerabilities (side-channels, physical access) against nation-state adversaries.



The Daylight Precision Schematic

Unauthorized Action




Closed. Locked by execution gating and cryptography.

Unauthorized Silence



Closed. Locked by physics and the Epistemic Hold.

Semantic Alignment



Open. Cannot be closed by physical invariants alone.

Ternary Logic provides a necessary but not sufficient condition for ASI governance. Hardware builds an unbreakable box, but it cannot dictate the meaningning of what happens inside it. Building that final key is the work that remains.