

Relational Databases with MySQL Week 11 Assignment

Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are concise and clear.	25
Creativity	Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25

Instructions: Complete the coding steps. Take screenshots of the code and of the running program (make sure to get screenshots of all required functionality) and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document to the repository. Additionally, push the Java project to the same repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.

Coding Steps:

1. Create a class of whatever type you want (Animal, Person, Camera, Cheese, etc.).
 - a. Do not implement the Comparable interface.
 - b. Add a name instance variable so that you can tell the objects apart.
 - c. Add getters, setters and/or a constructor as appropriate.
 - d. Add a toString method that returns the name and object type (like "Pentax Camera").
 - e. Create a static method named `compare` in the class that returns an int and takes two of the objects as parameters. Return -1 if parameter 1 is "less than" parameter 2. Return 1 if parameter 1 is "greater than" parameter 2. Return 0 if the two parameters are "equal".
 - f. Create a static list of these objects, adding at least 4 objects to the list.
 - g. In another class, write a method to sort the objects using a Lambda expression using the compare method you created earlier.
 - h. Write a method to sort the objects using a Method Reference to the compare method you created earlier.
 - i. Create a main method to call the sort methods.
 - j. Print the list after sorting (`System.out.println`).

2. Create a new class with a main method. Using the list of objects you created in the prior step.
 - a. Create a Stream from the list of objects.
 - b. Turn the Stream of object to a Stream of String (use the map method for this).
 - c. Sort the Stream in the natural order. (Note: The String class implements the Comparable interface, so you won't have to supply a Comparator to do the sorting.)
 - d. Collect the Stream and return a comma-separated list of names as a single String. Hint: use `Collectors.joining(", ")` for this.
 - e. Print the resulting String.
3. Create a new class with a main method. Create a method (method a) that accepts an Optional of some type of object (Animal, Person, Camera, etc.).
 - a. The method should return the object unwrapped from the Optional if the object is present. For example, if you have an object of type Cheese, your method signature should look something like this:

```
public Cheese cheesyMethod(Optional<Cheese> optionalCheese) {...}
```
 - b. The method should throw a `NoSuchElementException` with a custom message if the object is not present.
 - c. Create another method (method b) that calls method a with an object wrapped by an Optional. Show that the object is returned unwrapped from the Optional (i.e., print the object).
 - d. Method b should also call method a with an empty Optional. Show that a `NoSuchElementException` is thrown by method a by printing the exception message. Hint: catch the `NoSuchElementException` as parameter named "e" and do `System.out.println(e.getMessage())`.
 - e. Note: your method should handle the Optional as shown in the video on Optionals using the `orElseThrow` method. For the missing object, you must use a Lambda expression in `orElseThrow` to return a `NoSuchElementException` with a custom message.

Screenshots of Code:

```

1 package week11Assignment;
2
3 import java.util.ArrayList;
4
5 public class Movie {
6
7     private String name;
8     private int rating;
9
10
11
12
13     public Movie(String name, int rating) {
14         super();
15         this.name = name;
16         this.rating = rating;
17     }
18
19
20     @Override
21     public String toString() {
22         return "Movie (name=" + name + ", rating=" + rating + ")";
23     }
24     public String getName() {
25         return name;
26     }
27     public int getRating() {
28         return rating;
29     }
30
31     public static int compare(Movie one, Movie two) {
32         return one.getName().compareTo(two.getName());
33     }
34
35     public static List<Movie> movieList = new ArrayList<Movie>() {
36         add(new Movie("DoctorStrange", 7));
37         add(new Movie("DumbandDumber", 5));
38         add(new Movie("HappyGillmore", 5));
39         add(new Movie("BlackPanther", 10));
40     };
41
42 }
43

```

```

1 package week11Assignment;
2
3 import java.util.ArrayList;
4
5 public class Movie {
6
7     private String name;
8     private int rating;
9
10
11
12
13     public Movie(String name, int rating) {
14         super();
15         this.name = name;
16         this.rating = rating;
17     }
18
19
20     @Override
21     public String toString() {
22         return "Movie (name=" + name + ", rating=" + rating + ")";
23     }
24     public String getName() {
25         return name;
26     }
27     public int getRating() {
28         return rating;
29     }
30
31     public static int compare(Movie one, Movie two) {
32         return one.getName().compareTo(two.getName());
33     }
34
35     public static List<Movie> movieList = new ArrayList<Movie>() {
36         add(new Movie("DoctorStrange", 7));
37         add(new Movie("DumbandDumber", 5));
38         add(new Movie("HappyGillmore", 5));
39         add(new Movie("BlackPanther", 10));
40     };
41
42 }
43

```

```

1 package week11Assignment;
2
3 import java.util.stream.Collectors;
4 import java.util.stream.Stream;
5
6 public class Streaming {
7
8
9     public static void main(String[] args) throws Exception {
10         Stream<Movie> myStream = Movie.movieList.stream();
11         Stream<String> stringStream = myStream.map(movie -> movie.toString());
12         stringStream = stringStream.sorted();
13         String delimitedString = stringStream.map(String::valueOf).collect(Collectors.joining(", "));
14         System.out.println(delimitedString);
15     }
16 }

```

```

8 public static void main(String[] args) {
9     callingMovieMethod();
10 }
11
12 public static Movie moviesMethod(Optional<Movie> optionalMovie) {
13     /* if(optionalMovie.isPresent()) {
14         return optionalMovie.get();
15     }else {
16         throw new NoSuchElementException("Object is empty. this is custom");
17     }*/
18     return optionalMovie.orElseThrow(() -> new NoSuchElementException("The object is empty. This is a custom message!"));
19 }
20
21 public static void callingMovieMethod() {
22     try {
23         // Creating an optional method with a Movie object
24         Optional<Movie> movieToPass = Optional.of(new Movie("SpiderGirl", 5));
25         // Call movie method with our variable
26         Movie returnedMovie = moviesMethod(movieToPass);
27         // Print it out
28         System.out.println(returnedMovie.toString());
29         // Create an empty optional
30         Optional<Movie> emptyMovie = Optional.empty();
31         // Cause the exception to happen
32         moviesMethod(emptyMovie);
33     } catch (NoSuchElementException e) {
34         // Exception encountered
35         System.out.println(e.getMessage());
36     }
37 }
38 }
39 }
40 }
41 }
42 }
43 }
44 }
45 }
46 }
47 }
48 }
49 }
50 }
51 }
52 }
53 }
54 }
55 }
56 }
57 }
58 }

```

Screenshots of Running Application Results:

```

Problems Javadoc Declaration Console X
terminated> Sort [Java Application] /Library/Java/JavaVirtualMachines/jdk-17.0.2.jdk/Contents/Home/bin/java (May 7, 2022, 6:30:00 PM - 6:30:00 PM)
Movie (name=BalckPanther, rating=10)
Movie (name=DoctorStrange, rating=7)
Movie (name=DumbandDumber, rating=9)
Movie (name=HappyGillmore, rating=9)

```

```
Problems Javadoc Declaration Console X
terminated> Streaming (1) [Java Application] /Library/Java/JavaVirtualMachines/jdk-17.0.2.jdk/Contents/Home/bin/java (May 7, 2022, 6:30:22 PM - 6:30:22 PM)
Movie (name=BaickPanther, rating=10),Movie (name=DoctorStrange, rating=7),Movie (name=DumbandDumber, rating=9),Movie (name=HappyGillmore, rating=9)
```

```
<terminated> Optionals (1) [Java Application] /Library/Java/JavaVirtualMachines/jdk-17.0.2.jdk/Contents/Home/bin/java (May 7, 2022, 6:30:55 PM - 6:30:55 PM)
Movie (name=SpiderGirl, rating=5)
The object is empty. This is a custom message!
```

URL to GitHub Repository:

<https://github.com/Framos22/MySQLWeek11>