Analysis date (UTC):	VM's OS:
29 October 2026, 19:40	Windows 10 Professional (build: 19044, 64 bit)

Analysis result

Threat level: Malicious activity

Tags: payload valleyrat rat silverfox winos

Full analysis: https://app.any.run/tasks/ce5eebef-5d93-4667-9ac7-747ea8c5d165

Submitted object

Main analyzed object: 06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe

MIME:	application/vnd.microsoft.portable-executable
File info:	PE32+ executable (GUI) x86-64, for MS Windows, 7 sections
MD5:	104C9A1A490D8C05966F46BBBC62028D
SHA1:	B958AA7BD82263C37A9C520EF277DB3F95FC1369
SHA256:	06AF7DB1507C685154F7A291C862B0BFE5649C989DE4E7ACBEFF23FD3252E4EC

AI Summary

Analytical classification

- **Threat level:** Malicious activity
- **Main analyzed object:** 06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe (executed from user Temp directory)
- **Description:** A remote access tool (RAT) with associated payload delivery and configuration was executed from a user Temp directory.
- **Tags & interpretation:**
  - payload: Payload content was observed in network traffic (staging/delivery)
  - rat: Remote access tool functionality or family signal
  - valleyrat: Remote access tool variant or family signal
  - silverfox: Likely a name or identifier for a related component or variant
  - winos: Likely a name or identifier for a related component or variant

Executive summary

A malicious executable was executed from a user Temp directory and initiated a chain of actions involving command execution, software enumeration, and the deployment of a remote access tool (RAT) known as ValleyRAT. The tool was configured to communicate with a remote C2 server at 202.61.157.33.

Execution flow

1. The execution began with `wininit.exe` launching `services.exe`, which in turn started `svchost.exe` processes.

2. One `svchost.exe` instance launched `consent.exe`, which was used to gain elevated privileges.
3. Another `svchost.exe` instance launched `dllhost.exe`, which in turn executed the malicious file `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` from the user Temp directory.
4. The malicious file executed `cmd.exe` to run `gpupdate.exe /force`, which is a suspicious action for system configuration updates.
5. The malicious file then executed `cmd.exe` to run `C:\ProgramData\MicroPoint\WinCombo.exe`, which was identified as a component of the ValleyRAT family.
6. `WinCombo.exe` performed software enumeration and was configured to communicate with a C2 server at 202.61.157.33.
7. Additional `cmd.exe` instances were executed to run `gpupdate.exe /force` again, likely to maintain persistence or evade detection.
8. The `wbem\WmiPrvSE.exe` process was also launched, potentially for system enumeration or persistence.

Behavioral analysis

- **Loader / Staging:** The malicious executable was staged in a user Temp directory and executed via `dllhost.exe` as part of a broader system process.
- **Execution & Pivots (LOLBins / interpreters):** The malicious file used `cmd.exe` to execute system utilities (`gpupdate.exe`) and launched `WinCombo.exe`, which is associated with the ValleyRAT family.
- **Persistence (if observed):** Not observed
- **Discovery / Collection (if observed):** `WinCombo.exe` performed software enumeration, indicating discovery behavior.
- **Network / C2 or Exfiltration (if observed):** The malicious component was configured to communicate with a C2 server at 202.61.157.33.
- **Errors / Crashes (if observed):** Not observed

Conclusion

The malicious executable executed from a user Temp directory initiated a chain of actions involving command execution, software enumeration, and the deployment of a remote access tool (ValleyRAT) configured to communicate with a C2 server. This behavior is consistent with a remote access tool used for unauthorized system access and data exfiltration.

AI Recommendations

Auto-generated from sandbox analysis data. Always validate before use. The final decision is yours.

Phase 1. Detect

1.1. Process Spawn Analysis (Process Spawn Analysis (D3-PSA))

- COVERS ATT&CK: T1082, T1124, T1562.001
- WHY: Process Spawn Analysis can surface the observed behavior because the case touches Create Process.
- ACTIONS:

- [ ] Create SIEM rule: `cmd.exe` spawned by `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.
- [ ] Create SIEM rule: `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` spawned by `dllhost.exe` in this case-specific execution chain.
- [ ] Create SIEM rule: `WinCombo.exe` spawned by `cmd.exe` in this case-specific execution chain.
- [ ] Sysmon Event ID 1 / Security 4688: alert on hidden or encoded PowerShell invoking `Set-MpPreference`, `Add-MpPreference`, `DisableRealtimeMonitoring`, `ExclusionProcess`, or `ExclusionPath`.

- LOG SOURCES: Sysmon Event ID 1, Windows Security 4688, EDR process graph

1.2. System Call Analysis (System Call Analysis (D3-SCA))

- COVERS ATT&CK: T1012, T1082, T1124
- WHY: System Call Analysis can surface the observed behavior because the case touches System Call.
- ACTIONS:

- [ ] Create SIEM rule: Defender exclusions or realtime-monitoring changes performed by user-launched PowerShell or a payload outside trusted admin paths.
- [ ] Monitor Defender settings, exclusions, and security-policy changes from the same process chain that executed the sample.
  - LOG SOURCES: Registry auditing, System Event Log, EDR telemetry

1.3. System Daemon Monitoring (System Daemon Monitoring (D3-SDM))

- COVERS ATT&CK: T1562.001
- WHY: System Daemon Monitoring can surface the observed behavior because the case touches Operating System Process.
- ACTIONS:

- [ ] Create SIEM rule: `cmd.exe` parent `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.
- [ ] Create SIEM rule: `cmd.exe` parent `WinCombo.exe` in this case-specific execution chain.
  - LOG SOURCES: EDR telemetry, Windows Event Logs

Phase 2. Isolate

2.1. System Call Filtering (System Call Filtering (D3-SCF))

- COVERS ATT&CK: T1012, T1082, T1124, T1562.001
- WHY: System Call Filtering can constrain or suppress the observed behavior by acting on System Call.
- ACTIONS:

- [ ] Create SIEM rule: `cmd.exe` parent `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.
- [ ] Create SIEM rule: `cmd.exe` parent `WinCombo.exe` in this case-specific execution chain.
  - LOG SOURCES: Registry auditing, System Event Log, EDR telemetry

2.2. Executable Denylisting (Executable Denylisting (D3-EDL))

- COVERS ATT&CK: T1059.003, T1204.002, T1082, T1124
- WHY: Executable Denylisting can constrain or suppress the observed behavior by acting on Executable File.
- ACTIONS:

- [ ] Create SIEM rule: `cmd.exe` parent `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.
- [ ] Create SIEM rule: `cmd.exe` parent `WinCombo.exe` in this case-specific execution chain.
  - LOG SOURCES: WDAC or AppLocker logs, EDR policy events, Process execution logs

2.3. Executable Allowlisting (Executable Allowlisting (D3-EAL))

- COVERS ATT&CK: T1059.003, T1204.002, T1082, T1124
- WHY: Executable Allowlisting can constrain or suppress the observed behavior by acting on Executable File.
- ACTIONS:

- [ ] Create SIEM rule: `cmd.exe` parent `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.
- [ ] Create SIEM rule: `cmd.exe` parent `WinCombo.exe` in this case-specific execution chain.

- LOG SOURCES: WDAC or AppLocker logs, EDR policy events, Process execution logs

Phase 3. Evict

3.1. Object Eviction (manual)

- COVERS ATT&CK: T1562.001, T1059.001, T1082, T1124, T1012, T1059.003
- WHY: Dropped, staged, or modified artifacts should be removed after evidence preservation. Legitimate user-application caches, system binaries, and default crash-report artifacts are intentionally excluded.
- ACTIONS:

☐ Quarantine or delete the observed malicious or manipulated artifacts after forensic collection:

- `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe`
- `c:\programdata\micropoint\wincombo.exe`
- `c:\programdata\micropoint\erasecode.dat`

☐ Sweep the estate for the same filenames, hashes, domains, or parent-child execution chain before closing containment.

- LOG SOURCES: EDR host response, File collection telemetry

3.2. Terminate Malicious Process Chain (manual)

- COVERS ATT&CK: T1562.001, T1059.001, T1082, T1124, T1012
- WHY: Only clearly suspicious child processes or manipulated binaries are targeted for termination; legitimate user applications and normal system processes are excluded.
- ACTIONS:

☐ Terminate or isolate surviving instances of `cmd.exe` started by `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` after preserving process ancestry and file hashes.

☐ Terminate or isolate surviving instances of `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` started by `dllhost.exe` after preserving process ancestry and file hashes.

☐ Terminate or isolate surviving instances of `WinCombo.exe` started by `cmd.exe` after preserving process ancestry and file hashes.

☐ Terminate or isolate surviving instances of `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` started by `the suspicious parent` after preserving process ancestry and file hashes.

- LOG SOURCES: EDR process graph, Sysmon Event ID 1, Windows Security 4688

Phase 4. Restore

4.1. Recovery and Restoration (manual)

- WHY: Observed tampering, credential exposure, or lure-driven user interaction creates concrete restoration tasks after containment.
- ACTIONS:

☐ Restore Microsoft Defender preferences by re-enabling real-time monitoring and removing unauthorized process or path exclusions.

☐ Validate AMSI and ETW functionality after cleanup and review whether hidden PowerShell encoded commands changed security policy settings.

- LOG SOURCES: Windows Event Logs, Directory or identity telemetry, Configuration management, EDR telemetry

Phase 5. Harden

5.1. System Configuration Permissions (System Configuration Permissions (D3-SCP))

- COVERS ATT&CK: T1012
- WHY: System Configuration Permissions can be turned into a durable preventive control for System Configuration Database.
- ACTIONS:

☐ Create SIEM rule: Defender exclusions or realtime-monitoring changes performed by user-launched PowerShell or a payload outside trusted admin paths.

☐ Monitor Defender settings, exclusions, and security-policy changes from the same process chain that executed the sample.

- LOG SOURCES: Registry auditing, System Event Log, EDR telemetry

5.2. File Encryption (File Encryption (D3-FE))

- COVERS ATT&CK: T1059.003, T1204.002
- WHY: File Encryption can be turned into a durable preventive control for File.
- ACTIONS:

☐ Create SIEM rule: `cmd.exe` parent `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.

☐ Create SIEM rule: `cmd.exe` parent `WinCombo.exe` in this case-specific execution chain.

- LOG SOURCES: EDR telemetry, Windows Event Logs

Phase 6. Model / Deceive

6.1. Decoy File (Decoy File (D3-DF))

- COVERS ATT&CK: T1059.003, T1204.002
- WHY: Decoy File can be turned into a durable preventive control for File.
- ACTIONS:

☐ Create SIEM rule: `cmd.exe` parent `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.

☐ Create SIEM rule: `cmd.exe` parent `WinCombo.exe` in this case-specific execution chain.

- LOG SOURCES: Sysmon Event ID 11, Canary file alerts, EDR telemetry

Manual Recommendations for Unmapped ATT&CK

M1. T1518 — Software Discovery

- RECOMMENDATION: Manual detection and response logic is required for T1518 because no strong D3FEND mapping was produced.

Coverage Matrix

Coverage summary: 6/7 techniques mapped (85.7%).

ATT&CK	Name	Source	D3FEND Coverage (top 3)	Gap
T1059.003	Windows Command Shell	anyrun	File Integrity Monitoring (D3-FIM), File Analysis (D3-FA), Emulated File Analysis (D3-EFA)	-

ATT&CK	Name	Source	D3FEND Coverage (top 3)	Gap
T1204.002	**Malicious File**	anyrun	Executable Denylisting (D3-EDL), Executable Allowlisting (D3-EAL), Dynamic Analysis (D3-DA)	-
T1562.001	**Disable or Modify Tools**	heuristic	System Daemon Monitoring (D3-SDM), Process Lineage Analysis (D3-PLA), Application-based Process Isolation (D3-ABPI)	-
T1012	**Query Registry**	anyrun	System Call Analysis (D3-SCA), System Call Filtering (D3-SCF), System Configuration Permissions (D3-SCP)	-
T1082	**System Information Discovery**	anyrun	System Call Analysis (D3-SCA), System Call Filtering (D3-SCF), Process Spawn Analysis (D3-PSA)	-
T1124	**System Time Discovery**	anyrun	System Call Analysis (D3-SCA), System Call Filtering (D3-SCF), Process Spawn Analysis (D3-PSA)	-
T1518	**Software Discovery**	anyrun	-	Manual detection and response logic is required for T1518 because no strong D3FEND mapping was produced.

Open Questions

1. What exact Defender exclusions, disabled features, or tampered security settings were applied by the malicious chain? (why: This determines the true containment scope and which host protections must be restored.)
2. What was the full execution chain and payload scope of 06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe after it was written or staged on disk? (why: This determines whether the case stopped at staging or progressed into confirmed second-stage execution.)

Action Checklist

Immediate

- [ ] Create SIEM rule: `cmd.exe` spawned by `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.
- [ ] Sysmon Event ID 1 / Security 4688: alert on hidden or encoded PowerShell invoking `Set-MpPreference`, `Add-MpPreference`, `DisableRealtimeMonitoring`, `ExclusionProcess`, or `ExclusionPath`.
- [ ] Create SIEM rule: Defender exclusions or realtime-monitoring changes performed by user-launched PowerShell or a payload outside trusted admin paths.
- [ ] Monitor Defender settings, exclusions, and security-policy changes from the same process chain that executed the sample.
- [ ] Create SIEM rule: `cmd.exe` parent `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.
- [ ] Manual detection and response logic is required for T1518 because no strong D3FEND mapping was produced.

Post-containment

- [ ] Quarantine or delete the observed malicious or manipulated artifacts after forensic collection:

- `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe`
- `c:\programdata\micropoint\wincombo.exe`
- `c:\programdata\micropoint\erasecode.dat`

- [ ] Sweep the estate for the same filenames, hashes, domains, or parent-child execution chain before closing containment.
- [ ] Terminate or isolate surviving instances of `cmd.exe` started by `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` after preserving process ancestry and file hashes.
- [ ] Restore Microsoft Defender preferences by re-enabling real-time monitoring and removing unauthorized process or path exclusions.
- [ ] Validate AMSI and ETW functionality after cleanup and review whether hidden PowerShell encoded commands changed security policy settings.

Hardening

- [ ] Create SIEM rule: Defender exclusions or realtime-monitoring changes performed by user-launched PowerShell or a payload outside trusted admin paths.
- [ ] Monitor Defender settings, exclusions, and security-policy changes from the same process chain that executed the sample.
- [ ] Create SIEM rule: `cmd.exe` parent `06af7db1507c685154f7a291c862b0bfe5649c989de4e7acbeff23fd3252e4ec.exe` in this case-specific execution chain.

IOCs

Filters: All 12 | Malicious 0 | Suspicious 0 | Unknown 12

URLs 11

- ? https://login.live.com/ppsecure/deviceaddcredential.srf
- ? http://crl.microsoft.com/pki/crl/products/MicRooCerAut2011_2011_03_22.crl
- ? http://www.microsoft.com/pkiops/crl/Microsoft%20Secure%20Server%20CA%202026.crl
- ? http://ocsp.digicert.com/MFEwTzBNMEswSTAJBgUrDgMCGgUABBTrjrydRyt%2BApF3GSPypfHBxR5XtQQUs9tIpPmhxdiuNkHMEWNp
- ? https://th.bing.com/th?id=ODSWG.IotdLocalIcon&w=16&h=16&c=1&rs=1&p=0
- ? http://ocsp.digicert.com/MFEwTzBNMEswSTAJBgUrDgMCGgUABBQ50otx%2Fh0Ztl%2Bz8SiPI7wEWVxDlQQUTiJUIBiV5uNu5g%2F6%
- ? http://www.microsoft.com/pkiops/crl/Microsoft%20ECC%20Update%20Secure%20Server%20CA%202.1.crl
- ? https://activation-v2.sls.microsoft.com/SLActivateProduct/SLActivateProduct.asmx?configextension=Retail
- ? https://settings-win.data.microsoft.com/settings/v3.0/WSD/UpdateHealthTools?os=Windows&osVer=10.0.19041.1.amd64fre.vb_rele
- ? http://oneocsp.microsoft.com/ocsp/MFQwUjBQME4wTDAJBgUrDgMCGgUABBQ3L3%2F%2Fa6ADK8NraY2GXzVaYrHG4AQUb6t%2B2
- ? https://login.live.com/RST2.srf

Domains No data

No data found

IPs 1

- ? 202.61.157.33

MITRE ATT&CK TTPs

Tactics	Techniques	Detection names
Discovery	T1082 System Information Discovery (10)	• Reads the time zone (2) • Reads Environment values

Tactics	Techniques		Detection names
			• Reads the computer name (3) • Checks supported languages (3) • Reads the machine GUID from the registry
	T1124	System Time Discovery (2)	• Reads the time zone (2)
	T1012	Query Registry (27)	• Reads the time zone (2) • Searches for installed software (10) • Reads product name • Reads Environment values • Reads the computer name (3) • Checks supported languages (3) • Reads security settings of Internet Explorer (4) • Checks transactions between databases Windows and Oracle (2) • Reads the machine GUID from the registry
Other	T1518	T1518 (10)	• Searches for installed software (10)
	T1059.003	T1059.003 (6)	• Starts CMD.EXE for commands execution (6)
	T1204.002	T1204.002 (2)	• Manual execution by a user (2)

ANY.RUN is an interactive service which provides full access to the guest system. Information in this report could be distorted by user actions and is provided for user acknowledgement as it is. ANY.RUN does not guarantee maliciousness or safety of the content.

Interactive malware hunting service ANY.RUN
© 2017-2026 ANY.RUN LLC. ALL RIGHTS RESERVED