

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
VI-384729	Viscosimetro	false	1	1	LEICA	METTLER	2024-08-09 16:49:37.9374	true	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
VI-381720	Viscosimetro	false	1				2024-09-19 15:42:09.3908	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
VI-284729	Viscosimetro	false	1	1	PB INSTRUMENTS	METTLER	2024-10-02 11:08:52.8221	false					
prueba2024-09-22T15:02:07.900882	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-22 15:02:07.9225	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
prueba2024-09-22T14:57:03.649483	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-22 14:57:03.6651	false					
prueba2024-09-22T14:53:49.527516	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-22 14:53:49.5463	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									industrial and laboratory applications.				
prueba2024-09-22T14:27:17.314031	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-22 14:27:17.334	false					
prueba2024-09-22T12:28:43.646634	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-22 12:28:43.6602	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
prueba2024-09-22T12:18:11.765984	Viscosimetro	true	123	456	PB INSTRUMENTS	METTLER	2024-09-22 12:18:11.8104	false					
prueba2024-09-22T10:55:41.816923	Viscosimetro	true	123	456	PB INSTRUMENTS	METTLER	2024-09-22 10:55:41.8298	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
prueba2024-09-22T10:39:30.994104	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-22 10:39:31.0115	false					
prueba2024-09-22T10:34:51.003743	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-22 10:34:51.0186	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
prueba2024-09-22T10:30:41.731663	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-22 10:30:41.7622	false					
prueba2024-09-19T08:46:34.924791	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-19 08:46:34.9336	false	Measures the viscosity of liquids, crucial for determining fluid flow				
I'm admin for superuser (superuser) on Fri Nov 08 22:33:07 UTC 2024.									for determining fluid flow				

Page 1 of 8

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									properties in various industrial and laboratory applications.				
prueba2024-09-19T08:45:20.374691	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-19 08:45:20.3893	false					
prueba2024-09-09T09:57:39.944482	Viscosimetro	false	123	456	PB INSTRUMENTS	METTLER	2024-09-09 09:57:39.957	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
prueba2024-09-09T09:22:57.401866	Viscosimetro	false	1	1	PB INSTRUMENTS	PERKIN ELMER	2024-09-09 09:22:57.4302	false					
PE-102392	UPLC	false	1	1006	PERKIN ELMER	PERKIN ELMER	2024-06-10 13:09:17.6138	false					
PE-102124	Balanzas	false	234	234	LEICA	METTLER	2024-09-19 16:16:53.5841	false	High-precision balance used for accurately measuring small quantities of mass, essential in quantitative analysis.				
PB-382012	Viscosimetro	true	1	1	PB INSTRUMENTS	METTLER	2024-08-31 14:54:24.0392	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
NU-412931		false					2024-06-16 01:21:36.6748	false					
NU-145930		false					2024-06-16 01:25:53.7365	false					
I'm admin for superuser (superuser) on Fri Nov 08 22:33:07 UTC 2024													

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
NU-145923		false					2024-06-16 01:15:02.2606	false					
NU-145893	Balanzas	false	654321	12	METTLER	PERKIN ELMER	2022-03-03 15:49:05.715	false	High-precision balance used for accurately measuring small quantities of mass, essential in quantitative analysis.				
NU-145841		false	123	13			2024-06-16 01:13:43.5811	false					
NU-145783		false					2024-06-16 01:24:56.8389	false					
NU-145512		false					2024-06-16 01:19:13.6972	false					
MT-382192	Viscosimetro	false	1	1	METTLER	METTLER	2024-09-01 18:08:58.1919	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
ME-382012	Viscosimetro	false	1	1	METTLER	METTLER	2024-09-19 08:20:59.1215	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
ME-271829	Viscosimetro	false	1	1	METTLER	METTLER	2024-09-18 10:24:17.4879	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									laboratory applications.				
LE-791023	Viscosimetro	false	1	1	LEICA	PERKIN ELMER	2024-09-08 18:35:36.691	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
LE-749201	Balanzas	true	1	0	LEICA	METTLER	2024-09-19 14:50:21.0359	false	High-precision balance used for accurately measuring small quantities of mass, essential in quantitative analysis.				
LE-427218	UPLC	false	134	1234	LEICA	METTLER	2024-06-13 16:52:49.4943	false					
LE-329481	Viscosimetro	true	1	1	LEICA	METTLER	2024-06-26 13:44:09.4327	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.	2024-09-19 10:58:42.1379	2024-09-19 17:51:59.4093		
LE-123482	UPLC	false	567	345	LEICA	METTLER	2024-09-19 15:34:42.4976	false					
HTTPS	CG	false	PruebaFieldValue	1231231	LEICA	METTLER	2023-11-29 19:00:07.475	false	Instrument for separating and analyzing volatile compounds in gas form, commonly used in chemical and				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									environmental testing.				
HPLC01	HPLC	false	2365	234	WATERS	WATERS	2024-06-22 14:11:27.3575	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.	2024-06-22 14:21:54.7506		2024-08-30 10:38:48.2716	
Frontend Testing 2024-11-05T11:34:52.951332	CG	false	123456	4321	AGILENT	METTLER	2024-11-05 11:34:52.96	false					
Frontend Testing 2024-10-31T19:10:21.845151	CG	false	123456	4321	AGILENT	METTLER	2024-10-31 19:10:21.8556	false					
Frontend Testing 2024-10-31T19:04:09.047574	UPLC	false	123456	4321	METTLER	METTLER	2024-10-31 19:04:09.0613	false					
Frontend Testing 2024-10-31T18:13:38.860136	CG	false	123456	4321	AGILENT	METTLER	2024-10-31 18:13:38.8678	false					
Frontend Testing 2024-10-31T18:03:23.752204	UPLC	false	123456	4321	METTLER	METTLER	2024-10-31 18:03:23.7609	false					
Frontend Testing 2024-02-16T08:54:52.663733	HPLC	false	123	456	LEICA	METTLER	2024-02-16 08:54:52.6728	false					
Frontend Testing 101	HPLC	false	123	456	LEICA	METTLER	2024-02-16 09:45:36.996	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
I'm admin for superuser (superuser) on Fri Nov 08 22:33:07 UTC 2024													
Page 1 of 8													

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
Frontends Testing 2024-06-26T15:39:44.773388	Viscosimetro	false	123	456	LEICA	METTLER	2024-06-26 15:39:44.7866	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
Frontends Testing 2024-06-26T15:34:19.836293	Viscosimetro	false	123	456	LEICA	METTLER	2024-06-26 15:34:19.8439	false					
Frontends Testing 2024-06-26T15:28:06.130052	Viscosimetro	false	123	456	LEICA	METTLER	2024-06-26 15:28:06.14	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
Frontends Testing 2024-06-26T15:16:18.843695	Viscosimetro	false	123	456	LEICA	METTLER	2024-06-26 15:16:18.8502	false	Measures the viscosity of liquids, crucial for determining fluid flow properties in various industrial and laboratory applications.				
Frontends Testing 2024-04-03T09:40:26.458430	HPLC	true	123	456	LEICA	METTLER	2024-04-03 09:40:26.4683	false					
Frontends Testing 2024-02-28T09:22:26.999710	HPLC	false	123	456	LEICA	METTLER	2024-02-28 09:22:27.0082	false					
Frontends Testing 2024-02-28T08:57:03.003145	HPLC	false	123	456	LEICA	METTLER	2024-02-28 08:57:03.0133	false	Separates and analyzes components in liquid samples with high resolution and accuracy,				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T11:01:32.339526	HPLC	false	123	456	LEICA	METTLER	2024-02-17 11:01:32.347	false					
									Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T11:01:26.955688	HPLC	false	123	456	LEICA	METTLER	2024-02-17 11:01:26.9644	false					
Frontends Testing 2024-02-17T10:59:15.050367	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:59:15.0585	false					
									Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:59:08.978947	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:59:08.986	false					
Frontends Testing 2024-02-17T10:57:40.221799	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:57:40.2295	false					
Frontends Testing 2024-02-17T10:57:33.941725	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:57:33.949	false	Separates and analyzes components in liquid samples with high				
I'm admin for superuser (superuser) on Fri Nov 08 22:33:07 UTC 2024													

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:55:37.056084	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:55:37.064	false					
									Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:55:31.601781	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:55:31.6095	false					
Frontends Testing 2024-02-17T10:53:15.273484	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:53:15.2813	false					
									Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:53:09.537340	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:53:09.5448	false					
Frontends Testing 2024-02-17T10:49:47.683786	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:49:47.6916	false					
Frontends Testing 2024-02-17T10:49:43.015223	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:49:43.0268	false	Separates and analyzes components in				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:48:17.163565	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:48:17.1705	false					
									Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:48:11.103945	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:48:11.1117	false					
Frontends Testing 2024-02-17T10:36:35.264513	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:36:35.2724	false					
									Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:36:25.029318	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:36:25.0367	false					
Frontends Testing 2024-02-17T10:32:54.423333	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:32:54.4302	false					

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
Frontends Testing 2024-02-17T10:32:47.809577	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:32:47.8169	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:22:49.168280	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:22:49.1772	false					
Frontends Testing 2024-02-17T10:19:44.261275	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:19:44.2685	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:19:37.447425	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:19:37.4548	false					
Frontends Testing 2024-02-17T10:15:28.366530	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:15:28.3741	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
Frontends Testing 2024-02-17T10:15:22.879726	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:15:22.8922	false					
Frontends Testing 2024-02-17T10:12:41.846435	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:12:41.8541	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:12:34.923210	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:12:34.9308	false					
Frontends Testing 2024-02-17T10:11:09.819817	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:11:09.8295	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T10:11:05.259445	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:11:05.2669	false					
Frontends Testing 2024-02-17T10:08:43.816498	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:08:43.8237	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									biochemical labs.				
Frontends Testing 2024-02-17T10:06:50.153072	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:06:50.1605	false					
Frontends Testing 2024-02-17T10:06:41.997785	HPLC	false	123	456	LEICA	METTLER	2024-02-17 10:06:42.0108	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-17T09:58:33.911945	HPLC	false	123	456	LEICA	METTLER	2024-02-17 09:58:33.9211	false					
Frontends Testing 2024-02-17T09:58:28.405550	HPLC	false	123	456	LEICA	METTLER	2024-02-17 09:58:28.4141	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-16T11:48:18.585649	HPLC	false	123	456	LEICA	METTLER	2024-02-16 11:48:18.5929	false					
Frontends Testing 2024-02-16T11:46:28.749723	HPLC	false	123	456	LEICA	METTLER	2024-02-16 11:46:28.7574	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-16T09:23:38.772845	HPLC	false	123	456	LEICA	METTLER	2024-02-16 09:23:38.7797	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-16T09:10:40.016743	HPLC	false	123	456	LEICA	METTLER	2024-02-16 09:10:40.0366	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
Frontends Testing 2024-02-16T09:05:44.099773	HPLC	false	123	456	LEICA	METTLER	2024-02-16 09:05:44.1069	false					
Frontends Testing 2024-02-16T09:04:53.730960	HPLC	false	123	456	LEICA	METTLER	2024-02-16 09:04:53.7419	false	Separates and analyzes components in liquid samples with high resolution and accuracy, frequently used in pharmaceutical and biochemical labs.				
I'm admin for superuser (superuser) on Fri Nov 08 22:33:07 UTC 2024													

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
Frontends Testing 2024-02-16T08:57:38.536784	HPLC	false	123	456	LEICA	METTLER	2024-02-16 08:57:38.5444	false					
frann	Viscosimetro	false	1	2	LEICA	METTLER	2024-10-16 15:13:08.1278	false					
CG-283941	CG	false			LEICA	METTLER	2024-01-12 13:18:32.4176	false	Instrument for separating and analyzing volatile compounds in gas form, commonly used in chemical and environmental testing.	2024-06-26 18:41:44.1974		2024-06-27 16:20:26.5302	
CG2	CG	false	123	321	LEICA	METTLER	2024-10-23 14:06:50.2469	false					
CG0011	CG	true	012	012	LEICA	METTLER	2024-10-02 09:33:40.5355	false					
Balanzas3	Balanzas	false	123456	4321	METTLER	METTLER	2024-10-31 17:42:59.5008	false					
Balanzas2024-10-31T19:08:00.838961	Balanzas	false	123456	4321	METTLER	METTLER	2024-10-31 19:08:00.8461	false					
Balanzas2	Balanzas	false	432	123	LEICA	METTLER	2024-10-23 13:46:30.7223	false					
Balanzas1	Balanzas	true	14	13	METTLER	PERKIN ELMER	2022-03-03 15:49:05.715	false	High-precision balance used for accurately measuring small quantities of mass, essential in quantitative analysis.	2024-11-04 19:18:38.3659	2024-11-14 00:00:00.0		
BA-741823	Balanzas	false	12	122	LEICA	METTLER	2024-02-14 10:47:00.7902	false	High-precision balance used for accurately measuring small quantities of				

Name	Family	On line	Model	Serial N.	Supplier	Manufacturer	Creation	Is locked?	Description	Last Cal	Next Cal	Last PM	Next PM
									mass, essential in quantitative analysis.				