

App Exchange Tutorial

Objectives

- Describe Basecamp's interface to the cFS App Exchange
- Gain familiarity with using Basecamp's app installation features by installing and running
 - The MQTT (Internet of Things message transport system) library and gateway app
 - The payload simulator library, payload simulator app, and payload manage app

Notes

1. The MQTT example was chosen because the MQTT functionality can be used in many applications
2. This tutorial assumes users know the material in the "Build and Run cFS" tutorial

Lesson 1

Objective

- Show how to install an app from the cFS App Exchange



Notes

1. This lesson documents how to use the app exchange. In lesson 2 you will use these instructions to actually download and install an app.

cFS App Exchange

38

- Select “Developer->Download App” to get a list of the libraries and apps that can be installed






- Select the libraries and apps you want and click download to have the components cloned into the cfs-basecamp/usr/apps directory
- The cFS App Exchange is located at <https://github.com/orgs/cfs-apps/repositories>

Add New App to Basecamp's cFS Target (1 of 2)

8/8

1. Select *Add App* from the Basecamp Developer menu



2. Select the library/app from the dropdown menu you want to add to the build configuration

- The autonomous option is recommended for normal user operations. The manual options are for educational situations.

Add New App to Basecamp's cFS Target (2 of 2)

Add User Apps

Perform the following steps to add one or more apps. For step 1, choose 'Auto' to automatically perform all of the steps or 'Man' to manually perform each step. Libraries MUST be added prior to the apps that depend upon it.

1. Add app to the cFS build configuration

pl_mgr

Select an app from the dropdown list

Auto

Automatically perform all steps or ...

Man

Copy table files to basecamp_defs

Man

Update targets.cmake's cpu1_APPLIST and cpu1_FILELIST

Man

Update cpu1_cfe_es_startup.scr

Man

Update EDS cfe-topicsids.xml

Man

Update telemetry output app table

2. Build the cFS

Build

3. Stop the cFS if it is running

Close this window and click <Stop cFS> from the main window or ...

Open a terminal window & kill the cFS process or ...

Submit [sudo] password and click <Submit>

Submit

4. Exit and restart Basecamp

Restart

3. Build the cFS

- a. This uses the 'make topicids' command option that is described in the 'Build and run cFS' tutorial

4. Stop the cFS if it is running

5. Restart Basecamp's GUI

- a. This causes Basecamp to use the new python libraries created by the cFS build process