

Legenda parametri

Parametro	Significato
k	numero di letture dell'annealer
TIMES	quante volte si esegue il codice
λ	$\lambda = (\sum p_i) / (650 \cdot C)$

Dati sperimentali - KSP3

Parametri: $k = 1000$, $TIMES = 5$

Risultato DP

Profit	Weight
2679	496

Risultati QALS

i_max	N_max	d_min	Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
10	5	4	167111.05	112420.87	3309	2661	-630	-2165	1
50	25	18	83555.52	53331.4	3152	2052	-473	-1556	1
100	50	35	55703.68	38064.82	3487	1856	-808	-1360	1
250	125	88	41777.76	29900.01	3181	1731	-502	-1235	1
500	250	175	33422.21	29900.01	3181	1731	-502	-1235	1
1000	500	350	27851.84	5039.61	2274	1229	405	-733	1

Risultati NO QALS

Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
-9424.8	-9424.8	2936	560	-257	-64	5

Dati sperimentali - KSP3

Parametri: $k = 1250$, $TIMES = 5$

Risultato DP

Profit	Weight
2679	496

Risultati QALS

i_max	N_max	d_min	Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
10	5	4	135899.02	72955.73	3618	2282	-939	-1786	1
50	25	18	67949.51	72955.73	3618	2282	-939	-1786	1
100	50	35	45299.67	51334.56	1938	2012	741	-1516	1
250	125	88	33974.76	7834.23	1576	1282	1103	-786	1
500	250	175	27179.8	7834.23	1576	1282	1103	-786	1
1000	500	350	22649.84	7834.23	1576	1282	1103	-786	1

Risultati NO QALS

Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
-9424.8	-9424.8	2936	560	-257	-64	5

Dati sperimentali - KSP3

Parametri: $k = 1500$, $TIMES = 5$

Risultato DP

Profit	Weight
2679	496

Risultati QALS

i_max	N_max	d_min	Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
10	5	4	143871.88	76989.86	3839	2327	-1160	-1831	1
50	25	18	71935.94	33188.0	2915	1777	-236	-1281	1
100	50	35	47957.29	16844.71	2529	1496	150	-1000	1
250	125	88	35967.97	16844.71	2529	1496	150	-1000	1
500	250	175	28774.38	7258.83	2605	1293	74	-797	1
1000	500	350	23978.65	7258.83	2605	1293	74	-797	1

Risultati NO QALS

Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
-9424.8	-9424.8	2936	560	-257	-64	5

Dati sperimentali - KSP3

Parametri: $k = 1750$, $TIMES = 5$

Risultato DP

Profit	Weight
2679	496

Risultati QALS

i_max	N_max	d_min	Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
10	5	4	163913.8	65327.89	3676	2199	-997	-1703	1
50	25	18	81956.9	53118.06	2232	2038	447	-1542	1
100	50	35	54637.93	37575.07	3128	1844	-449	-1348	1
250	125	88	40978.45	26534.23	3326	1680	-647	-1184	1
500	250	175	32782.76	26534.23	3326	1680	-647	-1184	1
1000	500	350	27318.97	26534.23	3326	1680	-647	-1184	1

Risultati NO QALS

Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
-9424.8	-9424.8	2936	560	-257	-64	5

Dati sperimentali - KSP3

Parametri: k = 2000, TIMES = 5

Risultato DP

Profit	Weight
2679	496

Risultati QALS

i_max	N_max	d_min	Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
10	5	4	189180.12	133005.94	4081	2842	-1402	-2346	1
50	25	18	94590.06	50085.13	2950	2009	-271	-1513	1
100	50	35	63060.04	35281.49	2238	1798	441	-1302	1
250	125	88	47295.03	35281.49	2238	1798	441	-1302	1
500	250	175	37836.02	16082.9	3343	1497	-664	-1001	1
1000	500	350	31530.02	7598.27	3064	1312	-385	-816	1

Risultati NO QALS

Avg fQ	fQ Min Found	Found Profit	Found Weight	Profit GAP	Weight GAP	n Min
-9424.8	-9424.8	2936	560	-257	-64	5