

DS Assembly part list

Project Number:	30480-1	Rev.							
Project	Akkasæter Lager- ***	Rev. date		EXC	EXC 2				
Date	07.11.2025	Sent by	peh	Drafter	ZLL				
Assembly	Part	Name	No.	Profile	Grade	Length/pc. (mm)	Area/pc. (m^2)	Weigth/pc. (kg)	Weight total (kg)
d1		Drager	1	IPE270			5,24	181,1	181,1
	A3	Afstivning	2	FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	1	FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	8	REBAR25	B550B	199	0,02	0,7	
	d1	Drager	1	IPE270	S355J2	4 790	4,99	172,6	
d2		Drager	1	IPE270			5,85	200,0	200,0
	A3	Afstivning	6	FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	1	FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	5	REBAR25	B550B	199	0,02	0,7	
	d2	Drager	1	IPE270	S355J2	5 299	5,52	191,0	
d3		Drager	1	IPE270			5,83	200,1	200,1
	A3	Afstivning	6	FL6*60	S355J2	247	0,03	0,7	
	A12	Afstivning	1	FL15*70	S355J2	247	0,04	2,0	
	I3	Kamstål	4	REBAR25	B550B	199	0,02	0,7	
	d3	Drager	1	IPE270	S355J2	5 300	5,52	191,0	
d4		Drager	5	HEB360			28,09	2 151,3	10 756,6
	A9	Afstivning	2	FL15*140	S355J2	313	0,10	5,1	
	F36	Fladstål	1	FL25*300	S355J2	402	0,28	23,7	
	d4	Drager	1	HEB360	S355J2	14 935	27,62	2 117,4	
d5		Drager	4	HEB360			28,50	2 172,6	8 690,3
	A10	Afstivning	2	FL15*140	S355J2	211	0,07	3,3	
	F36	Fladstål	1	FL25*300	S355J2	402	0,28	23,7	
	F37	Fladstål	4	FL15*200	S355J2	265	0,12	6,2	
	d5	Drager	1	HEB360	S355J2	14 935	27,62	2 117,4	
d6		Drager	1	HEB360			28,61	2 176,1	2 176,1
	A10	Afstivning	1	FL15*140	S355J2	210	0,07	3,3	
	A11	Afstivning	1	FL15*140	S355J2	211	0,07	3,3	
	C21	Plade	3	PL10*75	S355J2	132	0,01	0,4	
	F36	Fladstål	1	FL25*300	S355J2	402	0,28	23,7	
	F37	Fladstål	4	FL15*200	S355J2	265	0,12	6,2	
	F84	Fladstål	3	FL10*100	S355J2	100	0,02	0,8	
	d6	Drager	1	HEB360	S355J2	14 935	27,62	2 117,4	
d7		Drager	1	HEB360			28,63	2 179,1	2 179,1

DS Assembly part list

	A10	Afstivning	4	FL15*140	S355J2	211	0,07	3,3	
	F36	Fladstål	1	FL25*300	S355J2	402	0,28	23,7	
	F37	Fladstål	4	FL15*200	S355J2	265	0,12	6,2	
	d7	Drager	1	HEB360	S355J2	14 935	27,62	2 117,4	

d8		Drager	1	HEB360			28,55	2 174,8	2 174,8
	A9	Afstivning	1	FL15*140	S355J2	313	0,10	5,1	
	A10	Afstivning	1	FL15*140	S355J2	211	0,07	3,3	
	C18	Plade	1	PL15*214	S355J2	266	0,09	4,5	
	C21	Plade	1	PL10*75	S355J2	132	0,01	0,4	
	F36	Fladstål	1	FL25*300	S355J2	402	0,28	23,7	
	F89	Fladstål	1	FL15*120	S355J2	150	0,04	2,1	
	F105	Fladstål	2	FL15*200	S355J2	390	0,17	9,2	
	d8	Drager	1	HEB360	S355J2	14 935	27,62	2 117,3	

d9		Drager	1	HEB360			28,49	2 172,3	2 172,3
	A9	Afstivning	1	FL15*140	S355J2	313	0,10	5,1	
	A10	Afstivning	1	FL15*140	S355J2	210	0,07	3,3	
	C18	Plade	1	PL15*214	S355J2	266	0,09	4,5	
	F36	Fladstål	1	FL25*300	S355J2	402	0,28	23,7	
	F105	Fladstål	2	FL15*200	S355J2	390	0,17	9,2	
	d9	Drager	1	HEB360	S355J2	14 935	27,62	2 117,3	

d10		Drager	1	HEB360			28,77	2 185,2	2 185,2
	A11	Afstivning	2	FL15*140	S355J2	211	0,07	3,3	
	C18	Plade	1	PL15*214	S355J2	266	0,09	4,5	
	C21	Plade	2	PL10*75	S355J2	132	0,01	0,4	
	F36	Fladstål	1	FL25*300	S355J2	402	0,28	23,7	
	F37	Fladstål	2	FL15*200	S355J2	265	0,12	6,2	
	F84	Fladstål	2	FL10*100	S355J2	100	0,02	0,8	
	F105	Fladstål	2	FL15*200	S355J2	390	0,17	9,2	
	d10	Drager	1	HEB360	S355J2	14 935	27,62	2 117,3	

d11		Drager	1	HEB360			28,97	2 194,9	2 194,9
	A10	Afstivning	3	FL15*140	S355J2	211	0,07	3,3	
	A11	Afstivning	1	FL15*140	S355J2	210	0,07	3,3	
	C17	Plade	1	PL15*169	S355J2	250	0,06	3,1	
	C18	Plade	1	PL15*214	S355J2	266	0,09	4,5	
	C21	Plade	2	PL10*75	S355J2	132	0,01	0,4	
	F36	Fladstål	1	FL25*300	S355J2	402	0,28	23,7	
	F37	Fladstål	2	FL15*200	S355J2	265	0,12	6,2	
	F84	Fladstål	2	FL10*100	S355J2	100	0,02	0,8	
	F105	Fladstål	2	FL15*200	S355J2	390	0,17	9,2	
	d11	Drager	1	HEB360	S355J2	14 935	27,62	2 117,3	

DS Assembly part list

d12		Drager	1	IPE400			22,00	991,7	991,7
	A4	Afstivning	4	FL10*80	S355J2	371	0,07	2,3	
	d12	Drager	1	IPE400	S355J2	14 810	21,73	982,4	

d13		Drager	1	IPE400			22,18	1 001,5	1 001,5
	A4	Afstivning	2	FL10*80	S355J2	371	0,07	2,3	
	A5	Afstivning	2	FL10*80	S355J2	261	0,05	1,6	
	F38	Fladstål	2	FL15*180	S355J2	265	0,11	5,6	
	d13	Drager	1	IPE400	S355J2	14 810	21,73	982,4	

d14		Drager	1	IPE270			5,22	179,0	179,0
	A3	Afstivning	2	FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	2	FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	4	REBAR25	B550B	199	0,02	0,7	
	d14	Drager	1	IPE270	S355J2	4 779	4,98	172,2	

d15		Drager	1	IPE270			5,22	179,0	179,0
	A3	Afstivning	2	FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	2	FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	4	REBAR25	B550B	199	0,02	0,7	
	d15	Drager	1	IPE270	S355J2	4 779	4,98	172,2	

d16		Drager	1	IPE270			5,22	179,0	179,0
	A3	Afstivning	2	FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	2	FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	4	REBAR25	B550B	199	0,02	0,7	
	d16	Drager	1	IPE270	S355J2	4 779	4,98	172,2	

d17		Drager	1	IPE270			5,22	179,0	179,0
	A3	Afstivning	2	FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	2	FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	4	REBAR25	B550B	199	0,02	0,7	
	d17	Drager	1	IPE270	S355J2	4 779	4,98	172,2	

d18		Drager	1	IPE270			5,22	179,0	179,0
	A3	Afstivning	2	FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	2	FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	4	REBAR25	B550B	199	0,02	0,7	
	d18	Drager	1	IPE270	S355J2	4 779	4,98	172,2	

d19		Drager	1	IPE270			5,22	179,0	179,0
	A3	Afstivning	2	FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	2	FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	4	REBAR25	B550B	199	0,02	0,7	
	d19	Drager	1	IPE270	S355J2	4 779	4,98	172,2	

DS Assembly part list

d20		Drager	1 IPE270			5,24	179,7	179,7
	A3	Afstivning	2 FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	2 FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	5 REBAR25	B550B	199	0,02	0,7	
	d20	Drager	1 IPE270	S355J2	4 779	4,98	172,2	

d21		Drager	1 IPE270			5,11	176,4	176,4
	A3	Afstivning	2 FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	1 FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	6 REBAR25	B550B	199	0,02	0,7	
	d21	Drager	1 IPE270	S355J2	4 699	4,89	169,3	

d22		Drager	1 IPE270			5,13	177,1	177,1
	A3	Afstivning	2 FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	1 FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	7 REBAR25	B550B	199	0,02	0,7	
	d22	Drager	1 IPE270	S355J2	4 700	4,89	169,3	

d23		Drager	1 IPE270			5,22	179,0	179,0
	A3	Afstivning	2 FL6*60	S355J2	247	0,03	0,7	
	F94	Fladstål	2 FL6*140	S355J2	200	0,06	1,2	
	I3	Kamstål	4 REBAR25	B550B	199	0,02	0,7	
	d23	Drager	1 IPE270	S355J2	4 779	4,98	172,2	

d41		Drager	1 HEB360			28,09	2 151,3	2 151,3
	A9	Afstivning	2 FL15*140	S355J2	313	0,10	5,1	
	F36	Fladstål	1 FL25*300	S355J2	402	0,28	23,7	
	d41	Drager	1 HEB360	S355J2	14 935	27,62	2 117,4	

f1		HSQ	1 FL35*250			12,70	823,2	823,2
	C2	Plade	2 PL10*275	S355J2	339	0,19	6,9	
	F100	HSQ	2 FL5*215	S355J2	4 695	2,07	39,6	
	F106	HSQ	1 FL20*540	S355J2	4 695	5,28	398,0	
	I3	Kamstål	13 REBAR25	B550B	199	0,02	0,7	
	f1	HSQ	1 FL35*250	S355J2	4 695	2,69	322,5	

f2		HSQ	1 FL35*250			12,75	823,8	823,8
	C2	Plade	2 PL10*275	S355J2	339	0,19	6,9	
	C25	Plade	4 PL10*70	S355J2	215	0,03	1,1	
	F100	HSQ	2 FL5*215	S355J2	4 695	2,07	39,6	
	F106	HSQ	1 FL20*540	S355J2	4 695	5,28	398,0	
	I3	Kamstål	8 REBAR25	B550B	199	0,02	0,7	
	f2	HSQ	1 FL35*250	S355J2	4 695	2,69	322,5	

DS Assembly part list

f3		HSQ	1	FL35*250			12,89	837,4	837,4
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	
	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	8	REBAR25	B550B	199	0,02	0,7	
	f3	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f4		HSQ	1	FL35*250			12,89	837,4	837,4
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	
	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	8	REBAR25	B550B	199	0,02	0,7	
	f4	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f5		HSQ	1	FL35*250			12,89	837,4	837,4
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	
	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	8	REBAR25	B550B	199	0,02	0,7	
	f5	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f6		HSQ	1	FL35*250			12,89	837,4	837,4
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	
	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	8	REBAR25	B550B	199	0,02	0,7	
	f6	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f7		HSQ	1	FL35*250			12,91	838,1	838,1
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	
	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	9	REBAR25	B550B	199	0,02	0,7	
	f7	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f8		HSQ	1	FL35*250			12,92	838,9	838,9
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	
	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	10	REBAR25	B550B	199	0,02	0,7	
	f8	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f9		HSQ	1	FL35*250			12,92	838,9	838,9
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	

DS Assembly part list

	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	10	REBAR25	B550B	199	0,02	0,7	
	f9	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f10		HSQ	1	FL35*250			13,02	843,3	843,3
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	
	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	16	REBAR25	B550B	199	0,02	0,7	
	f10	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f11		HSQ	1	FL35*250			12,96	838,7	838,7
	C2	Plade	2	PL10*275	S355J2	339	0,19	6,9	
	C25	Plade	4	PL10*70	S355J2	215	0,03	1,1	
	F107	HSQ	2	FL5*215	S355J2	4 800	2,11	40,5	
	F108	HSQ	1	FL20*540	S355J2	4 800	5,40	406,9	
	I3	Kamstål	4	REBAR25	B550B	199	0,02	0,7	
	f11	HSQ	1	FL35*250	S355J2	4 800	2,75	329,7	

f12		HSQ	1	FL35*250			13,39	870,5	870,5
	C2	Plade	1	PL10*275	S355J2	339	0,19	6,9	
	F32	Fladstål	1	FL15*200	S355J2	200	0,09	4,7	
	F96	Fladstål	1	FL10*215	S355J2	229	0,11	3,9	
	F109	HSQ	2	FL5*215	S355J2	5 000	2,20	42,2	
	F110	HSQ	1	FL20*540	S355J2	5 000	5,56	419,1	
	I3	Kamstål	10	REBAR25	B550B	199	0,02	0,7	
	f12	HSQ	1	FL35*250	S355J2	5 010	2,87	344,1	

f13		HSQ	1	FL35*250			13,49	873,3	873,3
	C2	Plade	1	PL10*275	S355J2	339	0,19	6,9	
	C25	Plade	4	PL10*70	S355J2	215	0,03	1,1	
	F32	Fladstål	1	FL15*200	S355J2	200	0,09	4,7	
	F96	Fladstål	1	FL10*215	S355J2	229	0,11	3,9	
	F109	HSQ	2	FL5*215	S355J2	5 000	2,20	42,2	
	F110	HSQ	1	FL20*540	S355J2	5 000	5,56	419,1	
	I3	Kamstål	8	REBAR25	B550B	199	0,02	0,7	
	f13	HSQ	1	FL35*250	S355J2	5 010	2,87	344,1	

f14		Fladstål	2	FL10*100			0,06	2,0	3,9
	F84	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	f14	Fladstål	1	FL10*100	S355J2	150	0,04	1,2	

f15		Fladstål	1	FL10*100			0,06	2,0	2,0
	F84	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	f15	Fladstål	1	FL10*100	S355J2	150	0,04	1,2	

DS Assembly part list

I1		Løsdele	4	FL10*140			0,05	1,9	7,5
	I1	Løsdele	1	FL10*140	S355J2	169	0,05	1,9	
I2		Løsdele	2	PL15*170			0,21	11,1	22,1
	I2	Løsdele	1	PL15*170	S355J2	599	0,21	11,1	
I3		Løsdele	32	FL12*170			0,10	4,0	128,1
	I3	Løsdele	1	FL12*170	S355J2	250	0,10	4,0	
p1		Portomfatning	8	RHS100X100X6			0,94	40,8	326,4
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F51	Fladstål	1	FL5*90	S355J2	90	0,02	0,3	
	p1	Portomfatning	1	RHS100X100X6	S355J2H	2 335	0,90	39,5	
p2		Portomfatning	24	RHS100X100X6			0,52	22,3	534,6
	F33	Fladstål	2	FL10*90	S355J2	140	0,03	1,0	
	p2	Portomfatning	1	RHS100X100X6	S355J2H	1 200	0,46	20,3	
p3		Portomfatning	4	RHS100X100X6			1,85	80,6	322,6
	F51	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p3	Portomfatning	1	RHS100X100X6	S355J2H	4 730	1,81	80,0	
p4		Portomfatning	2	RHS100X100X6			1,38	60,3	120,7
	F33	Fladstål	2	FL10*90	S355J2	140	0,03	1,0	
	p4	Portomfatning	1	RHS100X100X6	S355J2H	3 450	1,32	58,4	
p5		Portomfatning	1	RHS100X100X6			0,93	40,6	40,6
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	p5	Portomfatning	1	RHS100X100X6	S355J2H	2 340	0,90	39,6	
p6		Portomfatning	1	RHS100X100X6			1,22	53,1	53,1
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	p6	Portomfatning	1	RHS100X100X6	S355J2H	3 044	1,17	51,5	
p7		Portomfatning	2	RHS100X100X6			0,90	39,1	78,1
	D32	Drager	1	L100*10	S355J2	130	0,05	2,0	
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	p7	Portomfatning	1	RHS100X100X6	S355J2H	2 135	0,82	36,1	
p8		Portomfatning	1	RHS100X100X6			0,90	39,1	39,1
	D32	Drager	1	L100*10	S355J2	130	0,05	2,0	
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	p8	Portomfatning	1	RHS100X100X6	S355J2H	2 135	0,82	36,1	

DS Assembly part list

p9		Portomfatning	1	RHS100X100X6			0,94	40,6	40,6
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F51	Fladstål	1	FL5*90	S355J2	90	0,02	0,3	
	p9	Portomfatning	1	RHS100X100X6	S355J2H	2 325	0,89	39,3	

p10		Portomfatning	1	RHS100X100X6			0,95	41,0	41,0
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F51	Fladstål	1	FL5*90	S355J2	90	0,02	0,3	
	p10	Portomfatning	1	RHS100X100X6	S355J2H	2 345	0,90	39,7	

p11		Portomfatning	4	L100*10			0,47	18,1	72,2
	p11	Portomfatning	1	L100*10	S355J2	1 200	0,47	18,1	

p12		Portomfatning	4	RHS100X100X6			1,87	81,7	326,6
	F51	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p12	Portomfatning	1	RHS100X100X6	S355J2H	4 790	1,84	81,0	

p13		Portomfatning	1	RHS100X100X6			0,91	39,3	39,3
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F51	Fladstål	1	FL5*90	S355J2	90	0,02	0,3	
	p13	Portomfatning	1	RHS100X100X6	S355J2H	2 245	0,86	38,0	

p14		Portomfatning	1	RHS100X100X6			0,94	40,8	40,8
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F51	Fladstål	1	FL5*90	S355J2	90	0,02	0,3	
	p14	Portomfatning	1	RHS100X100X6	S355J2H	2 335	0,90	39,5	

p15		Portomfatning	1	RHS100X100X6			0,97	41,8	41,8
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F87	Fladstål	1	FL10*100	S355J2	140	0,03	1,1	
	F88	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	p15	Portomfatning	1	RHS100X100X6	S355J2H	2 290	0,88	38,7	

p16		Portomfatning	1	RHS100X100X6			0,97	41,8	41,8
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F87	Fladstål	1	FL10*100	S355J2	140	0,03	1,1	
	F88	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	p16	Portomfatning	1	RHS100X100X6	S355J2H	2 290	0,88	38,7	

p17		Portomfatning	1	RHS100X100X6			1,87	81,7	81,7
	F51	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p17	Portomfatning	1	RHS100X100X6	S355J2H	4 790	1,84	81,0	

p18		Portomfatning	1	RHS100X100X6			1,43	61,8	61,8
------------	--	----------------------	----------	---------------------	--	--	-------------	-------------	-------------

DS Assembly part list

	F87	Fladstål	1	FL10*100	S355J2	140	0,03	1,1	
	F88	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F97	Fladstål	1	FL10*120	S355J2	210	0,06	2,0	
	p18	Portomfatning	1	RHS100X100X6	S355J2H	3 413	1,31	57,7	

p19		Portomfatning	1	RHS100X100X6			1,43	61,8	61,8
	F87	Fladstål	1	FL10*100	S355J2	140	0,03	1,1	
	F88	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F97	Fladstål	1	FL10*120	S355J2	210	0,06	2,0	
	p19	Portomfatning	1	RHS100X100X6	S355J2H	3 413	1,31	57,7	

p20		Portomfatning	1	RHS100X100X6			1,44	62,1	62,1
	F87	Fladstål	1	FL10*100	S355J2	140	0,03	1,1	
	F88	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F99	Fladstål	1	FL10*140	S355J2	210	0,07	2,3	
	p20	Portomfatning	1	RHS100X100X6	S355J2H	3 412	1,31	57,7	

p21		Portomfatning	5	RHS100X100X6			0,92	39,7	198,3
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F98	Fladstål	1	FL10*120	S355J2	280	0,08	2,6	
	p21	Portomfatning	1	RHS100X100X6	S355J2H	2 129	0,82	36,0	

p22		Portomfatning	1	RHS100X100X6			1,96	85,9	85,9
	F33	Fladstål	2	FL10*90	S355J2	140	0,03	1,0	
	p22	Portomfatning	1	RHS100X100X6	S355J2H	4 960	1,90	83,9	

p23		Portomfatning	1	RHS100X100X6			1,12	48,4	48,4
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	F97	Fladstål	1	FL10*120	S355J2	210	0,06	2,0	
	p23	Portomfatning	1	RHS100X100X6	S355J2H	2 650	1,02	44,8	

p24		Portomfatning	1	RHS100X100X6			1,06	45,7	45,7
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	F97	Fladstål	1	FL10*120	S355J2	210	0,06	2,0	
	p24	Portomfatning	1	RHS100X100X6	S355J2H	2 491	0,96	42,1	

p25		Portomfatning	1	RHS100X100X6			1,07	46,0	46,0
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	F99	Fladstål	1	FL10*140	S355J2	210	0,07	2,3	
	p25	Portomfatning	1	RHS100X100X6	S355J2H	2 491	0,96	42,1	

p26		Portomfatning	2	RHS100X100X6			0,90	39,2	78,0
------------	--	----------------------	----------	---------------------	--	--	-------------	-------------	-------------

DS Assembly part list

	F33	Fladstål	2	FL10*90	S355J2	140	0,03	1,0	
	p26	Portomfatning	1	RHS100X100X6	S355J2H	2 200	0,85	37,2	
p27		Portomfatning	4	RHS100X100X6			1,87	81,7	326,6
	F51	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p27	Portomfatning	1	RHS100X100X6	S355J2H	4 790	1,84	81,0	
p28		Portomfatning	1	RHS100X100X6			1,29	55,5	55,5
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	F99	Fladstål	1	FL10*140	S355J2	210	0,07	2,3	
	p28	Portomfatning	1	RHS100X100X6	S355J2H	3 051	1,17	51,6	
p29		Portomfatning	1	RHS100X100X6			1,18	50,7	50,7
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	F99	Fladstål	1	FL10*140	S355J2	210	0,07	2,3	
	p29	Portomfatning	1	RHS100X100X6	S355J2H	2 766	1,06	46,8	
p30		Portomfatning	1	RHS100X100X6			1,23	53,2	53,2
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	F97	Fladstål	1	FL10*120	S355J2	210	0,06	2,0	
	p30	Portomfatning	1	RHS100X100X6	S355J2H	2 935	1,13	49,6	
p31		Portomfatning	1	RHS100X100X6			1,11	48,4	48,4
	D32	Drager	1	L100*10	S355J2	130	0,05	2,0	
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	p31	Portomfatning	1	RHS100X100X6	S355J2H	2 685	1,03	45,4	
p32		Portomfatning	1	RHS100X100X6			0,47	19,8	19,8
	F33	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F51	Fladstål	1	FL5*90	S355J2	90	0,02	0,3	
	p32	Portomfatning	1	RHS100X100X6	S355J2H	1 095	0,42	18,5	
p33		Portomfatning	1	RHS100X100X6			1,22	53,1	53,1
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	p33	Portomfatning	1	RHS100X100X6	S355J2H	3 044	1,17	51,5	
p34		Portomfatning	1	RHS100X100X6			1,32	55,1	55,1
	D30	Drager	1	L60*40*5	S355J2	530	0,10	2,0	
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	p34	Portomfatning	1	RHS100X100X6	S355J2H	3 044	1,17	51,5	

DS Assembly part list

p35		Portomfatning	1	RHS100X100X6			1,65	66,0	66,0
	D31	Drager	1	L60*40*5	S355J2	1 109	0,22	4,2	
	F87	Fladstål	1	FL10*100	S355J2	140	0,03	1,1	
	F88	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F97	Fladstål	1	FL10*120	S355J2	210	0,06	2,0	
	p35	Portomfatning	1	RHS100X100X6	S355J2H	3 413	1,31	57,7	

p76		Portomfatning	1	RHS100X100X6			0,90	39,2	39,2
	F33	Fladstål	2	FL10*90	S355J2	140	0,03	1,0	
	p76	Portomfatning	1	RHS100X100X6	S355J2H	2 200	0,85	37,2	

p77		Portomfatning	1	RHS100X100X6			1,06	45,7	45,7
	F85	Fladstål	1	FL10*100	S355J2	100	0,02	0,8	
	F86	Fladstål	1	FL10*90	S355J2	110	0,02	0,8	
	F97	Fladstål	1	FL10*120	S355J2	210	0,06	2,0	
	p77	Portomfatning	1	RHS100X100X6	S355J2H	2 491	0,96	42,1	

p78		Portomfatning	2	RHS100X100X6			2,77	118,2	236,5
	C42	Plade	1	PL10*710	S355J2	710	0,41	14,9	
	F51	Fladstål	1	FL5*89	S355J2	90	0,02	0,3	
	P66	Portomfatning	2	RHS100X100X6	S355J2H	1 637	0,57	24,9	
	p78	Portomfatning	1	RHS100X100X6	S355J2H	3 140	1,21	53,1	

p80		Portomfatning	1	RHS100X100X6			1,64	71,8	71,8
	F33	Fladstål	2	FL10*90	S355J2	140	0,03	1,0	
	p80	Portomfatning	1	RHS100X100X6	S355J2H	4 130	1,58	69,9	

s1		Søjle	7	RHS150X150X8			5,09	300,5	2 103,6
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F16	Fladstål	2	FL15*180	S355J2	340	0,14	7,2	
	F17	Fladstål	2	FL10*150	S355J2	160	0,05	1,9	
	F27	Fladstål	2	FL30*150	S355J2	190	0,08	6,7	
	F28	Fladstål	2	FL12*120	S355J2	150	0,04	1,7	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	s1	Søjle	1	RHS150X150X8	S355J2H	7 061	4,02	238,0	

s2		Søjle	1	RHS180X180X10			5,83	389,4	389,4
	F16	Fladstål	1	FL15*180	S355J2	340	0,14	7,2	
	F17	Fladstål	2	FL10*150	S355J2	160	0,05	1,9	
	F18	Fladstål	1	FL30*120	S355J2	150	0,05	4,2	
	F24	Fladstål	1	FL15*200	S355J2	350	0,16	8,2	
	F50	Fladstål	1	FL10*65	S355J2	100	0,02	0,5	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	T10	Opstik	1	FL10*120	S355J2	1 400	0,37	13,2	

DS Assembly part list

	T11	Opstik	1	FL10*140	S355J2	1 196	0,36	13,0	
	s2	Søjle	1	RHS180X180X10	S355J2H	6 658	4,55	335,3	

s3		Søjle	1	RHS150X150X8			5,14	303,2	303,2
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F16	Fladstål	2	FL15*180	S355J2	340	0,14	7,2	
	F17	Fladstål	2	FL10*150	S355J2	160	0,05	1,9	
	F27	Fladstål	2	FL30*150	S355J2	190	0,08	6,7	
	F28	Fladstål	2	FL12*120	S355J2	150	0,04	1,7	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	s3	Søjle	1	RHS150X150X8	S355J2H	7 141	4,07	240,7	

s4		Søjle	1	RHS150X150X8			4,92	289,3	289,3
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F16	Fladstål	1	FL15*180	S355J2	340	0,14	7,2	
	F17	Fladstål	2	FL10*150	S355J2	160	0,05	1,9	
	F27	Fladstål	1	FL30*150	S355J2	190	0,08	6,7	
	F28	Fladstål	2	FL12*120	S355J2	150	0,04	1,7	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	s4	Søjle	1	RHS150X150X8	S355J2H	7 141	4,07	240,7	

s5		Søjle	1	RHS180X180X10			6,05	400,9	400,9
	C28	Plade	1	PL15*179	S355J2	202	0,06	3,1	
	C29	Plade	1	PL15*198	S355J2	213	0,08	3,9	
	F16	Fladstål	1	FL15*180	S355J2	340	0,14	7,2	
	F17	Fladstål	2	FL10*150	S355J2	160	0,05	1,9	
	F18	Fladstål	1	FL30*120	S355J2	150	0,05	4,2	
	F24	Fladstål	1	FL15*200	S355J2	350	0,16	8,2	
	F26	Fladstål	1	FL15*140	S355J2	140	0,05	2,3	
	F101	Fladstål	2	FL15*140	S355J2	140	0,05	2,3	
	F103	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	T10	Opstik	1	FL10*120	S355J2	1 400	0,37	13,2	
	T11	Opstik	1	FL10*140	S355J2	1 196	0,36	13,0	
	s5	Søjle	1	RHS180X180X10	S355J2H	6 658	4,55	335,3	

s6		Søjle	1	RHS150X150X8			4,92	289,3	289,3
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F16	Fladstål	1	FL15*180	S355J2	340	0,14	7,2	
	F17	Fladstål	2	FL10*150	S355J2	160	0,05	1,9	
	F27	Fladstål	1	FL30*150	S355J2	190	0,08	6,7	
	F28	Fladstål	2	FL12*120	S355J2	150	0,04	1,7	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	s6	Søjle	1	RHS150X150X8	S355J2H	7 141	4,07	240,7	

s7		Søjle	1	RHS180X180X10			5,10	338,3	338,3
-----------	--	--------------	----------	----------------------	--	--	-------------	--------------	--------------

DS Assembly part list

	C13	Plade	1	PL15*178	S355J2	274	0,07	3,7	
	D37	Drager	1	L100*10	S355J2	120	0,05	1,8	
	F50	Fladstål	6	FL10*65	S355J2	100	0,02	0,5	
	F93	Fladstål	1	FL12*200	S355J2	520	0,21	9,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s7	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,0	

s8		Søjle	1	RHS180X180X10			5,87	371,3	371,3
	C13	Plade	1	PL15*178	S355J2	274	0,07	3,7	
	D37	Drager	1	L100*10	S355J2	120	0,05	1,8	
	F50	Fladstål	4	FL10*65	S355J2	100	0,02	0,5	
	F51	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	F78	Fladstål	1	FL15*100	S355J2	120	0,03	1,4	
	F93	Fladstål	1	FL12*200	S355J2	520	0,21	9,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	P51	Portomfatning	3	RHS80X80X5	S355J2H	49	0,02	0,6	
	P54	Portomfatning	1	RHS100X100X6	S355J2H	1 790	0,69	30,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s8	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,0	

s9		Søjle	1	RHS180X180X10			5,23	346,0	346,0
	C30	Plade	1	PL15*176	S355J2	192	0,06	3,0	
	C32	Plade	1	PL15*176	S355J2	177	0,06	2,9	
	D37	Drager	1	L100*10	S355J2	120	0,05	1,8	
	F50	Fladstål	1	FL10*65	S355J2	100	0,02	0,5	
	F78	Fladstål	1	FL15*100	S355J2	120	0,03	1,4	
	F93	Fladstål	1	FL12*200	S355J2	520	0,21	9,3	
	F101	Fladstål	2	FL15*140	S355J2	140	0,05	2,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s9	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,0	

s10		Søjle	1	RHS180X180X10			5,18	344,0	344,0
	C30	Plade	1	PL15*176	S355J2	192	0,06	3,0	
	C32	Plade	1	PL15*176	S355J2	177	0,06	2,9	

DS Assembly part list

	D37	Drager	1	L100*10	S355J2	120	0,05	1,8	
	F93	Fladstål	1	FL12*200	S355J2	520	0,21	9,3	
	F101	Fladstål	2	FL15*140	S355J2	140	0,05	2,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s10	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,0	

s11		Søjle	1	RHS180X180X10			5,78	367,7	367,7
	D37	Drager	1	L100*10	S355J2	120	0,05	1,8	
	F50	Fladstål	1	FL10*65	S355J2	100	0,02	0,5	
	F51	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	F78	Fladstål	1	FL15*100	S355J2	120	0,03	1,4	
	F93	Fladstål	1	FL12*200	S355J2	520	0,21	9,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	P52	Portomfatning	3	RHS80X80X5	S355J2H	39	0,01	0,4	
	P54	Portomfatning	1	RHS100X100X6	S355J2H	1 790	0,69	30,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s11	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,0	

s12		Søjle	2	RHS180X180X10			4,96	333,5	667,1
	D37	Drager	1	L100*10	S355J2	120	0,05	1,8	
	F93	Fladstål	1	FL12*200	S355J2	520	0,21	9,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s12	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,0	

s13		Søjle	3	RHS180X180X10			4,96	333,5	1 000,6
	D37	Drager	1	L100*10	S355J2	120	0,05	1,8	
	F93	Fladstål	1	FL12*200	S355J2	520	0,21	9,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s13	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,0	

DS Assembly part list

s14		Søjle	1	RHS180X180X10			5,42	354,0	354,0
	C14	Plade	1	PL15*146	S355J2	270	0,08	4,1	
	C22	Plade	3	PL25*25	S355J2	50	0,01	0,2	
	F23	Fladstål	1	FL12*90	S355J2	200	0,04	1,7	
	F50	Fladstål	1	FL10*65	S355J2	100	0,02	0,5	
	F51	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	F78	Fladstål	1	FL15*100	S355J2	120	0,03	1,4	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	P54	Portomfatning	1	RHS100X100X6	S355J2H	1 790	0,69	30,3	
	T1	Opstik	1	L120*10	S355J2	762	0,36	13,8	
	s14	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,5	

s15		Søjle	1	RHS180X180X10			4,63	320,4	320,4
	C14	Plade	1	PL15*146	S355J2	270	0,08	4,1	
	F23	Fladstål	1	FL12*90	S355J2	200	0,04	1,7	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	T2	Opstik	1	L120*10	S355J2	762	0,36	13,8	
	s15	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,5	

s16		Søjle	1	RHS180X180X10			4,89	329,4	329,4
	D37	Drager	1	L100*10	S355J2	120	0,05	1,8	
	F23	Fladstål	1	FL12*90	S355J2	200	0,04	1,7	
	F50	Fladstål	6	FL10*65	S355J2	100	0,02	0,5	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s16	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,5	

s17		Søjle	1	RHS180X180X8			5,18	290,5	290,5
	F24	Fladstål	1	FL15*200	S355J2	350	0,16	8,2	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	T9	Opstik	1	FL10*140	S355J2	1 184	0,36	12,9	
	T10	Opstik	1	FL10*120	S355J2	1 400	0,37	13,2	
	s17	Søjle	1	RHS180X180X8	S355J2H	6 044	4,22	252,2	

s18		Søjle	1	RHS180X180X8			6,30	359,7	359,7
	F25	Fladstål	1	FL15*300	S355J2	390	0,25	13,8	
	F50	Fladstål	1	FL10*65	S355J2	100	0,02	0,5	
	F66	Fladstål	1	FL15*120	S355J2	120	0,04	1,7	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	

DS Assembly part list

	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	T12	Opstik	1	FL10*140	S355J2	780	0,24	8,6	
	s18	Søjle	1	RHS180X180X8	S355J2H	7 660	5,35	319,5	

s19		Søjle	1	RHS180X180X8			5,42	302,4	302,4
	C28	Plade	1	PL15*179	S355J2	202	0,06	3,1	
	C29	Plade	1	PL15*198	S355J2	213	0,08	3,9	
	F24	Fladstål	1	FL15*200	S355J2	350	0,16	8,2	
	F26	Fladstål	1	FL15*140	S355J2	140	0,05	2,3	
	F101	Fladstål	2	FL15*140	S355J2	140	0,05	2,3	
	F103	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	T9	Opstik	1	FL10*140	S355J2	1 184	0,36	12,9	
	T10	Opstik	1	FL10*120	S355J2	1 400	0,37	13,2	
	s19	Søjle	1	RHS180X180X8	S355J2H	6 044	4,22	252,2	

s20		Søjle	1	RHS180X180X10			4,81	326,6	326,6
	F23	Fladstål	1	FL12*90	S355J2	200	0,04	1,7	
	F50	Fladstål	4	FL10*65	S355J2	100	0,02	0,5	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s20	Søjle	1	RHS180X180X10	S355J2H	5 849	3,99	294,5	

s21		Søjle	4	RHS100X100X6			1,01	43,9	175,8
	F22	Fladstål	1	FL10*140	S355J2	220	0,07	2,4	
	s21	Søjle	1	RHS100X100X6	S355J2H	2 455	0,94	41,5	

s22		Søjle	2	RHS100X100X6			1,01	43,9	87,9
	F22	Fladstål	1	FL10*140	S355J2	220	0,07	2,4	
	s22	Søjle	1	RHS100X100X6	S355J2H	2 455	0,94	41,5	

s23		Søjle	2	RHS100X100X6			1,01	43,9	87,9
	F22	Fladstål	1	FL10*140	S355J2	220	0,07	2,4	
	s23	Søjle	1	RHS100X100X6	S355J2H	2 455	0,94	41,5	

s24		Søjle	1	RHS150X150X8			3,73	219,9	219,9
	F90	Fladstål	1	FL15*120	S355J2	150	0,04	2,1	
	F91	Fladstål	1	FL15*140	S355J2	160	0,05	2,6	
	s24	Søjle	1	RHS150X150X8	S355J2H	6 369	3,64	215,2	

s25		Søjle	1	RHS100X100X6			1,38	63,9	63,9
	C31	Plade	1	PL15*356	S355J2	534	0,37	20,6	
	F22	Fladstål	1	FL10*140	S355J2	220	0,07	2,4	

DS Assembly part list

	s25	Søjle	1	RHS100X100X6	S355J2H	2 455	0,93	40,9	
s26		Søjle	1	RHS150X150X8			2,63	156,0	156,0
	C16	Plade	1	PL15*153	S355J2	216	0,05	2,5	
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	F101	Fladstål	1	FL15*140	S355J2	140	0,05	2,3	
	s26	Søjle	1	RHS150X150X8	S355J2H	3 676	2,09	123,6	
s27		Søjle	1	RHS150X150X8			2,58	153,5	153,5
	C27	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	F101	Fladstål	1	FL15*140	S355J2	140	0,05	2,3	
	s27	Søjle	1	RHS150X150X8	S355J2H	3 676	2,09	123,6	
s28		Søjle	1	RHS150X150X8			2,79	165,2	165,2
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	F101	Fladstål	2	FL15*140	S355J2	140	0,05	2,3	
	s28	Søjle	1	RHS150X150X8	S355J2H	3 956	2,25	133,1	
s29		Søjle	1	RHS150X150X8			2,74	162,9	162,9
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	F101	Fladstål	1	FL15*140	S355J2	140	0,05	2,3	
	s29	Søjle	1	RHS150X150X8	S355J2H	3 956	2,25	133,1	
s30		Søjle	1	RHS180X180X10			2,94	188,7	188,7
	C13	Plade	1	PL15*178	S355J2	274	0,07	3,7	
	F50	Fladstål	4	FL10*65	S355J2	100	0,02	0,5	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s30	Søjle	1	RHS180X180X10	S355J2H	3 114	2,13	156,5	
s31		Søjle	1	RHS180X180X10			2,97	190,6	190,6
	F50	Fladstål	2	FL10*65	S355J2	100	0,02	0,5	
	F101	Fladstål	2	FL15*140	S355J2	140	0,05	2,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	

DS Assembly part list

	s31	Søjle	1	RHS180X180X10	S355J2H	3 114	2,13	156,5	
s32		Søjle	1	RHS180X180X10			3,04	192,3	192,3
	C13	Plade	1	PL15*178	S355J2	274	0,07	3,7	
	F50	Fladstål	4	FL10*65	S355J2	100	0,02	0,5	
	F95	Fladstål	1	FL10*168	S355J2	310	0,11	4,1	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s32	Søjle	1	RHS180X180X10	S355J2H	3 104	2,12	156,0	
s33		Søjle	1	RHS180X180X10			3,04	193,1	193,1
	F95	Fladstål	1	FL10*168	S355J2	310	0,11	4,1	
	F101	Fladstål	2	FL15*140	S355J2	140	0,05	2,3	
	F102	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F103	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F104	Fladstål	1	FL20*115	S355J2	240	0,07	4,3	
	T5	Opstik	1	FL10*140	S355J2	761	0,23	8,4	
	T6	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	s33	Søjle	1	RHS180X180X10	S355J2H	3 104	2,12	156,0	
s34		Søjle	1	RHS100X100X6			1,44	68,2	68,2
	C1	Plade	1	PL15*140	S355J2	146	0,05	2,2	
	F67	Fladstål	1	FL20*250	S355J2	300	0,17	11,8	
	F101	Fladstål	1	FL15*140	S355J2	140	0,05	2,3	
	s34	Søjle	1	RHS100X100X6	S355J2H	3 074	1,18	51,9	
s35		Søjle	1	RHS150X100X6			1,65	78,1	78,1
	F67	Fladstål	1	FL20*250	S355J2	300	0,17	11,8	
	s35	Søjle	1	RHS150X100X6	S355J2H	3 074	1,47	66,4	
s36		Søjle	1	RHS100X100X6			1,04	45,4	45,4
	F22	Fladstål	1	FL10*140	S355J2	220	0,07	2,4	
	F78	Fladstål	1	FL15*100	S355J2	120	0,03	1,4	
	s36	Søjle	1	RHS100X100X6	S355J2H	2 455	0,94	41,5	
s54		Søjle	1	RHS150X150X8			5,09	300,5	300,5
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F16	Fladstål	2	FL15*180	S355J2	340	0,14	7,2	
	F17	Fladstål	2	FL10*150	S355J2	160	0,05	1,9	
	F27	Fladstål	2	FL30*150	S355J2	190	0,08	6,7	
	F28	Fladstål	2	FL12*120	S355J2	150	0,04	1,7	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	

DS Assembly part list

	s54	Søjle	1	RHS150X150X8	S355J2H	7 061	4,02	238,0	
s55		Søjle	1	RHS150X150X8			5,14	303,2	303,2
	C26	Plade	1	PL15*170	S355J2	568	0,19	9,9	
	F16	Fladstål	2	FL15*180	S355J2	340	0,14	7,2	
	F17	Fladstål	2	FL10*150	S355J2	160	0,05	1,9	
	F27	Fladstål	2	FL30*150	S355J2	190	0,08	6,7	
	F28	Fladstål	2	FL12*120	S355J2	150	0,04	1,7	
	F53	Fladstål	1	FL20*250	S355J2	450	0,25	17,7	
	s55	Søjle	1	RHS150X150X8	S355J2H	7 141	4,07	240,7	
s56		Søjle	3	RHS100X100X6			1,01	43,9	131,8
	F22	Fladstål	1	FL10*140	S355J2	220	0,07	2,4	
	s56	Søjle	1	RHS100X100X6	S355J2H	2 455	0,94	41,5	
x1		Vind-X	4	RHS100X100X6			1,90	84,3	337,3
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V4	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	x1	Vind-X	1	RHS100X100X6	S355J2H	4 517	1,73	76,4	
x2		Vind-X	2	RHS100X100X6			1,87	82,9	165,8
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V4	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	x2	Vind-X	1	RHS100X100X6	S355J2H	4 434	1,70	75,0	
x3		Vind-X	1	RHS100X100X6			1,96	86,8	86,8
	I3	Kamstål	5	REBAR25	B550B	199	0,02	0,7	
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x3	Vind-X	1	RHS100X100X6	S355J2H	4 509	1,73	76,3	
x4		Vind-X	1	RHS100X100X6			1,96	86,8	86,8
	I3	Kamstål	5	REBAR25	B550B	199	0,02	0,7	
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x4	Vind-X	1	RHS100X100X6	S355J2H	4 510	1,73	76,3	
x5		Vind-X	1	RHS100X100X6			2,01	88,4	88,4
	I3	Kamstål	5	REBAR25	B550B	199	0,02	0,7	
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	V20	Vind-X-Plade	2	FL10*100	S355J2	100	0,02	0,8	
	x5	Vind-X	1	RHS100X100X6	S355J2H	4 509	1,73	76,3	
x6		Vind-X	12	RHS100X100X6			1,88	83,1	997,7

DS Assembly part list

	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x6	Vind-X	1	RHS100X100X6	S355J2H	4 509	1,73	76,3	

x7		Vind-X	1	RHS100X100X6			1,92	85,3	85,3
	I3	Kamstål	5	REBAR25	B550B	199	0,02	0,7	
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x7	Vind-X	1	RHS100X100X6	S355J2H	4 420	1,70	74,8	

x8		Vind-X	1	RHS100X100X6			1,92	85,3	85,3
	I3	Kamstål	5	REBAR25	B550B	199	0,02	0,7	
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x8	Vind-X	1	RHS100X100X6	S355J2H	4 419	1,70	74,8	

x9		Vind-X	2	RHS100X100X6			1,84	81,6	163,2
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x9	Vind-X	1	RHS100X100X6	S355J2H	4 419	1,70	74,8	

x10		Vind-X	1	RHS100X100X6			1,85	82,1	82,1
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x10	Vind-X	1	RHS100X100X6	S355J2H	4 449	1,71	75,3	

x11		Vind-X	1	RHS100X100X6			1,85	82,1	82,1
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x11	Vind-X	1	RHS100X100X6	S355J2H	4 450	1,71	75,3	

x12		Vind-X	1	RHS120X120X10			2,47	170,5	170,5
	V18	Vind-X-Plade	2	FL15*140	S355J2	214	0,07	3,5	
	V19	Vind-X-Plade	4	PL5*48	S355J2	110	0,01	0,2	
	x12	Vind-X	1	RHS120X120X10	S355J2H	5 050	2,28	162,6	

x13		Vind-X	1	RHS120X120X8			4,38	249,8	249,8
	V19	Vind-X-Plade	4	PL5*48	S355J2	110	0,01	0,2	
	V20	Vind-X-Plade	3	FL10*100	S355J2	100	0,02	0,8	
	V21	Vind-X-Plade	2	FL15*170	S355J2	275	0,11	5,5	
	x13	Vind-X	1	RHS120X120X8	S355J2H	8 999	4,05	235,6	

x14		Vind-X	1	RHS120X120X8			4,33	248,2	248,2
	V19	Vind-X-Plade	4	PL5*48	S355J2	110	0,01	0,2	
	V20	Vind-X-Plade	1	FL10*100	S355J2	100	0,02	0,8	

DS Assembly part list

	V21	Vind-X-Plade	2	FL15*170	S355J2	275	0,11	5,5	
	x14	Vind-X	1	RHS120X120X8	S355J2H	8 999	4,05	235,6	
x15		Vind-X	6	RHS120X120X8			4,31	247,4	1 484,5
	V19	Vind-X-Plade	4	PL5*48	S355J2	110	0,01	0,2	
	V21	Vind-X-Plade	2	FL15*170	S355J2	275	0,11	5,5	
	x15	Vind-X	1	RHS120X120X8	S355J2H	8 999	4,05	235,6	
x16		Vind-X	1	RHS100X100X6			1,90	84,4	84,4
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V4	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	x16	Vind-X	1	RHS100X100X6	S355J2H	4 520	1,73	76,5	
x17		Vind-X	1	RHS100X100X6			1,91	84,7	84,7
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V4	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	x17	Vind-X	1	RHS100X100X6	S355J2H	4 537	1,74	76,8	
x18		Vind-X	4	D30			0,39	19,8	79,3
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V22	Vind-X-Plade	2	FL15*140	S355J2	259	0,08	3,8	
	x18	Vind-X	1	D30	S355J2	1 634	0,15	8,7	
x19		Vind-X	2	D30			0,59	31,3	62,6
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x19	Vind-X	1	D30	S355J2	4 524	0,42	24,0	
x20		Vind-X	4	D30			0,66	35,1	140,5
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x20	Vind-X	1	D30	S355J2	5 250	0,49	27,8	
x21		Vind-X	1	D30			0,61	32,4	32,4
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x21	Vind-X	1	D30	S355J2	4 731	0,44	25,1	
x22		Vind-X	1	D30			0,64	34,2	34,2
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	

DS Assembly part list

	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x22	Vind-X	1	D30	S355J2	5 077	0,47	26,9	
x23		Vind-X	4	D30			0,71	38,4	153,7
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x23	Vind-X	1	D30	S355J2	5 873	0,55	31,1	
x24		Vind-X	4	D30			0,72	38,7	154,8
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x24	Vind-X	1	D30	S355J2	5 921	0,55	31,4	
x25		Vind-X	4	D30			0,71	38,1	152,5
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x25	Vind-X	1	D30	S355J2	5 816	0,54	30,8	
x26		Vind-X	2	D30			0,66	34,8	69,7
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V22	Vind-X-Plade	2	FL15*140	S355J2	259	0,08	3,8	
	x26	Vind-X	1	D30	S355J2	4 466	0,42	23,7	
x27		Vind-X	1	D30			0,60	31,9	31,9
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x27	Vind-X	1	D30	S355J2	4 648	0,43	24,6	
x28		Vind-X	1	D30			0,63	33,5	33,5
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x28	Vind-X	1	D30	S355J2	4 949	0,46	26,2	
x29		Vind-X	1	RHS100X100X6			1,94	86,1	86,1
	I3	Kamstål	5	REBAR25	B550B	199	0,02	0,7	
	V2	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x29	Vind-X	1	RHS100X100X6	S355J2H	4 469	1,72	75,6	

DS Assembly part list

x30		Vind-X	1 RHS100X100X6			1,92	84,9	84,9
	V14	(Vind-X-Plade)	2 FL15*100	S355J2	140	0,04	1,6	
	V15	(Vind-X-Plade)	2 FL15*120	S355J2	120	0,04	1,7	
	x30	Vind-X	1 RHS100X100X6	S355J2H	4 624	1,77	78,2	

x31		Vind-X	6 RHS100X100X6			1,91	84,5	507,0
	V14	(Vind-X-Plade)	2 FL15*100	S355J2	140	0,04	1,6	
	V15	(Vind-X-Plade)	2 FL15*120	S355J2	120	0,04	1,7	
	x31	Vind-X	1 RHS100X100X6	S355J2H	4 599	1,76	77,8	

x32		Vind-X	1 RHS100X100X6			1,85	82,0	82,0
	V14	(Vind-X-Plade)	2 FL15*100	S355J2	140	0,04	1,6	
	V15	(Vind-X-Plade)	2 FL15*120	S355J2	120	0,04	1,7	
	x32	Vind-X	1 RHS100X100X6	S355J2H	4 455	1,71	75,4	

x33		Vind-X	2 D30			0,71	38,4	76,8
	Q1	Færdigvare	2 D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1 PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2 PL15*80	S355J2	240	0,04	1,9	
	x33	Vind-X	1 D30	S355J2	5 863	0,55	31,1	

x34		Vind-X	1 D30			0,72	38,8	38,8
	Q1	Færdigvare	2 D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1 PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2 PL15*80	S355J2	240	0,04	1,9	
	x34	Vind-X	1 D30	S355J2	5 935	0,55	31,5	

x35		Vind-X	1 D30			0,72	38,7	38,7
	Q1	Færdigvare	2 D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1 PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2 PL15*80	S355J2	240	0,04	1,9	
	x35	Vind-X	1 D30	S355J2	5 923	0,55	31,4	

x60		Vind-X	12 RHS100X100X6			1,90	84,3	1 011,9
	V2	Vind-X-Plade	2 FL15*120	S355J2	140	0,04	2,0	
	V4	Vind-X-Plade	2 FL15*120	S355J2	140	0,04	2,0	
	x60	Vind-X	1 RHS100X100X6	S355J2H	4 517	1,73	76,4	

x61		Vind-X	2 RHS100X100X6			1,88	83,1	166,3
	V2	Vind-X-Plade	2 FL15*120	S355J2	140	0,04	2,0	
	V3	Vind-X-Plade	2 FL15*88	S355J2	140	0,03	1,5	
	x61	Vind-X	1 RHS100X100X6	S355J2H	4 509	1,73	76,3	

x62		Vind-X	2 D30			0,59	31,3	62,6
	Q1	Færdigvare	2 D30	S355J2	260	0,03	1,4	

DS Assembly part list

	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x62	Vind-X	1	D30	S355J2	4 524	0,42	24,0	

x63		Vind-X	12	D30			0,72	38,7	464,3
	Q1	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q2	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V1	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x63	Vind-X	1	D30	S355J2	5 921	0,55	31,4	

x64		Vind-X	1	RHS100X100X6			1,91	84,5	84,5
	V14	(Vind-X-Plade)	2	FL15*100	S355J2	140	0,04	1,6	
	V15	(Vind-X-Plade)	2	FL15*120	S355J2	120	0,04	1,7	
	x64	Vind-X	1	RHS100X100X6	S355J2H	4 599	1,76	77,8	

Total									74 884,2
--------------	--	--	--	--	--	--	--	--	-----------------