

DS_Assembly_part_list

Project Number:	30480-2	Rev.							
Project	Akkasæter Lager- ***	Rev. date		EXC	EXC 2				
Date	07.11.2025	Sent by	zll	Drafter	ZLL				
Assembly	Part	Name	No.	Profile	Grade	Length/pc. (mm)	Area/pc. (m^2)	Weigth/pc. (kg)	Weight total (kg)

d24		Drager	2	IPE400			22,04	993,7	1 987,3
	A8	Afstivning	4	FL10*80	S355J2	371	0,07	2,3	
	d24	Drager	1	IPE400	S355J2	14 840	21,77	984,4	

j1		Benkile	1	PL8*1697			21,41	1 178,4	1 178,4
	A7	Afstivning	2	FL15*140	S355J2	413	0,13	6,8	
	C10	Plade	1	PL15*200	S355J2	210	0,08	4,0	
	C11	Plade	1	PL15*183	S355J2	210	0,07	3,6	
	C12	Plade	4	PL10*100	S355J2	211	0,04	1,4	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	
	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j1	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

j2		Benkile	1	PL8*1697			21,37	1 177,0	1 177,0
	A7	Afstivning	2	FL15*140	S355J2	413	0,13	6,8	
	C10	Plade	1	PL15*200	S355J2	210	0,08	4,0	
	C11	Plade	1	PL15*183	S355J2	210	0,07	3,6	
	C12	Plade	3	PL10*100	S355J2	211	0,04	1,4	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	
	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j2	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

j3		Benkile	1	PL8*1697			22,43	1 198,0	1 198,0
	A7	Afstivning	2	FL15*140	S355J2	413	0,13	6,8	
	C10	Plade	1	PL15*200	S355J2	210	0,08	4,0	

DS_Assembly_part_list

	C11	Plade	1	PL15*183	S355J2	210	0,07	3,6	
	C12	Plade	2	PL10*100	S355J2	211	0,04	1,4	
	C20	Plade	1	PL10*72	S355J2	108	0,01	0,3	
	D26	Drager	1	L60*40*5	S355J2	5 290	1,03	19,9	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	F34	Fladstål	1	FL10*70	S355J2	249	0,04	1,4	
	F47	Fladstål	1	FL10*90	S355J2	100	0,02	0,7	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	
	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j3	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

j4		Benkile	1	PL8*1697			22,43	1 198,0	1 198,0
	A7	Afstivning	2	FL15*140	S355J2	413	0,13	6,8	
	C10	Plade	1	PL15*200	S355J2	210	0,08	4,0	
	C11	Plade	1	PL15*183	S355J2	210	0,07	3,6	
	C12	Plade	2	PL10*100	S355J2	211	0,04	1,4	
	C20	Plade	1	PL10*72	S355J2	108	0,01	0,3	
	D26	Drager	1	L60*40*5	S355J2	5 290	1,03	19,9	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	F34	Fladstål	1	FL10*70	S355J2	249	0,04	1,4	
	F47	Fladstål	1	FL10*90	S355J2	100	0,02	0,7	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	
	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j4	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

j5		Benkile	3	PL8*1697			21,15	1 162,4	3 487,2
	C12	Plade	2	PL10*100	S355J2	211	0,04	1,4	
	C34	Plade	3	PL10*150	S355J2	221	0,07	2,3	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	F60	Fladstål	2	FL8*100	S355J2	100	0,02	0,5	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	

DS_Assembly_part_list

	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j5	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

j6		Benkile	4	PL8*1697			21,15	1 162,4	4 649,7
	C12	Plade	2	PL10*100	S355J2	211	0,04	1,4	
	C34	Plade	3	PL10*150	S355J2	221	0,07	2,3	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	F60	Fladstål	2	FL8*100	S355J2	100	0,02	0,5	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	
	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j6	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

j7		Benkile	1	PL8*1697			21,11	1 161,0	1 161,0
	C12	Plade	1	PL10*100	S355J2	211	0,04	1,4	
	C34	Plade	3	PL10*150	S355J2	221	0,07	2,3	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	F60	Fladstål	2	FL8*100	S355J2	100	0,02	0,5	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	
	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j7	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

j8		Benkile	2	PL8*1697			21,00	1 157,4	2 314,7
	C34	Plade	2	PL10*150	S355J2	221	0,07	2,3	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	F60	Fladstål	2	FL8*100	S355J2	100	0,02	0,5	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	
	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j8	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

DS_Assembly_part_list

j9		Benkile	2	PL8*1697			21,00	1 157,4	2 314,7
	C34	Plade	2	PL10*150	S355J2	221	0,07	2,3	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F5	Fladstål	1	FL25*300	S355J2 Z15	488	0,33	28,7	
	F60	Fladstål	2	FL8*100	S355J2	100	0,02	0,5	
	H1	Flange	1	FL25*300	S355J2	4 415	2,89	260,0	
	H2	Flange	1	FL25*300	S355J2	5 757	3,76	339,0	
	T7	Opstik	1	FL10*140	S355J2	784	0,24	8,6	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	j9	Benkile	1	PL8*1697	S355J2	5 757	11,81	367,7	

l4		Løsdele	2	FL10*90			0,05	1,7	3,4
	l4	Løsdele	1	FL10*90	S355J2	240	0,05	1,7	

p36		Portomfatning	18	RHS100X100X6			0,52	22,3	400,9
	F8	Fladstål	2	FL10*90	S355J2	140	0,03	1,0	
	p36	Portomfatning	1	RHS100X100X6	S355J2H	1 200	0,46	20,3	

p37		Portomfatning	8	RHS100X100X6			1,83	79,6	637,0
	F9	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p37	Portomfatning	1	RHS100X100X6	S355J2H	4 670	1,79	79,0	

p38		Portomfatning	2	RHS100X100X6			1,83	79,6	159,2
	F9	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p38	Portomfatning	1	RHS100X100X6	S355J2H	4 670	1,79	79,0	

p39		Portomfatning	1	RHS100X100X6			1,83	79,6	79,6
	F9	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p39	Portomfatning	1	RHS100X100X6	S355J2H	4 670	1,79	79,0	

p40		Portomfatning	1	RHS100X100X6			0,90	39,1	39,1
	D27	Drager	1	L100*10	S355J2	130	0,05	2,0	
	F8	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	p40	Portomfatning	1	RHS100X100X6	S355J2H	2 135	0,82	36,1	

p41		Portomfatning	1	RHS100X100X6			0,92	39,6	39,6
	D27	Drager	1	L100*10	S355J2	130	0,05	2,0	
	F8	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F39	Fladstål	1	FL10*65	S355J2	100	0,02	0,5	

DS_Assembly_part_list

	p41	Portomfatning	1	RHS100X100X6	S355J2H	2 135	0,82	36,1	
p42		Portomfatning	1	RHS100X100X6			0,93	40,5	40,5
	D27	Drager	1	L100*10	S355J2	130	0,05	2,0	
	F8	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F57	Fladstål	1	FL15*100	S355J2	120	0,03	1,4	
	p42	Portomfatning	1	RHS100X100X6	S355J2H	2 135	0,82	36,1	
p43		Portomfatning	1	RHS100X100X6			0,93	40,5	40,5
	D27	Drager	1	L100*10	S355J2	130	0,05	2,0	
	F8	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F57	Fladstål	1	FL15*100	S355J2	120	0,03	1,4	
	p43	Portomfatning	1	RHS100X100X6	S355J2H	2 135	0,82	36,1	
p44		Portomfatning	1	RHS100X100X6			1,36	58,8	58,8
	F9	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p44	Portomfatning	1	RHS100X100X6	S355J2H	3 440	1,32	58,2	
p45		Portomfatning	1	RHS100X100X6			1,87	81,7	81,7
	F9	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p45	Portomfatning	1	RHS100X100X6	S355J2H	4 790	1,84	81,0	
p46		Portomfatning	2	RHS100X100X6			1,85	80,6	161,3
	F9	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p46	Portomfatning	1	RHS100X100X6	S355J2H	4 730	1,81	80,0	
p47		Portomfatning	2	RHS100X100X6			1,85	80,6	161,3
	F9	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p47	Portomfatning	1	RHS100X100X6	S355J2H	4 730	1,81	80,0	
p48		Portomfatning	2	RHS150X100X6			6,42	285,9	571,7
	F56	Fladstål	4	FL5*90	S355J2	140	0,03	0,5	
	P29	Portomfatning	2	RHS150X150X6	S355J2H	800	0,47	21,1	
	P30	Portomfatning	1	RHS150X100X6	S355J2H	4 790	2,30	103,6	
	P77	Portomfatning	2	RHS150X100X6	S355J2H	800	0,39	17,3	
	p48	Portomfatning	1	RHS150X100X6	S355J2H	4 790	2,30	103,6	
p49		Portomfatning	4	RHS150X150X6			2,85	127,4	509,7
	D28	Drager	1	L150*100*10	S355J2	150	0,07	2,8	

DS_Assembly_part_list

	F55	Fladstål	1	FL10*140	S355J2	205	0,06	2,3	
	p49	Portomfatning	1	RHS150X150X6	S355J2H	4 645	2,71	122,3	

p50		Portomfatning	4	RHS150X150X6			2,85	127,4	509,7
	D29	Drager	1	L150*100*10	S355J2	150	0,07	2,8	
	F55	Fladstål	1	FL10*140	S355J2	205	0,06	2,3	
	p50	Portomfatning	1	RHS150X150X6	S355J2H	4 645	2,71	122,3	

p51		Portomfatning	4	RHS150X150X6			2,96	129,7	518,8
	D33	Drager	1	L150*100*10	S355J2	150	0,07	2,0	
	D34	Drager	1	L150*100*10	S355J2	150	0,07	2,0	
	F59	Fladstål	1	FL10*140	S355J2	230	0,07	2,5	
	F61	Fladstål	1	FL10*85	S355J2	140	0,03	0,9	
	p51	Portomfatning	1	RHS150X150X6	S355J2H	4 645	2,71	122,3	

p52		Portomfatning	4	RHS150X150X6			2,96	129,7	518,8
	D33	Drager	1	L150*100*10	S355J2	150	0,07	2,0	
	D34	Drager	1	L150*100*10	S355J2	150	0,07	2,0	
	F59	Fladstål	1	FL10*140	S355J2	230	0,07	2,5	
	F61	Fladstål	1	FL10*85	S355J2	140	0,03	0,9	
	p52	Portomfatning	1	RHS150X150X6	S355J2H	4 645	2,71	122,3	

p53		Portomfatning	2	RHS150X100X6			7,07	315,3	630,6
	F56	Fladstål	4	FL5*90	S355J2	140	0,03	0,5	
	P29	Portomfatning	2	RHS150X150X6	S355J2H	800	0,47	21,1	
	P77	Portomfatning	2	RHS150X100X6	S355J2H	800	0,39	17,3	
	P78	Portomfatning	1	RHS150X100X6	S355J2H	5 470	2,62	118,3	
	p53	Portomfatning	1	RHS150X100X6	S355J2H	5 470	2,62	118,3	

p54		Portomfatning	4	RHS150X100X6			6,31	280,7	1 122,7
	F56	Fladstål	4	FL5*90	S355J2	140	0,03	0,5	
	P16	Portomfatning	1	RHS150X100X6	S355J2H	4 670	2,24	101,0	
	P29	Portomfatning	2	RHS150X150X6	S355J2H	800	0,47	21,1	
	P77	Portomfatning	2	RHS150X100X6	S355J2H	800	0,39	17,3	
	p54	Portomfatning	1	RHS150X100X6	S355J2H	4 670	2,24	101,0	

p55		Portomfatning	1	RHS150X100X6			1,32	56,8	56,8
	F11	Fladstål	1	FL10*90	S355J2	240	0,05	1,7	
	F35	Fladstål	1	FL15*265	S355J2	299	0,18	9,4	

DS_Assembly_part_list

	F43	Fladstål	1	FL10*150	S355J2	150	0,04	1,4	
	T17	Opstik	1	FL10*140	S355J2	597	0,18	6,5	
	T18	Opstik	1	FL10*80	S355J2	750	0,14	4,7	
	p55	Portomfatning	1	RHS150X100X6	S355J2H	1 545	0,74	33,2	

p56		Portomfatning	1	RHS150X100X6			1,32	56,8	56,8
	F11	Fladstål	1	FL10*90	S355J2	240	0,05	1,7	
	F35	Fladstål	1	FL15*265	S355J2	299	0,18	9,4	
	F43	Fladstål	1	FL10*150	S355J2	150	0,04	1,4	
	T17	Opstik	1	FL10*140	S355J2	597	0,18	6,5	
	T18	Opstik	1	FL10*80	S355J2	750	0,14	4,7	
	p56	Portomfatning	1	RHS150X100X6	S355J2H	1 545	0,74	33,2	

p57		Portomfatning	1	RHS150X100X6			1,61	69,8	69,8
	C19	Plade	1	PL10*125	S355J2	125	0,02	0,8	
	C38	Plade	1	PL15*202	S355J2	287	0,09	4,3	
	F11	Fladstål	1	FL10*90	S355J2	240	0,05	1,7	
	F45	Fladstål	1	FL15*160	S355J2	250	0,09	4,7	
	F46	Fladstål	1	FL15*180	S355J2	239	0,10	5,1	
	T18	Opstik	1	FL10*80	S355J2	750	0,14	4,7	
	T19	Opstik	1	FL10*140	S355J2	679	0,21	7,5	
	p57	Portomfatning	1	RHS150X100X6	S355J2H	1 895	0,91	41,0	

p58		Portomfatning	2	RHS100X100X6			2,17	94,9	189,9
	F9	Fladstål	1	FL5*90	S355J2	90	0,02	0,3	
	F12	Fladstål	1	FL10*90	S355J2	190	0,04	1,3	
	p58	Portomfatning	1	RHS100X100X6	S355J2H	5 514	2,12	93,3	

p59		Portomfatning	2	RHS100X100X6			1,04	44,7	89,3
	F8	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F42	Fladstål	1	FL10*200	S355J2	250	0,11	3,9	
	p59	Portomfatning	1	RHS100X100X6	S355J2H	2 350	0,90	39,7	

p60		Portomfatning	2	RHS100X100X6			1,04	44,7	89,3
	F8	Fladstål	1	FL10*90	S355J2	140	0,03	1,0	
	F42	Fladstål	1	FL10*200	S355J2	250	0,11	3,9	
	p60	Portomfatning	1	RHS100X100X6	S355J2H	2 349	0,90	39,7	

p61		Portomfatning	2	RHS100X100X6			1,28	55,7	111,3
------------	--	----------------------	----------	---------------------	--	--	-------------	-------------	--------------

DS_Assembly_part_list

	F9	Fladstål	1	FL5*90	S355J2	90	0,02	0,3	
	F12	Fladstål	1	FL10*90	S355J2	190	0,04	1,3	
	p61	Portomfatning	1	RHS100X100X6	S355J2H	3 193	1,23	54,0	

p62		Portomfatning	2	RHS150X100X6			2,84	127,2	254,3
	F41	Fladstål	1	FL10*200	S355J2	300	0,13	4,7	
	F48	Fladstål	1	FL10*75	S355J2	100	0,01	0,4	
	F52	Fladstål	1	FL15*160	S355J2	170	0,06	3,2	
	F54	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	p62	Portomfatning	1	RHS150X100X6	S355J2H	5 404	2,59	116,9	

p63		Portomfatning	1	RHS100X100X6			3,86	169,3	169,3
	F9	Fladstål	2	FL5*90	S355J2	90	0,02	0,3	
	p63	Portomfatning	1	RHS100X100X6	S355J2H	9 969	3,82	168,6	

p64		Portomfatning	4	RHS50X50X5			1,03	36,1	144,4
	C41	Plade	2	FL5*40	S355J2	40	-	0,1	
	p64	Portomfatning	1	RHS50X50X5	S355J2H	5 525	1,03	36,0	

p65		Portomfatning	4	RHS100X100X6			1,95	84,7	338,9
	C35	Plade	2	PL6*60	S355J2	60	0,01	0,2	
	F12	Fladstål	2	FL10*90	S355J2	190	0,04	1,3	
	p65	Portomfatning	1	RHS100X100X6	S355J2H	4 829	1,85	81,7	

p66		Portomfatning	1	RHS100X100X6			1,45	64,0	64,0
	C35	Plade	2	PL6*60	S355J2	60	0,01	0,2	
	F12	Fladstål	1	FL10*90	S355J2	190	0,04	1,3	
	F115	Fladstål	1	FL15*220	S355J2	250	0,12	6,5	
	P80	Portomfatning	1	RHS100X100X6	S355J2H	341	0,11	4,7	
	P81	Portomfatning	1	RHS100X100X6	S355J2H	209	0,05	1,9	
	p66	Portomfatning	1	RHS100X100X6	S355J2H	2 964	1,12	49,3	

p67		Portomfatning	1	RHS100X100X6			1,45	64,0	64,0
	C35	Plade	2	PL6*60	S355J2	60	0,01	0,2	
	F12	Fladstål	1	FL10*90	S355J2	190	0,04	1,3	
	F115	Fladstål	1	FL15*220	S355J2	250	0,12	6,5	
	P82	Portomfatning	1	RHS100X100X6	S355J2H	341	0,11	4,7	
	P83	Portomfatning	1	RHS100X100X6	S355J2H	209	0,05	1,9	
	p67	Portomfatning	1	RHS100X100X6	S355J2H	2 964	1,12	49,3	

DS_Assembly_part_list

p68		Portomfatning	3	RHS60X60X5			0,55	18,4	55,2
	C37	Plade	4	PL6*80	S355J2	140	0,02	0,4	
	F112	Fladstål	2	FL10*70	S355J2	150	0,03	0,8	
	p68	Portomfatning	1	RHS60X60X5	S355J2H	1 870	0,42	15,1	

p69		Portomfatning	4	RHS60X60X5			0,50	17,2	68,9
	C36	Plade	4	PL6*50	S355J2	50	0,01	0,1	
	C39	Plade	2	FL5*50	S355J2	50	0,01	0,1	
	p69	Portomfatning	1	RHS60X60X5	S355J2H	2 050	0,46	16,6	

p70		Portomfatning	2	RHS150X100X6			0,62	27,6	55,2
	C40	Plade	1	FL5*90	S355J2	140	0,03	0,5	
	F63	Fladstål	1	FL15*220	S355J2	300	0,15	7,8	
	F64	Fladstål	2	FL10*60	S355J2	100	0,01	0,4	
	p70	Portomfatning	1	RHS150X100X6	S355J2H	865	0,41	18,5	

p71		Portomfatning	2	RHS100X100X6			1,43	62,8	125,6
	C35	Plade	2	PL6*60	S355J2	60	0,01	0,2	
	F12	Fladstål	1	FL10*90	S355J2	190	0,04	1,3	
	F115	Fladstål	1	FL15*220	S355J2	250	0,12	6,5	
	F116	Fladstål	1	FL10*90	S355J2	130	0,03	0,9	
	P79	Portomfatning	1	RHS100X100X6	S355J2H	334	0,11	4,5	
	p71	Portomfatning	1	RHS100X100X6	S355J2H	2 957	1,12	49,2	

p72		Portomfatning	4	RHS60X60X5			0,16	5,7	22,6
	F112	Fladstål	2	FL10*70	S355J2	150	0,03	0,8	
	p72	Portomfatning	1	RHS60X60X5	S355J2H	499	0,11	4,0	

p73		Portomfatning	1	RHS150X100X6			0,78	35,0	35,0
	C40	Plade	1	FL5*90	S355J2	140	0,03	0,5	
	F65	Fladstål	1	FL15*160	S355J2	200	0,07	3,8	
	F83	Fladstål	1	FL15*180	S355J2	180	0,08	3,8	
	F111	Fladstål	2	FL10*50	S355J2	100	0,01	0,3	
	p73	Portomfatning	1	RHS150X100X6	S355J2H	1 215	0,59	26,3	

p74		Portomfatning	4	RHS50X50X5			0,93	32,6	130,2
	C41	Plade	2	FL5*40	S355J2	40	-	0,1	
	p74	Portomfatning	1	RHS50X50X5	S355J2H	4 980	0,92	32,4	

DS_Assembly_part_list

p75		Portomfatning	2	RHS60X60X5			0,47	16,5	33,0
	F113	Fladstål	2	FL5*50	S355J2	50	0,01	0,1	
	p75	Portomfatning	1	RHS60X60X5	S355J2H	2 020	0,46	16,3	

r1		Rigle	1	IPE600			44,22	2 398,2	2 398,2
	A1	Afstivning	1	FL25*300	S355J2	579	0,39	34,1	
	A2	Afstivning	2	FL15*140	S355J2	1 340	0,42	22,1	
	A6	Afstivning	1	FL15*200	S355J2	300	0,13	7,0	
	A7	Afstivning	2	FL15*140	S355J2	413	0,13	6,8	
	C3	Plade	2	PL15*184	S355J2	218	0,07	3,8	
	C4	Plade	1	PL15*219	S355J2	256	0,09	4,5	
	C5	Plade	1	PL15*219	S355J2	243	0,09	4,4	
	C6	Plade	1	PL15*199	S355J2	235	0,09	4,4	
	C7	Plade	1	PL15*236	S355J2	279	0,10	5,1	
	C8	Plade	1	PL15*207	S355J2	228	0,09	4,3	
	C9	Plade	1	PL15*229	S355J2	230	0,09	4,5	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F6	Fladstål	1	FL25*250	S355J2 Z15	666	0,38	32,7	
	F10	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	H3	Flange	1	FL25*300	S355J2	6 064	3,96	357,0	
	H4	Flange	1	FL25*300	S355J2	7 476	4,87	440,2	
	N1	Tagkile	1	PL6*1698	S355J2	7 476	15,90	371,8	
	r1	Rigle	1	IPE600	S355J2	7 530	15,17	920,3	

r2		Rigle	1	IPE600			44,22	2 398,2	2 398,2
	A1	Afstivning	1	FL25*300	S355J2	579	0,39	34,1	
	A2	Afstivning	2	FL15*140	S355J2	1 340	0,42	22,1	
	A6	Afstivning	1	FL15*200	S355J2	300	0,13	7,0	
	A7	Afstivning	2	FL15*140	S355J2	413	0,13	6,8	
	C3	Plade	2	PL15*184	S355J2	218	0,07	3,8	
	C4	Plade	1	PL15*219	S355J2	256	0,09	4,5	
	C5	Plade	1	PL15*219	S355J2	243	0,09	4,4	
	C6	Plade	1	PL15*199	S355J2	235	0,09	4,4	
	C7	Plade	1	PL15*236	S355J2	279	0,10	5,1	
	C8	Plade	1	PL15*207	S355J2	228	0,09	4,3	
	C9	Plade	1	PL15*229	S355J2	230	0,09	4,5	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F6	Fladstål	1	FL25*250	S355J2 Z15	666	0,38	32,7	

DS_Assembly_part_list

	F10	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	H3	Flange	1	FL25*300	S355J2	6 064	3,96	357,0	
	H4	Flange	1	FL25*300	S355J2	7 476	4,87	440,2	
	N1	Tagkile	1	PL6*1698	S355J2	7 476	15,90	371,8	
	r2	Rigle	1	IPE600	S355J2	7 530	15,17	920,3	

r3		Rigle	9	IPE600			43,14	2 342,7	21 084,5
	A1	Afstivning	1	FL25*300	S355J2	579	0,39	34,1	
	A2	Afstivning	2	FL15*140	S355J2	1 340	0,42	22,1	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F6	Fladstål	1	FL25*250	S355J2 Z15	666	0,38	32,7	
	F10	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	H3	Flange	1	FL25*300	S355J2	6 064	3,96	357,0	
	H4	Flange	1	FL25*300	S355J2	7 476	4,87	440,2	
	N1	Tagkile	1	PL6*1698	S355J2	7 476	15,90	371,8	
	r3	Rigle	1	IPE600	S355J2	7 530	15,17	920,3	

r4		Rigle	1	IPE600			43,37	2 354,6	2 354,6
	A1	Afstivning	1	FL25*300	S355J2	579	0,39	34,1	
	A2	Afstivning	2	FL15*140	S355J2	1 340	0,42	22,1	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F6	Fladstål	1	FL25*250	S355J2 Z15	666	0,38	32,7	
	F10	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F13	Fladstål	1	FL15*200	S355J2	265	0,12	6,2	
	F14	Fladstål	1	FL15*180	S355J2	265	0,11	5,6	
	H3	Flange	1	FL25*300	S355J2	6 064	3,96	357,0	
	H4	Flange	1	FL25*300	S355J2	7 476	4,87	440,2	
	N1	Tagkile	1	PL6*1698	S355J2	7 476	15,90	371,8	
	r4	Rigle	1	IPE600	S355J2	7 530	15,17	920,3	

r5		Rigle	1	IPE600			44,71	2 417,4	2 417,4
	A1	Afstivning	1	FL25*300	S355J2	579	0,39	34,1	
	A2	Afstivning	2	FL15*140	S355J2	1 340	0,42	22,1	
	A6	Afstivning	1	FL15*200	S355J2	300	0,13	7,0	
	A7	Afstivning	2	FL15*140	S355J2	413	0,13	6,8	
	C3	Plade	2	PL15*184	S355J2	218	0,07	3,8	
	C4	Plade	1	PL15*219	S355J2	256	0,09	4,5	
	C5	Plade	1	PL15*219	S355J2	243	0,09	4,4	
	C6	Plade	1	PL15*199	S355J2	235	0,09	4,4	

DS_Assembly_part_list

	C7	Plade	1	PL15*236	S355J2	279	0,10	5,1	
	C8	Plade	1	PL15*207	S355J2	228	0,09	4,3	
	C9	Plade	1	PL15*229	S355J2	230	0,09	4,5	
	C33	Plade	1	PL10*81	S355J2	117	0,01	0,4	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F6	Fladstål	1	FL25*250	S355J2 Z15	666	0,38	32,7	
	F10	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F31	Fladstål	1	FL10*140	S355J2	1 238	0,36	13,3	
	F44	Fladstål	1	FL15*170	S355J2	180	0,07	3,6	
	F49	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	H5	Flange	1	FL25*300	S355J2	6 064	3,96	357,0	
	H6	Flange	1	FL25*300	S355J2	7 476	4,87	440,2	
	N1	Tagkile	1	PL6*1698	S355J2	7 476	15,90	371,8	
	r5	Rigle	1	IPE600	S355J2	7 530	15,17	920,3	

r6		Rigle	1	IPE600			44,64	2 413,8	2 413,8
	A1	Afstivning	1	FL25*300	S355J2	579	0,39	34,1	
	A2	Afstivning	2	FL15*140	S355J2	1 340	0,42	22,1	
	A6	Afstivning	1	FL15*200	S355J2	300	0,13	7,0	
	A7	Afstivning	2	FL15*140	S355J2	413	0,13	6,8	
	C3	Plade	2	PL15*184	S355J2	218	0,07	3,8	
	C4	Plade	1	PL15*219	S355J2	256	0,09	4,5	
	C5	Plade	1	PL15*219	S355J2	243	0,09	4,4	
	C6	Plade	1	PL15*199	S355J2	235	0,09	4,4	
	C7	Plade	1	PL15*236	S355J2	279	0,10	5,1	
	C8	Plade	1	PL15*207	S355J2	228	0,09	4,3	
	C9	Plade	1	PL15*229	S355J2	230	0,09	4,5	
	C33	Plade	1	PL10*81	S355J2	117	0,01	0,4	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F6	Fladstål	1	FL25*250	S355J2 Z15	666	0,38	32,7	
	F10	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F31	Fladstål	1	FL10*140	S355J2	1 238	0,36	13,3	
	F49	Fladstål	1	FL15*120	S355J2	140	0,04	2,0	
	H5	Flange	1	FL25*300	S355J2	6 064	3,96	357,0	
	H6	Flange	1	FL25*300	S355J2	7 476	4,87	440,2	
	N1	Tagkile	1	PL6*1698	S355J2	7 476	15,90	371,8	
	r6	Rigle	1	IPE600	S355J2	7 530	15,17	920,3	

r7		Rigle	1	IPE600			43,14	2 342,7	2 342,7
-----------	--	--------------	----------	---------------	--	--	--------------	----------------	----------------

DS_Assembly_part_list

	A1	Afstivning	1	FL25*300	S355J2	579	0,39	34,1	
	A2	Afstivning	2	FL15*140	S355J2	1 340	0,42	22,1	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F6	Fladstål	1	FL25*250	S355J2 Z15	666	0,38	32,7	
	F10	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	H5	Flange	1	FL25*300	S355J2	6 064	3,96	357,0	
	H6	Flange	1	FL25*300	S355J2	7 476	4,87	440,2	
	N1	Tagkile	1	PL6*1698	S355J2	7 476	15,90	371,8	
	r7	Rigle	1	IPE600	S355J2	7 530	15,17	920,3	

r8		Rigle	1	IPE600			43,21	2 346,3	2 346,3
	A1	Afstivning	1	FL25*300	S355J2	579	0,39	34,1	
	A2	Afstivning	2	FL15*140	S355J2	1 340	0,42	22,1	
	F3	Fladstål	1	FL25*300	S355J2	2 350	1,54	138,4	
	F6	Fladstål	1	FL25*250	S355J2 Z15	666	0,38	32,7	
	F10	Fladstål	2	FL15*120	S355J2	140	0,04	2,0	
	F44	Fladstål	1	FL15*170	S355J2	180	0,07	3,6	
	H5	Flange	1	FL25*300	S355J2	6 064	3,96	357,0	
	H6	Flange	1	FL25*300	S355J2	7 476	4,87	440,2	
	N1	Tagkile	1	PL6*1698	S355J2	7 476	15,90	371,8	
	r8	Rigle	1	IPE600	S355J2	7 530	15,17	920,3	

s37		Søjle	1	RHS180X180X8			5,87	327,6	327,6
	F1	Fladstål	4	FL15*140	S355J2	140	0,05	2,3	
	F19	Fladstål	1	FL15*140	S355J2	230	0,08	3,8	
	F29	Fladstål	1	FL15*200	S355J2	350	0,16	8,2	
	F58	Fladstål	2	FL10*75	S355J2	150	0,03	0,9	
	F62	Fladstål	2	FL10*60	S355J2	60	0,01	0,3	
	T14	Opstik	1	FL10*140	S355J2	1 196	0,36	13,0	
	T15	Opstik	1	FL10*120	S355J2	1 400	0,37	13,2	
	s37	Søjle	1	RHS180X180X8	S355J2H	6 658	4,65	277,8	

s38		Søjle	1	RHS180X180X8			5,63	315,6	315,6
	F29	Fladstål	1	FL15*200	S355J2	350	0,16	8,2	
	F39	Fladstål	2	FL10*65	S355J2	100	0,02	0,5	
	F58	Fladstål	2	FL10*75	S355J2	150	0,03	0,9	
	F62	Fladstål	2	FL10*60	S355J2	60	0,01	0,3	
	T14	Opstik	1	FL10*140	S355J2	1 196	0,36	13,0	
	T15	Opstik	1	FL10*120	S355J2	1 400	0,37	13,2	

DS_Assembly_part_list

	s38	Søjle	1	RHS180X180X8	S355J2H	6 658	4,65	277,8	
s39		Søjle	1	RHS150X150X8			3,89	219,7	219,7
	C15	Plade	1	PL15*146	S355J2	270	0,08	4,1	
	F15	Fladstål	1	FL10*135	S355J2	150	0,05	1,6	
	F30	Fladstål	1	FL15*120	S355J2	137	0,04	1,9	
	F39	Fladstål	2	FL10*65	S355J2	100	0,02	0,5	
	T3	Opstik	1	L120*10	S355J2	762	0,36	13,8	
	s39	Søjle	1	RHS150X150X8	S355J2H	5 847	3,33	197,3	
s40		Søjle	1	RHS150X150X8			3,89	219,7	219,7
	C15	Plade	1	PL15*146	S355J2	270	0,08	4,1	
	F15	Fladstål	1	FL10*135	S355J2	150	0,05	1,6	
	F30	Fladstål	1	FL15*120	S355J2	137	0,04	1,9	
	F39	Fladstål	2	FL10*65	S355J2	100	0,02	0,5	
	T4	Opstik	1	L120*10	S355J2	760	0,36	13,8	
	s40	Søjle	1	RHS150X150X8	S355J2H	5 847	3,33	197,3	
s41		Søjle	1	RHS180X180X8			5,20	289,9	289,9
	F29	Fladstål	1	FL15*200	S355J2	350	0,16	8,2	
	F39	Fladstål	2	FL10*65	S355J2	100	0,02	0,5	
	F58	Fladstål	2	FL10*75	S355J2	150	0,03	0,9	
	F62	Fladstål	2	FL10*60	S355J2	60	0,01	0,3	
	T15	Opstik	1	FL10*120	S355J2	1 400	0,37	13,2	
	T16	Opstik	1	FL10*140	S355J2	1 184	0,36	12,9	
	s41	Søjle	1	RHS180X180X8	S355J2H	6 044	4,22	252,2	
s42		Søjle	1	RHS180X180X8			5,20	289,9	289,9
	F29	Fladstål	1	FL15*200	S355J2	350	0,16	8,2	
	F39	Fladstål	2	FL10*65	S355J2	100	0,02	0,5	
	F58	Fladstål	2	FL10*75	S355J2	150	0,03	0,9	
	F62	Fladstål	2	FL10*60	S355J2	60	0,01	0,3	
	T15	Opstik	1	FL10*120	S355J2	1 400	0,37	13,2	
	T16	Opstik	1	FL10*140	S355J2	1 184	0,36	12,9	
	s42	Søjle	1	RHS180X180X8	S355J2H	6 044	4,22	252,2	
s43		Søjle	1	RHS180X180X8			6,48	368,8	368,8
	F1	Fladstål	4	FL15*140	S355J2	140	0,05	2,3	
	F19	Fladstål	1	FL15*140	S355J2	230	0,08	3,8	

DS_Assembly_part_list

	F20	Fladstål	1	FL10*165	S355J2	180	0,07	2,3	
	F21	Fladstål	1	FL15*300	S355J2	390	0,25	13,8	
	F39	Fladstål	1	FL10*65	S355J2	100	0,02	0,5	
	F40	Fladstål	1	FL15*120	S355J2	120	0,04	1,7	
	T8	Opstik	1	FL10*120	S355J2	1 000	0,26	9,4	
	T13	Opstik	1	FL10*140	S355J2	780	0,24	8,6	
	s43	Søjle	1	RHS180X180X8	S355J2H	7 660	5,35	319,5	

x36		Vind-X	1	RHS100X100X6			1,78	79,0	79,0
	V16	Vind-X-Plade	2	FL15*100	S355J2	140	0,04	1,6	
	V17	Vind-X-Plade	2	FL15*88	S355J2	150	0,03	1,6	
	x36	Vind-X	1	RHS100X100X6	S355J2H	4 289	1,65	72,6	

x37		Vind-X	10	RHS100X100X6			1,83	81,1	811,1
	V11	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V13	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x37	Vind-X	1	RHS100X100X6	S355J2H	4 390	1,68	74,3	

x38		Vind-X	2	RHS100X100X6			0,72	32,1	64,1
	V11	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V13	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x38	Vind-X	1	RHS100X100X6	S355J2H	1 490	0,57	25,2	

x39		Vind-X	1	RHS100X100X6			0,72	32,1	32,1
	V11	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V13	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x39	Vind-X	1	RHS100X100X6	S355J2H	1 490	0,57	25,2	

x40		Vind-X	1	RHS100X100X6			0,72	32,1	32,1
	V11	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V13	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x40	Vind-X	1	RHS100X100X6	S355J2H	1 490	0,57	25,2	

x41		Vind-X	2	RHS100X100X6			2,14	94,6	189,3
	V11	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V13	Vind-X-Plade	2	FL15*88	S355J2	140	0,03	1,5	
	x41	Vind-X	1	RHS100X100X6	S355J2H	5 190	1,99	87,8	

x42		Vind-X	2	D30			0,63	33,5	67,0
------------	--	---------------	----------	------------	--	--	-------------	-------------	-------------

DS_Assembly_part_list

	Q3	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q4	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V5	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x42	Vind-X	1	D30	S355J2	4 942	0,46	26,2	

x43		Vind-X	1	D30			0,61	32,4	32,4
	Q3	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q4	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V5	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x43	Vind-X	1	D30	S355J2	4 741	0,44	25,1	

x44		Vind-X	1	D30			0,64	33,9	33,9
	Q3	Færdigvare	2	D30	S355J2	260	0,03	1,4	
	Q4	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V5	Vind-X-Plade	2	PL15*80	S355J2	240	0,04	1,9	
	x44	Vind-X	1	D30	S355J2	5 024	0,47	26,6	

x45		Vind-X	10	RHS150X150X6			3,23	149,7	1 496,6
	V6	(Vind-X-Plade)	2	FL15*180	S355J2	359	0,15	7,6	
	V7	(Vind-X-Plade)	2	FL15*180	S355J2	360	0,15	7,6	
	x45	Vind-X	1	RHS150X150X6	S355J2H	4 524	2,64	119,1	

x46		Vind-X	2	RHS150X150X6			1,53	73,3	146,6
	V6	(Vind-X-Plade)	2	FL15*180	S355J2	359	0,15	7,6	
	V7	(Vind-X-Plade)	2	FL15*180	S355J2	360	0,15	7,6	
	x46	Vind-X	1	RHS150X150X6	S355J2H	1 624	0,95	42,8	

x47		Vind-X	2	RHS150X150X6			3,69	170,7	341,4
	V6	(Vind-X-Plade)	2	FL15*180	S355J2	359	0,15	7,6	
	V7	(Vind-X-Plade)	2	FL15*180	S355J2	360	0,15	7,6	
	x47	Vind-X	1	RHS150X150X6	S355J2H	5 324	3,11	140,2	

x48		Vind-X	1	RHS100X100X6			2,23	98,9	98,9
	V8	(Vind-X-Plade)	2	FL15*100	S355J2	140	0,04	1,6	
	V9	(Vind-X-Plade)	2	FL15*120	S355J2	120	0,04	1,7	
	x48	Vind-X	1	RHS100X100X6	S355J2H	5 450	2,09	92,2	

x49		Vind-X	1	RHS100X100X6			0,82	36,3	36,3
	V8	(Vind-X-Plade)	2	FL15*100	S355J2	140	0,04	1,6	

DS_Assembly_part_list

	V9	(Vind-X-Plade)	2	FL15*120	S355J2	120	0,04	1,7	
	x49	Vind-X	1	RHS100X100X6	S355J2H	1 750	0,67	29,6	

x50		Vind-X	5	RHS100X100X6			1,93	85,3	426,7
	V8	(Vind-X-Plade)	2	FL15*100	S355J2	140	0,04	1,6	
	V9	(Vind-X-Plade)	2	FL15*120	S355J2	120	0,04	1,7	
	x50	Vind-X	1	RHS100X100X6	S355J2H	4 649	1,78	78,6	

x51		Vind-X	4	D30			0,69	36,6	146,3
	Q3	Færdigvare	2	D30	S355J2	259	0,03	1,4	
	Q4	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V10	Vind-X-Plade	2	PL15*140	S355J2	260	0,08	3,8	
	x51	Vind-X	1	D30	S355J2	4 808	0,45	25,5	

x52		Vind-X	4	D30			0,73	39,2	156,8
	Q3	Færdigvare	2	D30	S355J2	259	0,03	1,4	
	Q4	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V10	Vind-X-Plade	2	PL15*140	S355J2	260	0,08	3,8	
	x52	Vind-X	1	D30	S355J2	5 303	0,50	28,1	

x53		Vind-X	8	D30			0,72	38,3	306,6
	Q3	Færdigvare	2	D30	S355J2	259	0,03	1,4	
	Q4	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V10	Vind-X-Plade	2	PL15*140	S355J2	260	0,08	3,8	
	x53	Vind-X	1	D30	S355J2	5 136	0,48	27,2	

x54		Vind-X	2	RHS100X100X6			1,82	80,9	161,9
	V11	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	V12	Vind-X-Plade	2	FL15*120	S355J2	140	0,04	2,0	
	x54	Vind-X	1	RHS100X100X6	S355J2H	4 318	1,66	73,0	

x55		Vind-X	4	D30			0,82	44,4	177,7
	Q3	Færdigvare	2	D30	S355J2	259	0,03	1,4	
	Q4	Bardunstrammere	1	PD45*7.5	S355J2	255	0,03	0,8	
	V10	Vind-X-Plade	2	PL15*140	S355J2	260	0,08	3,8	
	x55	Vind-X	1	D30	S355J2	6 288	0,59	33,3	

x56		Vind-X	6	RHS150X150X6			3,22	149,3	895,7
	V6	(Vind-X-Plade)	2	FL15*180	S355J2	359	0,15	7,6	

DS_Assembly_part_list

	V7	(Vind-X-Plade)	2	FL15*180	S355J2	360	0,15	7,6	
	x56	Vind-X	1	RHS150X150X6	S355J2H	4 510	2,64	118,8	
x57		Vind-X	2	RHS150X150X6			3,69	170,4	340,7
	V6	(Vind-X-Plade)	2	FL15*180	S355J2	359	0,15	7,6	
	V7	(Vind-X-Plade)	2	FL15*180	S355J2	360	0,15	7,6	
	x57	Vind-X	1	RHS150X150X6	S355J2H	5 310	3,10	139,8	
x58		Vind-X	1	RHS100X100X6			0,75	33,4	33,4
	V8	(Vind-X-Plade)	2	FL15*100	S355J2	140	0,04	1,6	
	V9	(Vind-X-Plade)	2	FL15*120	S355J2	120	0,04	1,7	
	x58	Vind-X	1	RHS100X100X6	S355J2H	1 580	0,61	26,7	
x59		Vind-X	1	RHS100X100X6			0,83	37,2	37,2
	V9	(Vind-X-Plade)	2	FL15*120	S355J2	120	0,04	1,7	
	V23	(Vind-X-Plade)	2	FL15*100	S355J2	180	0,04	2,0	
	x59	Vind-X	1	RHS100X100X6	S355J2H	1 755	0,67	29,7	
Total									75 105,2