


E51WFL-1032 Quantity decreased  
E51WFP-1023, -26 length updated  
Added: E51WFL-1058, E51WFP-1048

APPROVED FOR CONSTRUCTION 12.06.2026




|                                  |                          |                                                                                                                                                                |             |        |            |            |            |
|----------------------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------|------------|------------|------------|
| 01                               | Panel supports shortened |                                                                                                                                                                |             |        | FIALES     | 29.06.2026 | FIKJER     |
| REV.                             | REVISION                 |                                                                                                                                                                |             |        | CHANGED BY | DATE       | CHECKED BY |
| Date                             | Designed                 | Checked                                                                                                                                                        | Approved    | Status |            |            |            |
| 05.06.2026                       | FIALES                   | FIKJER                                                                                                                                                         | FIKOPE      | AFC    |            |            |            |
| Document ID                      |                          | Area                                                                                                                                                           | Relates     |        | Scale      | Size       |            |
| 25019443-ICC250-0600-0660-001334 |                          | 1E500                                                                                                                                                          |             |        |            | A4         |            |
| Project ID                       |                          | Sub area                                                                                                                                                       | Position ID |        | Discipline |            |            |
| 25019443                         |                          |                                                                                                                                                                |             |        | CIVIL      |            |            |
|                                  |                          | <div>Title</div> Easpring New Materials Oy<br>FAIR phase 1<br>Warehouse, Steel Structures, Access bridge between<br>1A100-1E500, Frame Supports, Part Drawings |             |        |            |            |            |
| Drawing number                   |                          |                                                                                                                                                                |             |        | Revision   | Page/Pages |            |
| 25019443-ICC250-0600-0660-001334 |                          |                                                                                                                                                                |             |        | 01         | 1/1        |            |

## PART LIST

|                 |        |                           |          |          |             |            |                |                                                   |                          |                 |                 |               |            |            |            |      |  |
|-----------------|--------|---------------------------|----------|----------|-------------|------------|----------------|---------------------------------------------------|--------------------------|-----------------|-----------------|---------------|------------|------------|------------|------|--|
| Project Number  |        | 25019443                  |          |          |             |            | Content        | Access bridge between 1A100-1E500, Frame Supports |                          |                 |                 |               |            |            |            |      |  |
| Project Name    |        | Easpring New Materials Oy |          |          |             |            | Document       | 25019443-ICC250-0600-0660-001334                  |                          |                 |                 |               |            |            |            |      |  |
| Project Address |        | FAIR Phase 1              |          |          |             |            | Status         | AFC                                               |                          |                 |                 | Revision      |            | 01         |            |      |  |
| Author          | FIALES | Inspector                 | FIKJER   | Approver | FIPEKO      |            | Rev. Comment:  |                                                   | Panel supports shortened |                 |                 |               | Date       | 29.06.2026 |            |      |  |
| Part pos.       | Name   | Profile                   | Material | Pcs.     | Length [mm] | Width [mm] | Thickness [mm] | Weight [kg]                                       | Area [m2]                | Length sum [mm] | Weight sum [kg] | Area sum [m2] | Date       | Revision   | Rev. Date  | EXC  |  |
| E51WFL-1014     | PLATE  | PL10X120                  | S355J2+N | 9        | 165         | 120        | 10             | 1.6                                               | 0.05                     | 1485            | 13.97           | 0.41          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1015     | PLATE  | PL15X130                  | S355J2+N | 9        | 140         | 130        | 15             | 2.1                                               | 0.04                     | 1260            | 19.29           | 0.4           | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1016     | PLATE  | PL5X145                   | S355J2+N | 1        | 250         | 145        | 5              | 1.4                                               | 0.08                     | 250             | 1.42            | 0.08          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1017     | PLATE  | PL5X220                   | S355J2+N | 1        | 140         | 220        | 5              | 1.2                                               | 0.07                     | 140             | 1.21            | 0.07          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1019     | PLATE  | PL10X100                  | S355J2+N | 2        | 150         | 100        | 10             | 1.2                                               | 0.04                     | 300             | 2.35            | 0.07          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1020     | PLATE  | PL10X100                  | S355J2+N | 2        | 150         | 100        | 10             | 1.2                                               | 0.03                     | 300             | 2.35            | 0.07          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1021     | PLATE  | PL15X100                  | S355J2+N | 2        | 100         | 100        | 15             | 1.2                                               | 0.03                     | 200             | 2.31            | 0.05          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1022     | PLATE  | PL10X55                   | S355J2+N | 2        | 120         | 55         | 10             | 0.5                                               | 0.02                     | 240             | 1.04            | 0.03          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1023     | PLATE  | PL10X55                   | S355J2+N | 2        | 100         | 55         | 10             | 0.4                                               | 0.01                     | 200             | 0.86            | 0.03          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1024     | PLATE  | PL15X110                  | S355J2+N | 2        | 120         | 110        | 15             | 1.6                                               | 0.03                     | 240             | 3.11            | 0.07          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1025     | PLATE  | PL5X190                   | S355J2+N | 2        | 220         | 190        | 5              | 1.6                                               | 0.09                     | 440             | 3.28            | 0.18          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1026     | PLATE  | PL5X140                   | S355J2+N | 2        | 250         | 140        | 5              | 1.4                                               | 0.07                     | 500             | 2.75            | 0.15          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1027     | PLATE  | PL5X140                   | S355J2+N | 3        | 250         | 140        | 5              | 1.4                                               | 0.07                     | 750             | 4.12            | 0.22          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1028     | PLATE  | PL5X190                   | S355J2+N | 1        | 200         | 190        | 5              | 1.5                                               | 0.08                     | 200             | 1.49            | 0.08          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1029     | PLATE  | PL10X76                   | S355J2+N | 1        | 246         | 76         | 10             | 1.5                                               | 0.04                     | 246             | 1.47            | 0.04          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1030     | PLATE  | PL12X190                  | S355J2+N | 6        | 400         | 190        | 12             | 7.2                                               | 0.17                     | 2400            | 42.96           | 1             | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1031     | PLATE  | PL12X190                  | S355J2+N | 6        | 300         | 190        | 12             | 5.4                                               | 0.13                     | 1800            | 32.22           | 0.75          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1032     | PLATE  | PL5X140                   | S355J2+N | 5        | 240         | 140        | 5              | 1.3                                               | 0.07                     | 1200            | 6.59            | 0.36          | 12.06.2026 | 1          | 29.06.2026 | EXC2 |  |
| E51WFL-1033     | PLATE  | PL5X140                   | S355J2+N | 6        | 140         | 140        | 5              | 0.8                                               | 0.04                     | 840             | 4.62            | 0.25          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1034     | PLATE  | PL8X205                   | S355J2+N | 1        | 205         | 205        | 8              | 2.6                                               | 0.09                     | 205             | 2.64            | 0.09          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1035     | PLATE  | PL20X200                  | S355J2+N | 2        | 240         | 200        | 20             | 7.5                                               | 0.11                     | 480             | 15.07           | 0.23          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1036     | PLATE  | PL10X150                  | S355J2+N | 2        | 150         | 150        | 10             | 1.8                                               | 0.05                     | 300             | 3.53            | 0.1           | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1037     | PLATE  | PL15X210                  | S355J2+N | 2        | 160         | 210        | 15             | 4                                                 | 0.08                     | 320             | 7.91            | 0.16          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1038     | PLATE  | PL10X150                  | S355J2+N | 2        | 150         | 150        | 10             | 1.7                                               | 0.05                     | 300             | 3.42            | 0.1           | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1039     | PLATE  | PL15X270                  | S355J2+N | 1        | 217         | 270        | 15             | 6.9                                               | 0.13                     | 217             | 6.89            | 0.13          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1040     | PLATE  | PL5X200                   | S355J2+N | 1        | 120         | 200        | 5              | 0.9                                               | 0.05                     | 120             | 0.94            | 0.05          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1041     | PLATE  | PL10X100                  | S355J2+N | 6        | 210         | 100        | 10             | 1.6                                               | 0.05                     | 1260            | 9.89            | 0.29          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1042     | PLATE  | PL10X200                  | S355J2+N | 16       | 180         | 200        | 10             | 2.8                                               | 0.08                     | 2880            | 44.09           | 1.24          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1043     | PLATE  | PL15X150                  | S355J2+N | 16       | 240         | 150        | 15             | 4.2                                               | 0.08                     | 3840            | 67.82           | 1.34          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1044     | PLATE  | PL8X60                    | S355J2+N | 16       | 120         | 60         | 8              | 0.4                                               | 0.02                     | 1920            | 6.73            | 0.26          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1045     | PLATE  | PL5X110                   | S355J2+N | 12       | 115         | 110        | 5              | 0.5                                               | 0.03                     | 1380            | 5.96            | 0.33          | 12.06.2026 | 0          |            | EXC2 |  |
| E51WFL-1046     | PLATE  | PL15X100                  | S355J2+N | 6        | 240         | 100        | 15             | 2.8                                               | 0.06                     | 1440            | 16.96           | 0.35          | 12.06.2026 | 0          |            | EXC2 |  |


|             |       |                |          |    |      |     |    |       |      |        |        |       |            |   |            |
|-------------|-------|----------------|----------|----|------|-----|----|-------|------|--------|--------|-------|------------|---|------------|
| E51WFL-1047 | PLATE | PL10X60        | S355J2+N | 4  | 100  | 60  | 10 | 0.5   | 0.01 | 400    | 1.84   | 0.06  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1048 | PLATE | PL10X60        | S355J2+N | 2  | 100  | 60  | 10 | 0.5   | 0.01 | 200    | 0.9    | 0.03  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1049 | PLATE | PL12X75        | S355J2+N | 4  | 150  | 75  | 12 | 1.1   | 0.03 | 600    | 4.24   | 0.11  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1050 | PLATE | PL12X75        | S355J2+N | 4  | 120  | 75  | 12 | 0.8   | 0.02 | 480    | 3.38   | 0.09  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1051 | PLATE | PL15X120       | S355J2+N | 20 | 120  | 120 | 15 | 1.6   | 0.03 | 2400   | 33     | 0.69  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1052 | PLATE | PL10X75        | S355J2+N | 16 | 120  | 75  | 10 | 0.7   | 0.02 | 1920   | 11.3   | 0.35  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1053 | PLATE | PL10X75        | S355J2+N | 16 | 120  | 75  | 10 | 0.7   | 0.02 | 1920   | 11.27  | 0.35  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1054 | PLATE | PL10X300       | S355J2+N | 1  | 150  | 300 | 10 | 3.2   | 0.09 | 150    | 3.21   | 0.09  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1055 | PLATE | PL10X135       | S355J2+N | 1  | 150  | 135 | 10 | 1.5   | 0.04 | 150    | 1.49   | 0.04  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1056 | NK24  | PL16X162       | S355J2   | 15 | 150  | 162 | 16 | 2.6   | 0.05 | 2250   | 38.27  | 0.74  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1057 | PLATE | PL10X60        | S355J2+N | 6  | 100  | 60  | 10 | 0.5   | 0.01 | 600    | 2.77   | 0.09  | 12.06.2026 | 0 | EXC2       |
| E51WFL-1058 | PLATE | PL10X150       | S355J2+N | 1  | 130  | 150 | 10 | 1.5   | 0.04 | 130    | 1.46   | 0.04  | 29.06.2026 | 0 | EXC2       |
| E51WFP-1001 | FRAME | CFRHS120X120X4 | S355J2H  | 7  | 3825 | 0   | 0  | 54.5  | 1.78 | 26775  | 381.44 | 12.49 | 12.06.2026 | 0 | EXC2       |
| E51WFP-1002 | FRAME | CFRHS120X120X4 | S355J2H  | 2  | 3450 | 0   | 0  | 49.1  | 1.61 | 6900   | 98.3   | 3.22  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1003 | FRAME | CFRHS100X100X4 | S355J2H  | 2  | 2065 | 0   | 0  | 24.2  | 0.8  | 4130   | 48.46  | 1.6   | 12.06.2026 | 0 | EXC2       |
| E51WFP-1004 | FRAME | CFRHS100X100X4 | S355J2H  | 1  | 3611 | 0   | 0  | 42.4  | 1.4  | 3611   | 42.38  | 1.4   | 12.06.2026 | 0 | EXC2       |
| E51WFP-1023 | FRAME | CFRHS250X150X5 | S355J2H  | 1  | 9605 | 0   | 0  | 289.2 | 7.52 | 9605   | 289.23 | 7.52  | 12.06.2026 | 1 | 29.06.2026 |
| E51WFP-1024 | FRAME | UNP260         | S355J2   | 1  | 4670 | 0   | 0  | 177.1 | 3.89 | 4670   | 177.07 | 3.89  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1025 | BEAM  | UPE200         | S355J2H  | 2  | 3140 | 0   | 0  | 71.5  | 2.19 | 6280   | 142.96 | 4.38  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1026 | FRAME | CFRHS150X150X5 | S355J2H  | 1  | 9610 | 0   | 0  | 213.9 | 5.6  | 9610   | 213.91 | 5.6   | 12.06.2026 | 1 | 29.06.2026 |
| E51WFP-1027 | FRAME | CFRHS150X150X5 | S355J2H  | 1  | 4073 | 0   | 0  | 90.7  | 2.37 | 4073   | 90.67  | 2.37  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1028 | FRAME | CFRHS150X150X5 | S355J2H  | 1  | 4736 | 0   | 0  | 105.4 | 2.76 | 4736   | 105.42 | 2.76  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1029 | FRAME | CFRHS150X150X5 | S355J2H  | 1  | 4440 | 0   | 0  | 98.8  | 2.59 | 4440   | 98.84  | 2.59  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1030 | FRAME | L150*15        | S355J2   | 1  | 1820 | 0   | 0  | 61.4  | 1.07 | 1820   | 61.43  | 1.07  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1031 | BEAM  | UPE200         | S355J2H  | 3  | 3180 | 0   | 0  | 72.4  | 2.22 | 9540   | 217.18 | 6.65  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1032 | BEAM  | UPE200         | S355J2H  | 2  | 3180 | 0   | 0  | 72.4  | 2.22 | 6360   | 144.79 | 4.43  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1033 | FRAME | UNP260         | S355J2   | 1  | 4315 | 0   | 0  | 163.6 | 3.6  | 4315   | 163.6  | 3.6   | 12.06.2026 | 0 | EXC2       |
| E51WFP-1034 | Beam  | L100*10        | S355J2   | 1  | 150  | 0   | 0  | 2.3   | 0.06 | 150    | 2.26   | 0.06  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1035 | FRAME | CFRHS250X150X5 | S355J2H  | 2  | 9610 | 0   | 0  | 289.4 | 7.52 | 19220  | 578.76 | 15.05 | 12.06.2026 | 0 | EXC2       |
| E51WFP-1036 | BEAM  | UPE200         | S355J2H  | 1  | 3140 | 0   | 0  | 71.5  | 2.19 | 3140   | 71.48  | 2.19  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1037 | FRAME | CFRHS150X150X5 | S355J2H  | 2  | 9610 | 0   | 0  | 213.9 | 5.6  | 19220  | 427.83 | 11.2  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1038 | BEAM  | UPE200         | S355J2H  | 1  | 3180 | 0   | 0  | 72.4  | 2.22 | 3180   | 72.39  | 2.22  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1039 | FRAME | CFRHS120X120X5 | S355J2H  | 2  | 3260 | 0   | 0  | 57.2  | 1.51 | 6520   | 114.42 | 3.02  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1040 | FRAME | CFRHS120X120X5 | S355J2H  | 2  | 3255 | 0   | 0  | 57.1  | 1.51 | 6510   | 114.25 | 3.01  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1041 | FRAME | CFRHS120X120X5 | S355J2H  | 4  | 2210 | 0   | 0  | 38.8  | 1.02 | 8840   | 155.14 | 4.09  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1042 | FRAME | CFRHS120X120X5 | S355J2H  | 3  | 2895 | 0   | 0  | 50.8  | 1.34 | 8686   | 152.44 | 4.02  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1043 | FRAME | CFRHS120X120X5 | S355J2H  | 2  | 3265 | 0   | 0  | 57.3  | 1.51 | 6530   | 114.6  | 3.02  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1044 | FRAME | CFRHS120X120X5 | S355J2H  | 5  | 3410 | 0   | 0  | 59.8  | 1.58 | 17050  | 299.22 | 7.89  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1045 | FRAME | CFRHS120X120X5 | S355J2H  | 4  | 1010 | 0   | 0  | 17.7  | 0.47 | 4040   | 70.9   | 1.87  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1046 | FRAME | CFRHS120X120X5 | S355J2H  | 1  | 2890 | 0   | 0  | 50.7  | 1.34 | 2890   | 50.73  | 1.34  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1047 | FRAME | CFRHS120X120X5 | S355J2H  | 1  | 3415 | 0   | 0  | 59.9  | 1.58 | 3415   | 59.93  | 1.58  | 12.06.2026 | 0 | EXC2       |
| E51WFP-1048 | FRAME | L120*12        | S355J2   | 1  | 150  | 0   | 0  | 3.2   | 0.07 | 150    | 3.24   | 0.07  | 29.06.2026 | 0 | EXC2       |
|             |       |                |          |    |      |     |    |       |      | Total: | 5015.7 |       |            |   |            |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1008  | 1   |
| E51WF-1009  | 2   |
| E51WF-1010  | 3   |
| E51WF-1011  | 1   |
| E51WF-1013  | 1   |
| E51WF-1014  | 1   |



Approved for Construction


| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1014 | PL10X120 | S355J2+N | 9   | 165    | 1.6    |
| TOTAL:      |          |          |     |        | 14.0   |



|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1014   |


|  |  |  |  |  |  |             |  |     |
|--|--|--|--|--|--|-------------|--|-----|
|  |  |  |  |  |  | IN ASSEMBLY |  | PCS |
|  |  |  |  |  |  | E51WF-1008  |  | 1   |
|  |  |  |  |  |  | E51WF-1009  |  | 2   |
|  |  |  |  |  |  | E51WF-1010  |  | 3   |
|  |  |  |  |  |  | E51WF-1011  |  | 1   |
|  |  |  |  |  |  | E51WF-1013  |  | 1   |
|  |  |  |  |  |  | E51WF-1014  |  | 1   |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |
|  |  |  |  |  |  |             |  |     |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1008  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1016 | PL5X145 | S355J2+N | 1   | 250    | 1.4    |
| TOTAL:      |         |          |     |        | 1.4    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1016   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1017 | PL5X220 | S355J2+N | 1   | 140    | 1.2    |
| TOTAL:      |         |          |     |        | 1.2    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFL-1017   |
| SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br>PUH. +358 207 393 000<br>www.sweco.fi                     |  | REVISION                   |                           |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1012  | 2   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1019 | PL10X100 | S355J2+N | 2   | 150    | 1.2    |
| TOTAL:      |          |          |     |        | 2.4    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                       |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1019   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1007  | 1   |
| E51WF-1045  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1020 | PL10X100 | S355J2+N | 2   | 150    | 1.2    |
| TOTAL:      |          |          |     |        | 2.4    |




|                                                                                                                             |  |                           |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|---------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2   |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026        | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous | SINGLE PART DRAWING       |
| PROJECT NUMBER<br>25019443                                                                                                  |  | DWG. NO.<br>E51WFL-1020   | REVISION                  |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1007  | 1   |
| E51WF-1045  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1021 | PL15X100 | S355J2+N | 2   | 100    | 1.2    |
| TOTAL:      |          |          |     |        | 2.3    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1021   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1011  | 1   |
| E51WF-1014  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1022 | PL10X55 | S355J2+N | 2   | 120    | 0.5    |
| TOTAL:      |         |          |     |        | 1.0    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFL-1022   |
|                                                                                                                             |  | REVISION                   |                           |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1012  | 2   |



Approved for Construction


| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1023 | PL10X55 | S355J2+N | 2   | 100    | 0.4    |
| TOTAL:      |         |          |     |        | 0.9    |



|                                                                                                                             |  |                           |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|---------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS           |                           |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                      |                           |
| <br>Sustainable engineering and design |  | DATE                      | Easpring New Materials Oy |
|                                                                                                                             |  | 12.06.2026                | SINGLE PART DRAWING       |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous | REVISION                  |
| PROJECT NUMBER                                                                                                              |  | DWG. NO.                  |                           |
| 25019443                                                                                                                    |  | E51WFL-1023               |                           |


|  |  |  |  |  |  |             |  |     |
|--|--|--|--|--|--|-------------|--|-----|
|  |  |  |  |  |  | IN ASSEMBLY |  | PCS |
|  |  |  |  |  |  | E51WF-1012  |  | 2   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1013  | 1   |
| E51WF-1014  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1025 | PL5X190 | S355J2+N | 2   | 220    | 1.6    |
| TOTAL:      |         |          |     |        | 3.3    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1025   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1009  | 2   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1026 | PL5X140 | S355J2+N | 2   | 250    | 1.4    |
| TOTAL:      |         |          |     |        | 2.7    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1026   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1010  | 3   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1027 | PL5X140 | S355J2+N | 3   | 250    | 1.4    |
| TOTAL:      |         |          |     |        | 4.1    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFL-1027   |
| SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br>PUH. +358 207 393 000<br>www.sweco.fi                     |  | REVISION                   |                           |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1011  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1028 | PL5X190 | S355J2+N | 1   | 200    | 1.5    |
| TOTAL:      |         |          |     |        | 1.5    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1028   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1029 | PL10X76 | S355J2+N | 1   | 246    | 1.5    |
| TOTAL:      |         |          |     |        | 1.5    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1029   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1032  | 2   |
| E51WF-1033  | 4   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1030 | PL12X190 | S355J2+N | 6   | 400    | 7.2    |
| TOTAL:      |          |          |     |        | 43.0   |




|                                                                                                                                             |                                                                                                             |                            |  |                           |  |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                                               |                                                                                                             | EXECUTION CLASS            |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                                  |                                                                                                             | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
| <br><b>SWECO</b><br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFL-1030   |  |
|                                                                                                                                             |                                                                                                             |                            |  | REVISION                  |  |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1034  | 2   |
| E51WF-1035  | 4   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1031 | PL12X190 | S355J2+N | 6   | 300    | 5.4    |
| TOTAL:      |          |          |     |        | 32.2   |



|                                                                                                                             |                                                                                                         |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |                                                                                                         | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |                                                                                                         | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |                                                                                                         | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1031   |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1032  | 1   |
| E51WF-1033  | 4   |



Approved for Construction


|    |                    |        |            |        |
|----|--------------------|--------|------------|--------|
| 01 | Quantity decreased | FIALES | 29.06.2026 | FIKJER |
|----|--------------------|--------|------------|--------|

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1032 | PL5X140 | S355J2+N | 5   | 240    | 1.3    |
| TOTAL:      |         |          |     |        | 6.6    |




|                                                                                                                             |  |                            |                            |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|----------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                            |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy  |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING        |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFL-1032 01 |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1034  | 2   |
| E51WF-1035  | 4   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1033 | PL5X140 | S355J2+N | 6   | 140    | 0.8    |
| TOTAL:      |         |          |     |        | 4.6    |




|                                                                                                                                                                          |                                                                                                             |                            |  |                           |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                                                                            |                                                                                                             | EXECUTION CLASS            |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                                                               |                                                                                                             |                            |  |                           |  |
| <div><div><div>SWECO</div><div>Sustainable engineering and design</div></div></div> | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
|                                                                                                                                                                          |                                                                                                             | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                                                                                                                                                          |                                                                                                             | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFL-1033   |  |
|                                                                                                                                                                          |                                                                                                             |                            |  | REVISION                  |  |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1046  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1034 | PL8X205 | S355J2+N | 1   | 205    | 2.6    |
| TOTAL:      |         |          |     |        | 2.6    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1034   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1046  | 1   |
| E51WF-1052  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1035 | PL20X200 | S355J2+N | 2   | 240    | 7.5    |
| TOTAL:      |          |          |     |        | 15.1   |




|                                                                                                                             |                                                                                                             |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |                                                                                                             | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1035   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1046  | 1   |
| E51WF-1052  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1036 | PL10X150 | S355J2+N | 2   | 150    | 1.8    |
| TOTAL:      |          |          |     |        | 3.5    |




|                                                                                                                             |                                                                                                             |                            |  |                           |  |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                               |                                                                                                             | EXECUTION CLASS            |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                  |                                                                                                             |                            |  |                           |  |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
|                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFL-1036   |  |
|                                                                                                                             |                                                                                                             |                            |  | REVISION                  |  |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1052  | 1   |
| E51WF-1057  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1037 | PL15X210 | S355J2+N | 2   | 160    | 4.0    |
| TOTAL:      |          |          |     |        | 7.9    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1037   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1052  | 1   |
| E51WF-1057  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1038 | PL10X150 | S355J2+N | 2   | 150    | 1.7    |
| TOTAL:      |          |          |     |        | 3.4    |




|                                                                |  |                           |                           |
|----------------------------------------------------------------|--|---------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                  |  | EXECUTION CLASS           |                           |
| EN1090-2, table A.3 : EXC2                                     |  | EXC2                      |                           |
| <div>SWECO</div> <div>Sustainable engineering and design</div> |  | DATE                      | Easpring New Materials Oy |
|                                                                |  | 12.06.2026                | SINGLE PART DRAWING       |
|                                                                |  | DESIGNER<br>Alexey Serous |                           |
| PROJECT NUMBER                                                 |  | DWG. NO.                  | REVISION                  |
| 25019443                                                       |  | E51WFL-1038               |                           |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1039 | PL15X270 | S355J2+N | 1   | 217    | 6.9    |
| TOTAL:      |          |          |     |        | 6.9    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                       |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1039   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1045  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1040 | PL5X200 | S355J2+N | 1   | 120    | 0.9    |
| TOTAL:      |         |          |     |        | 0.9    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1040   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1036  | 2   |
| E51WF-1038  | 2   |
| E51WF-1039  | 1   |
| E51WF-1040  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1041 | PL10X100 | S355J2+N | 6   | 210    | 1.6    |
| TOTAL:      |          |          |     |        | 9.9    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1041   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1041  | 1   |
| E51WF-1042  | 2   |
| E51WF-1043  | 1   |
| E51WF-1044  | 1   |
| E51WF-1048  | 1   |
| E51WF-1049  | 1   |
| E51WF-1050  | 1   |
| E51WF-1051  | 1   |
| E51WF-1053  | 1   |
| E51WF-1054  | 1   |
| E51WF-1055  | 1   |
| E51WF-1058  | 1   |
| E51WF-1059  | 1   |
| E51WF-1060  | 1   |
| E51WF-1061  | 1   |




Approved for Construction


| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1042 | PL10X200 | S355J2+N | 16  | 180    | 2.8    |
| TOTAL:      |          |          |     |        | 44.1   |



|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1042   |




|  |  |  |  |  | IN ASSEMBLY | PCS |
|--|--|--|--|--|-------------|-----|
|  |  |  |  |  | E51WF-1041  | 1   |
|  |  |  |  |  | E51WF-1042  | 2   |
|  |  |  |  |  | E51WF-1043  | 1   |
|  |  |  |  |  | E51WF-1044  | 1   |
|  |  |  |  |  | E51WF-1048  | 1   |
|  |  |  |  |  | E51WF-1049  | 1   |
|  |  |  |  |  | E51WF-1050  | 1   |
|  |  |  |  |  | E51WF-1051  | 1   |
|  |  |  |  |  | E51WF-1053  | 1   |
|  |  |  |  |  | E51WF-1054  | 1   |
|  |  |  |  |  | E51WF-1055  | 1   |
|  |  |  |  |  | E51WF-1058  | 1   |
|  |  |  |  |  | E51WF-1059  | 1   |
|  |  |  |  |  | E51WF-1060  | 1   |
|  |  |  |  |  | E51WF-1061  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1044 | PL8X60  | S355J2+N | 16  | 120    | 0.4    |
| TOTAL:      |         |          |     |        | 6.7    |




| APPLICABLE EXECUTION STANDARD                                            |  | EXECUTION CLASS            |                           |
|--------------------------------------------------------------------------|--|----------------------------|---------------------------|
| EN1090-2, table A.3 : EXC2                                               |  | EXC2                       |                           |
| <div><div>SWECO</div><div>Sustainable engineering and design</div></div> |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                          |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                          |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1044   |

|  |  |  | IN ASSEMBLY | PCS |
|--|--|--|-------------|-----|
|  |  |  | E51WF-1041  | 1   |
|  |  |  | E51WF-1043  | 1   |
|  |  |  | E51WF-1044  | 1   |
|  |  |  | E51WF-1048  | 1   |
|  |  |  | E51WF-1050  | 1   |
|  |  |  | E51WF-1051  | 1   |
|  |  |  | E51WF-1053  | 1   |
|  |  |  | E51WF-1054  | 1   |
|  |  |  | E51WF-1055  | 1   |
|  |  |  | E51WF-1058  | 1   |
|  |  |  | E51WF-1060  | 1   |
|  |  |  | E51WF-1061  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1045 | PL5X110 | S355J2+N | 12  | 115    | 0.5    |
| TOTAL:      |         |          |     |        | 6.0    |




| APPLICABLE EXECUTION STANDARD                                            |  | EXECUTION CLASS            |                           |
|--------------------------------------------------------------------------|--|----------------------------|---------------------------|
| EN1090-2, table A.3 : EXC2                                               |  | EXC2                       |                           |
| <div><div>SWECO</div><div>Sustainable engineering and design</div></div> |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                          |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                          |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1045   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1041  | 1   |
| E51WF-1043  | 1   |
| E51WF-1044  | 1   |
| E51WF-1048  | 1   |
| E51WF-1050  | 1   |
| E51WF-1051  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1046 | PL15X100 | S355J2+N | 6   | 240    | 2.8    |
| TOTAL:      |          |          |     |        | 17.0   |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1046   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1053  | 1   |
| E51WF-1055  | 1   |
| E51WF-1058  | 1   |
| E51WF-1061  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1047 | PL10X60 | S355J2+N | 4   | 100    | 0.5    |
| TOTAL:      |         |          |     |        | 1.8    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1047   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1054  | 1   |
| E51WF-1060  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1048 | PL10X60 | S355J2+N | 2   | 100    | 0.5    |
| TOTAL:      |         |          |     |        | 0.9    |




|                                                                                                                             |                                                                                                             |                           |  |                           |  |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                               |                                                                                                             | EXECUTION CLASS           |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                  |                                                                                                             | DATE<br>12.06.2026        |  | Easpring New Materials Oy |  |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DESIGNER<br>Alexey Serous |  | SINGLE PART DRAWING       |  |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER            |  | DWG. NO.                  |  |
|                                                                                                                             |                                                                                                             | 25019443                  |  | E51WFL-1048               |  |
|                                                                                                                             |                                                                                                             |                           |  | REVISION                  |  |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1046  | 2   |
| E51WF-1057  | 2   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1049 | PL12X75 | S355J2+N | 4   | 150    | 1.1    |
| TOTAL:      |         |          |     |        | 4.2    |




|                                                                                                                             |                                                                                                             |                            |  |                           |  |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                               |                                                                                                             | EXECUTION CLASS            |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                  |                                                                                                             |                            |  |                           |  |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
|                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFL-1049   |  |
|                                                                                                                             |                                                                                                             |                            |  | REVISION                  |  |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1042  | 2   |
| E51WF-1049  | 1   |
| E51WF-1059  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1050 | PL12X75 | S355J2+N | 4   | 120    | 0.8    |
| TOTAL:      |         |          |     |        | 3.4    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1050   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1042  | 2   |
| E51WF-1047  | 8   |
| E51WF-1049  | 1   |
| E51WF-1056  | 8   |
| E51WF-1059  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1051 | PL15X120 | S355J2+N | 20  | 120    | 1.6    |
| TOTAL:      |          |          |     |        | 33.0   |



|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1051   |

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1052 | PL10X75 | S355J2+N | 16  | 120    | 0.7    |
| TOTAL:      |         |          |     |        | 11.3   |




Approved for Construction

|                                               |  |                                                                                                         |  |                            |  |                           |  |
|-----------------------------------------------|--|---------------------------------------------------------------------------------------------------------|--|----------------------------|--|---------------------------|--|
| Re-entrant corners and notches, corner radius |  | APPLICABLE EXECUTION STANDARD                                                                           |  | EXECUTION CLASS            |  | EXC2                      |  |
|                                               |  | EN1090-2, table A.3 : EXC2                                                                              |  | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
|                                               |  |                                                                                                         |  | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                               |  |                                                                                                         |  | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFL-1052   |  |
|                                               |  | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br>PUH. +358 207 393 000<br>www.sweco.fi |  |                            |  | REVISION                  |  |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1041  | 1   |
| E51WF-1042  | 2   |
| E51WF-1043  | 1   |
| E51WF-1044  | 1   |
| E51WF-1048  | 1   |
| E51WF-1049  | 1   |
| E51WF-1050  | 1   |
| E51WF-1051  | 1   |
| E51WF-1053  | 1   |
| E51WF-1054  | 1   |
| E51WF-1055  | 1   |
| E51WF-1058  | 1   |
| E51WF-1059  | 1   |
| E51WF-1060  | 1   |
| E51WF-1061  | 1   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1047  | 8   |
| E51WF-1056  | 8   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1053 | PL10X75 | S355J2+N | 16  | 120    | 0.7    |
| TOTAL:      |         |          |     |        | 11.3   |




| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                       |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1053   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1057  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1054 | PL10X300 | S355J2+N | 1   | 150    | 3.2    |
| TOTAL:      |          |          |     |        | 3.2    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1054   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1057  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1055 | PL10X135 | S355J2+N | 1   | 150    | 1.5    |
| TOTAL:      |          |          |     |        | 1.5    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                       |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1055   |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1012  | 1   |
| E51WF-1032  | 1   |
| E51WF-1033  | 2   |
| E51WF-1034  | 1   |
| E51WF-1035  | 2   |
| E51WF-1048  | 1   |
| E51WF-1049  | 1   |
| E51WF-1050  | 1   |
| E51WF-1051  | 1   |
| E51WF-1058  | 1   |
| E51WF-1059  | 1   |
| E51WF-1060  | 1   |
| E51WF-1061  | 1   |




Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1056 | PL16X162 | S355J2   | 15  | 150    | 2.6    |
| TOTAL:      |          |          |     |        | 38.3   |




|                                                                                                                             |  |                 |  |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS |  | EXC2                      |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | DATE            |  | 12.06.2026                |
| <br>Sustainable engineering and design |  | DESIGNER        |  | Easpring New Materials Oy |
|                                                                                                                             |  | Alexey Serous   |  | SINGLE PART DRAWING       |
| PROJECT NUMBER                                                                                                              |  | DWG. NO.        |  | REVISION                  |
| 25019443                                                                                                                    |  | E51WFL-1056     |  |                           |

| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1053  | 1   |
| E51WF-1054  | 1   |
| E51WF-1055  | 1   |
| E51WF-1058  | 1   |
| E51WF-1060  | 1   |
| E51WF-1061  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFL-1057 | PL10X60 | S355J2+N | 6   | 100    | 0.5    |
| TOTAL:      |         |          |     |        | 2.8    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1057   |



Approved for Construction

| POS         | PROFILE  | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------|----------|-----|--------|--------|
| E51WFL-1058 | PL10X150 | S355J2+N | 1   | 130    | 1.5    |
| TOTAL:      |          |          |     |        | 1.5    |



|                                                                                                                                                                                                                    |  |                            |                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                                                                                                                      |  | EXECUTION CLASS            |                           |
| EN1090-2, table A.3 : EXC2                                                                                                                                                                                         |  | EXC2                       |                           |
| <div><p>SWECO RAKENNETEKNIikka OY<br/>ILMALANPORTTI 2<br/>00240 HELSINKI<br/>PUH. +358 207 393 000<br/>www.sweco.fi</p></div> |  | DATE<br>29.06.2026         | Easpring New Materials Oy |
|                                                                                                                                                                                                                    |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                                                                                                                    |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFL-1058   |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1008  | 1   |
| E51WF-1009  | 2   |
| E51WF-1010  | 3   |
| E51WF-1011  | 1   |

3825

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1001 | CFRHS120X120X4 | S355J2H  | 7   | 3825   | 54.5   |
| TOTAL:      |                |          |     |        | 381.4  |

Approved for Construction

Re-entrant corners and nottches,  
corner radius



|                               |
|-------------------------------|
| APPLICABLE EXECUTION STANDARD |
|-------------------------------|

EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY  
ILMALANPORTTI 2  
00240 HELSINKI

PUH. +358 207 393 000  
www.sweco.fi

EXECUTION CLASS

EXC2

|      |            |
|------|------------|
| DATE | 12.06.2026 |
|------|------------|

Easpring New Materials Oy

DESIGNER  
**Alexey Serous**

|                     |
|---------------------|
| SINGLE PART DRAWING |
|---------------------|

PROJECT NUMBER  
25019443


DWG. NO.

DWG. NO. E51WFP-1001

REVISION


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1013  | 1   |
| E51WF-1014  | 1   |

3450



Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1002 | CFRHS120X120X4 | S355J2H  | 2   | 3450   | 49.1   |
| TOTAL:      |                |          |     |        | 98.3   |



| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                       |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFP-1002   |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1007  | 1   |
| E51WF-1045  | 1   |

2065

E51WFP-1003

Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1003 | CFRHS100X100X4 | S355J2H  | 2   | 2065   | 24.2   |
| TOTAL:      |                |          |     |        | 48.5   |



|                                                                                                                             |  |                            |                           |          |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|----------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           | EXC2     |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | DATE<br>12.06.2026         | Easpring New Materials Oy |          |
| <br>Sustainable engineering and design |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |          |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1003   | REVISION |


|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1012  | 1   |

E51WFP-1004

3611


Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1004 | CFRHS100X100X4 | S355J2H  | 1   | 3611   | 42.4   |
| TOTAL:      |                |          |     |        | 42.4   |



|                                                                                                                                                          |                                                                                                             |                            |  |                           |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                                                            |                                                                                                             | EXECUTION CLASS            |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                                               |                                                                                                             |                            |  |                           |  |
| <div><br/><b>SWECO</b><br/>Sustainable engineering and design</div> | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
|                                                                                                                                                          |                                                                                                             | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                                                                                                                                          |                                                                                                             | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFP-1004   |  |
|                                                                                                                                                          |                                                                                                             |                            |  | REVISION                  |  |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1032  | 1   |




Approved for Construction


|    |                  |        |            |        |
|----|------------------|--------|------------|--------|
| 01 | Length decreased | FIALES | 29.06.2026 | FIKJER |
|----|------------------|--------|------------|--------|

|      |          |            |      |            |
|------|----------|------------|------|------------|
| REV. | REVISION | CHANGED BY | DATE | CHECKED BY |
|------|----------|------------|------|------------|

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1023 | CFRHS250X150X5 | S355J2H  | 1   | 9605   | 289.2  |
| TOTAL:      |                |          |     |        | 289.2  |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1023   |
|                                                                                                                             |  | REVISION<br>01             |                           |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1024 | UNP260  | S355J2   | 1   | 4670   | 177.1  |
| TOTAL:      |         |          |     |        | 177.1  |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1024   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1038  | 2   |



Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1025 | UPE200  | S355J2H  | 2   | 3140   | 71.5   |
| TOTAL:      |         |          |     |        | 143.0  |



|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFP-1025   |

IN ASSEMBLY

E51WF-1034

PCS

1

9610

E51WFP-1026

Approved for Construction

01

Length decreased

FIALES

29.06.2026

FIKJER

REV.

REVISION

CHANGED BY

DATE

CHECKED BY

Re-entrant corners and notches,  
corner radius

R=10

or

R=10

APPLICABLE EXECUTION STANDARD

EN1090-2, table A.3 : EXC2

SWECO

Sustainable engineering and design

SWECO RAKENNETEKNIikka OY

ILMALANPORTTI 2

00240 HELSINKI

PUH. +358 207 393 000

www.sweco.fi

DATE

12.06.2026

DESIGNER

Alexey Serous

PROJECT NUMBER

25019443

EXECUTION CLASS

EXC2

Easpring New Materials Oy

SINGLE PART DRAWING

DWG. NO.

E51WFP-1026

REVISION

01

POS

PROFILE

MATERIAL

PCS

LENGTH

WEIGHT

E51WFP-1026

CFRHS150X150X5

S355J2H

1

9610

213.9


TOTAL:

213.9

25019443\_Fair\_E500




|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1052  | 1   |




Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1028 | CFRHS150X150X5 | S355J2H  | 1   | 4736   | 105.4  |
| TOTAL:      |                |          |     |        | 105.4  |




|                                                                                                                             |                                                                                                             |                            |  |                           |  |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                               |                                                                                                             | EXECUTION CLASS            |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                  |                                                                                                             |                            |  |                           |  |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
|                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFP-1028   |  |
|                                                                                                                             |                                                                                                             |                            |  | REVISION                  |  |




Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1029 | CFRHS150X150X5 | S355J2H  | 1   | 4440   | 98.8   |
| TOTAL:      |                |          |     |        | 98.8   |


|                                                                                                                                                               |                                                                                                                                                                |                                                                                                                               |                                                                                                             |                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <div>Re-entrant corners and notches,<br/>corner radius</div> <div></div> | <div>APPLICABLE EXECUTION STANDARD</div> <div>EN1090-2, table A.3 : EXC2</div>                                                                                 |                                                                                                                               | <div>EXECUTION CLASS</div> <div>EXC2</div>                                                                  |                                                                                                                             |
|                                                                                                                                                               | <div><div><b>SWECO</b><br/>Sustainable engineering and design</div></div> | <div>SWECO RAKENNETEKNIikka OY<br/>ILMALANPORTTI 2<br/>00240 HELSINKI</div> <div>PUH. +358 207 393 000<br/>www.sweco.fi</div> | <div>DATE<br/>12.06.2026</div> <div>DESIGNER<br/>Alexey Serous</div> <div>PROJECT NUMBER<br/>25019443</div> | <div>Easpring New Materials Oy</div> <div>SINGLE PART DRAWING</div> <div>DWG. NO.<br/>E51WFP-1029</div> <div>REVISION</div> |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1057  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1030 | L150*15 | S355J2   | 1   | 1820   | 61.4   |
| TOTAL:      |         |          |     |        | 61.4   |




|                                                                                                                             |  |                 |  |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS |  | EXC2                      |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | DATE            |  | 12.06.2026                |
| <br>Sustainable engineering and design |  | DESIGNER        |  | Easpring New Materials Oy |
|                                                                                                                             |  | Alexey Serous   |  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER  |  | 25019443                  |
|                                                                                                                             |  | DWG. NO.        |  | E51WFP-1030               |
|                                                                                                                             |  | REVISION        |  |                           |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1037  | 3   |



Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1031 | UPE200  | S355J2H  | 3   | 3180   | 72.4   |
| TOTAL:      |         |          |     |        | 217.2  |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1031   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1036  | 2   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1032 | UPE200  | S355J2H  | 2   | 3180   | 72.4   |
| TOTAL:      |         |          |     |        | 144.8  |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                       |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFP-1032   |

|  |  |  |  |  |             |     |
|--|--|--|--|--|-------------|-----|
|  |  |  |  |  | IN ASSEMBLY | PCS |
|  |  |  |  |  | E51WF-1030  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1033 | UNP260  | S355J2   | 1   | 4315   | 163.6  |
| TOTAL:      |         |          |     |        | 163.6  |




|                                                                                                                             |  |                           |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|---------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS           |                           |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                      |                           |
| <br>Sustainable engineering and design |  | DATE                      | Easpring New Materials Oy |
|                                                                                                                             |  | 12.06.2026                | SINGLE PART DRAWING       |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous | REVISION                  |
| PROJECT NUMBER                                                                                                              |  | DWG. NO.                  |                           |
| 25019443                                                                                                                    |  | E51WFP-1033               |                           |

|  |             |     |
|--|-------------|-----|
|  | IN ASSEMBLY | PCS |
|  | E51WF-1046  | 1   |



Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1034 | L100*10 | S355J2   | 1   | 150    | 2.3    |
| TOTAL:      |         |          |     |        | 2.3    |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           |
| EN1090-2, table A.3 : EXC2                                                                                                  |  | EXC2                       |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFP-1034   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1033  | 2   |



Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1035 | CFRHS250X150X5 | S355J2H  | 2   | 9610   | 289.4  |
| TOTAL:      |                |          |     |        | 578.8  |




|                                                                                                                             |                                                                                                             |                            |  |                           |  |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                               |                                                                                                             | EXECUTION CLASS            |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                  |                                                                                                             |                            |  |                           |  |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
|                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFP-1035   |  |
|                                                                                                                             |                                                                                                             |                            |  | REVISION                  |  |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1040  | 1   |




Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1036 | UPE200  | S355J2H  | 1   | 3140   | 71.5   |
| TOTAL:      |         |          |     |        | 71.5   |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFP-1036   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1035  | 2   |




Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1037 | CFRHS150X150X5 | S355J2H  | 2   | 9610   | 213.9  |
| TOTAL:      |                |          |     |        | 427.8  |




|                                                                                                                                             |                                                                                                             |                            |  |                           |  |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|--|---------------------------|--|
| APPLICABLE EXECUTION STANDARD                                                                                                               |                                                                                                             | EXECUTION CLASS            |  | EXC2                      |  |
| EN1090-2, table A.3 : EXC2                                                                                                                  |                                                                                                             |                            |  |                           |  |
| <br><b>SWECO</b><br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         |  | Easpring New Materials Oy |  |
|                                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  |  | SINGLE PART DRAWING       |  |
|                                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 |  | DWG. NO.<br>E51WFP-1037   |  |
|                                                                                                                                             |                                                                                                             |                            |  | REVISION                  |  |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1039  | 1   |



Approved for Construction


| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1038 | UPE200  | S355J2H  | 1   | 3180   | 72.4   |
| TOTAL:      |         |          |     |        | 72.4   |



|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFP-1038   |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1043  | 1   |
| E51WF-1044  | 1   |

E51WFP-1039



Approved for Construction


| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1039 | CFRHS120X120X5 | S355J2H  | 2   | 3260   | 57.2   |
| TOTAL:      |                |          |     |        | 114.4  |



| APPLICABLE EXECUTION STANDARD                                                                                               |  | EXECUTION CLASS            |                           | EXC2     |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|----------|
| EN1090-2, table A.3 : EXC2                                                                                                  |  | DATE<br>12.06.2026         | Easpring New Materials Oy |          |
| <br>Sustainable engineering and design |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |          |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1039   | REVISION |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1050  | 1   |
| E51WF-1051  | 1   |

E51WFP-1040




Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1040 | CFRHS120X120X5 | S355J2H  | 2   | 3255   | 57.1   |
| TOTAL:      |                |          |     |        | 114.2  |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1040   |
|                                                                                                                             |  | REVISION                   |                           |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1047  | 4   |



Approved for Construction


| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1041 | CFRHS120X120X5 | S355J2H  | 4   | 2210   | 38.8   |
| TOTAL:      |                |          |     |        | 155.1  |



|                                                                                                                             |                                                                                                             |                            |                                     |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|-------------------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |                                                                                                             | EXECUTION CLASS<br>EXC2    |                                     |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         | Easpring New Materials Oy           |
|                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING                 |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1041<br>REVISION |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1042  | 2   |
| E51WF-1049  | 1   |

E51WFP-1042



Approved for Construction


| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1042 | CFRHS120X120X5 | S355J2H  | 3   | 2895   | 50.8   |
| TOTAL:      |                |          |     |        | 152.4  |



|                                                                                                                             |                                                                                                             |                            |                                     |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|-------------------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |                                                                                                             | EXECUTION CLASS<br>EXC2    |                                     |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         | Easpring New Materials Oy           |
|                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING                 |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1042<br>REVISION |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1041  | 1   |
| E51WF-1048  | 1   |

E51WFP-1043



Approved for Construction


| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1043 | CFRHS120X120X5 | S355J2H  | 2   | 3265   | 57.3   |
| TOTAL:      |                |          |     |        | 114.6  |



|                                                                                                                             |                                                                                                             |                            |                                     |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------|-------------------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |                                                                                                             | EXECUTION CLASS<br>EXC2    |                                     |
| <br>Sustainable engineering and design | SWECO RAKENNETEKNIikka OY<br>ILMALANPORTTI 2<br>00240 HELSINKI<br><br>PUH. +358 207 393 000<br>www.sweco.fi | DATE<br>12.06.2026         | Easpring New Materials Oy           |
|                                                                                                                             |                                                                                                             | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING                 |
|                                                                                                                             |                                                                                                             | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1043<br>REVISION |


| IN ASSEMBLY | PCS |
|-------------|-----|
| E51WF-1054  | 1   |
| E51WF-1055  | 1   |
| E51WF-1058  | 1   |
| E51WF-1060  | 1   |
| E51WF-1061  | 1   |

E51WFP-1044




Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1044 | CFRHS120X120X5 | S355J2H  | 5   | 3410   | 59.8   |
| TOTAL:      |                |          |     |        | 299.2  |




|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | REVISION<br>E51WFP-1044   |

|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1056  | 4   |



Approved for Construction


| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1045 | CFRHS120X120X5 | S355J2H  | 4   | 1010   | 17.7   |
| TOTAL:      |                |          |     |        | 70.9   |



|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1045   |
|                                                                                                                             |  | REVISION                   |                           |


|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1059  | 1   |

E51WFP-1046



Approved for Construction


| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1046 | CFRHS120X120X5 | S355J2H  | 1   | 2890   | 50.7   |
| TOTAL:      |                |          |     |        | 50.7   |



|                                                                                                                             |  |                            |                           |
|-----------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD<br>EN1090-2, table A.3 : EXC2                                                                 |  | EXECUTION CLASS<br>EXC2    |                           |
| <br>Sustainable engineering and design |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                             |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                             |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1046   |


|             |     |
|-------------|-----|
| IN ASSEMBLY | PCS |
| E51WF-1053  | 1   |

E51WFP-1047




Approved for Construction

| POS         | PROFILE        | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|----------------|----------|-----|--------|--------|
| E51WFP-1047 | CFRHS120X120X5 | S355J2H  | 1   | 3415   | 59.9   |
| TOTAL:      |                |          |     |        | 59.9   |




|                                                                                                                                                                                                                    |  |                            |                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------|---------------------------|
| APPLICABLE EXECUTION STANDARD                                                                                                                                                                                      |  | EXECUTION CLASS            |                           |
| EN1090-2, table A.3 : EXC2                                                                                                                                                                                         |  | EXC2                       |                           |
| <div><p>SWECO RAKENNETEKNIikka OY<br/>ILMALANPORTTI 2<br/>00240 HELSINKI<br/>PUH. +358 207 393 000<br/>www.sweco.fi</p></div> |  | DATE<br>12.06.2026         | Easpring New Materials Oy |
|                                                                                                                                                                                                                    |  | DESIGNER<br>Alexey Serous  | SINGLE PART DRAWING       |
|                                                                                                                                                                                                                    |  | PROJECT NUMBER<br>25019443 | DWG. NO.<br>E51WFP-1047   |
|                                                                                                                                                                                                                    |  | REVISION                   |                           |



Approved for Construction

| POS         | PROFILE | MATERIAL | PCS | LENGTH | WEIGHT |
|-------------|---------|----------|-----|--------|--------|
| E51WFP-1048 | L120*12 | S355J2   | 1   | 150    | 3.2    |
| TOTAL:      |         |          |     |        | 3.2    |

Re-entrant corners and notches,  
corner radius



APPLICABLE EXECUTION STANDARD

EN1090-2, table A.3 : EXC2



Sustainable engineering and design

SWECO RAKENNETEKNIikka OY

ILMALANPORTTI 2

00240 HELSINKI

PUH. +358 207 393 000

www.sweco.fi

EXECUTION CLASS

EXC2

DATE

29.06.2026

DESIGNER

Alexey Serous

PROJECT NUMBER

25019443

DWG. NO.

E51WFP-1048

REVISION

Easpring New Materials Oy

SINGLE PART DRAWING