


APPROVED FOR CONSTRUCTION 12.06.2026




01	E51EXL-1001 quantity decreased, 1092 and 1031 added				FIALES	18.06.2026	FIKJER
REV.		REVISION			CHANGED BY	DATE	CHECKED BY
Date	Designed	Checked	Approved	Status			
05.06.2026	FIALES	FIKJER	FIKOPE	AFC			
Document ID		Area	Relates		Scale	Size	
25019443-ICC250-0600-0660-001336		1E500				A4	
Project ID		Sub area	Position ID		Discipline		
25019443					CIVIL		
		Title Easpring New Materials Oy FAIR phase 1 Warehouse, Steel Structures, Access bridge between 1A100-1E500, Installation Parts, Part Drawings					
Drawing number					Revision	Page/Pages	
25019443-ICC250-0600-0660-001336					01	1/1	

PART LIST

Project Number		25019443					Content	Access bridge between 1A100-1E500, Installation Parts									
Project Name		Easpring New Materials Oy					Document	25019443-ICC250-0600-0660-001336									
Project Address		FAIR Phase 1					Status	AFC					Revision	01			
Author	FIALES	Inspector	FIKJER	Approver	FIPEKO		Rev. Comment:		001 quantity decreased, 1092 and 10					Date	18.06.2026		
Part pos.	Name	Profile	Material	Pcs.	Length [mm]	Width [mm]	Thickness [mm]	Weight [kg]	Area [m2]	Length sum [mm]	Weight sum [kg]	Area sum [m2]	Date	Revision	Rev. Date	EXC	
E51EXL-1001	PLATE	PL2X180	S355J2+N	14	240	180	2	0.5	0.07	3360	7.58	1.01	12.06.2026	1	18.06.2026	EXC2	
E51EXL-1002	PLATE	PL2X200	S355J2+N	40	260	200	2	0.7	0.09	10400	27.59	3.65	12.06.2026		0	EXC2	
E51EXL-1003	PLATE	PL5X300	S355J2+N	8	801	300	5	9.4	0.49	6409	75.47	3.93	12.06.2026		0	EXC2	
E51EXL-1004	PLATE	PL5X300	S355J2+N	8	1280	300	5	15.1	0.78	10240	120.58	6.27	12.06.2026		0	EXC2	
E51EXL-1017	PLATE	PL8X210	S355J2+N	48	375	210	8	4.9	0.17	18000	237.38	8.01	12.06.2026		0	EXC2	
E51EXL-1018	PLATE	PL15X360	S355J2+N	80	535	360	15	22.7	0.41	42800	1814.3	32.96	12.06.2026		0	EXC2	
E51EXL-1019	PLATE	PL12X310	S355J2+N	8	375	310	12	11	0.25	3000	87.61	1.99	12.06.2026		0	EXC2	
E51EXL-1020	PLATE	PL15X210	S355J2+N	16	375	210	15	9.3	0.18	6000	148.36	2.8	12.06.2026		0	EXC2	
E51EXL-1021	PLATE	PL15X310	S355J2+N	8	375	310	15	13.7	0.25	3000	109.51	2.02	12.06.2026		0	EXC2	
E51EXL-1025	PLATE	PL8X290	S355J2+N	8	375	290	8	6.8	0.23	3000	54.64	1.83	12.06.2026		0	EXC2	
E51EXL-1027	PLATE	PL2X220	S355J2+N	32	435	220	2	1.2	0.16	13920	38.41	5.07	12.06.2026		0	EXC2	
E51EXL-1031	PLATE	PL10X165	S355J2+N	48	165	165	10	2.1	0.06	7920	102.58	2.93	18.06.2026		0	EXC2	
E51EXL-1032	PLATE	PL8X360	S355J2+N	12	160	360	8	3.6	0.12	1920	43.41	1.48	12.06.2026		0	EXC2	
E51EXL-1033	PLATE	PL15X200	S355J2+N	20	580	200	15	13.7	0.26	11600	273.18	5.11	12.06.2026		0	EXC2	
E51EXL-1035	PLATE	PL20X300	S355J2+N	4	950	300	20	44.7	0.62	3800	178.98	2.48	12.06.2026		0	EXC2	
E51EXL-1036	PLATE	PL15X215	S355J2+N	1	1030	215	15	20.3	0.38	1030	20.29	0.38	12.06.2026		0	EXC2	
E51EXL-1048	PLATE	PL2X200	S355J2+N	8	236	200	2	0.6	0.08	1888	4.83	0.64	12.06.2026		0	EXC2	
E51EXL-1049	PLATE	PL10X360	S355J2+N	8	180	360	10	5.1	0.14	1440	40.69	1.12	12.06.2026		0	EXC2	
E51EXL-1050	PLATE	PL2X220	S355J2+N	48	530	220	2	1.5	0.2	25440	71.61	9.42	12.06.2026		0	EXC2	
E51EXL-1051	PLATE	PL2X200	S355J2+N	2	495	200	2	1.2	0.16	990	2.49	0.33	12.06.2026		0	EXC2	
E51EXL-1052	PLATE	PL2X220	S355J2+N	2	530	220	2	1.5	0.19	1060	2.9	0.38	12.06.2026		0	EXC2	
E51EXL-1053	PLATE	PL20X300	S355J2+N	1	900	300	20	42.4	0.59	900	42.39	0.59	12.06.2026		0	EXC2	
E51EXL-1054	PLATE	PL20X300	S355J2+N	1	940	300	20	44.3	0.61	940	44.27	0.61	12.06.2026		0	EXC2	
E51EXL-1055	PLATE	PL15X215	S355J2+N	1	940	215	15	18.8	0.35	940	18.75	0.35	12.06.2026		0	EXC2	
E51EXL-1056	PLATE	PL15X215	S355J2+N	1	960	215	15	19.1	0.36	960	19.13	0.36	12.06.2026		0	EXC2	
E51EXL-1057	PLATE	PL15X215	S355J2+N	1	930	215	15	18.4	0.35	930	18.4	0.35	12.06.2026		0	EXC2	
E51EXL-1058	PLATE	PL20X625	S355J2+N	1	925	625	20	74.8	1.01	925	74.82	1.01	12.06.2026		0	EXC2	
E51EXL-1059	PLATE	PL20X625	S355J2+N	1	940	625	20	75.9	1.02	940	75.91	1.02	12.06.2026		0	EXC2	
E51EXL-1060	PLATE	PL20X305	S355J2+N	1	900	305	20	43.1	0.6	900	43.1	0.6	12.06.2026		0	EXC2	
E51EXL-1061	PLATE	PL16X339	S355J2+N	1	775	339	16	28.8	0.49	775	28.83	0.49	12.06.2026		0	EXC2	
E51EXL-1062	PLATE	PL10X260	S355J2+N	4	375	260	10	7.7	0.21	1500	30.61	0.83	12.06.2026		0	EXC2	
E51EXL-1063	PLATE	PL5X300	S355J2+N	8	1280	300	5	15.1	0.78	10240	120.58	6.27	12.06.2026		0	EXC2	

E51EXL-1064	PLATE	PL15X170	S355J2+N	8	175	170	15	3.5	0.07	1400	28.02	0.56	12.06.2026	0	EXC2
E51EXL-1065	PLATE	PL5X600	S355J2+N	4	1600	600	5	37.7	1.94	6400	150.72	7.77	12.06.2026	0	EXC2
E51EXL-1066	PLATE	PL2.5X80	S355J2+N	8	530	80	3	0.8	0.09	4240	6.66	0.7	12.06.2026	0	EXC2
E51EXL-1067	PLATE	PL30X300	S355J2+N	8	640	300	30	45.2	0.44	5120	361.73	3.52	12.06.2026	0	EXC2
E51EXL-1068	PLATE	PL10X160	S355J2+N	8	530	160	10	6.7	0.18	4240	53.25	1.47	12.06.2026	0	EXC2
E51EXL-1069	PLATE	PL5X600	S355J2+N	4	1600	600	5	37.7	1.94	6400	150.72	7.77	12.06.2026	0	EXC2
E51EXL-1070	PLATE	PL20X215	S355J2+N	1	930	215	20	30.6	0.43	930	30.62	0.43	12.06.2026	0	EXC2
E51EXL-1071	PLATE	PL15X130	S355J2+N	3	195	130	15	2.8	0.06	585	8.47	0.17	12.06.2026	0	EXC2
E51EXL-1072	PLATE	PL20X290	S355J2+N	2	390	290	20	17.6	0.25	780	35.29	0.5	12.06.2026	0	EXC2
E51EXL-1073	PLATE	PL20X220	S355J2+N	1	670	220	20	23.1	0.33	670	23.07	0.33	12.06.2026	0	EXC2
E51EXL-1074	PLATE	PL5X430	S355J2+N	24	550	430	5	9.3	0.48	13200	222.78	11.59	12.06.2026	0	EXC2
E51EXL-1075	PLATE	PL5X450	S355J2+N	32	550	450	5	9.7	0.51	17600	310.86	16.16	12.06.2026	0	EXC2
E51EXL-1076	PLATE	PL10X210	S355J2+N	8	375	210	10	6.2	0.17	3000	49.45	1.35	12.06.2026	0	EXC2
E51EXL-1077	PLATE	PL20X220	S355J2+N	1	680	220	20	23.4	0.33	680	23.42	0.33	12.06.2026	0	EXC2
E51EXL-1078	PLATE	PL15X215	S355J2+N	1	930	215	15	23	0.42	930	22.97	0.42	12.06.2026	0	EXC2
E51EXL-1079	PLATE	PL12X390	S355J2+N	16	440	390	12	16.2	0.36	7040	258.64	5.81	12.06.2026	0	EXC2
E51EXL-1080	PLATE	PL5X930	S355J2+N	8	460	930	5	16.4	0.85	3680	131.19	6.79	12.06.2026	0	EXC2
E51EXL-1081	FRAME	L100*12	S355J2	1	900	0	0	16	0.35	900	16.04	0.35	12.06.2026	0	EXC2
E51EXL-1082	PLATE	PL2X210	S355J2+N	2	550	210	2	1.8	0.23	1100	3.63	0.47	12.06.2026	0	EXC2
E51EXL-1083	PLATE	PL10X76	S355J2+N	1	245	76	10	1.5	0.04	245	1.46	0.04	12.06.2026	0	EXC2
E51EXL-1084	PLATE	PL5X105	S355J2+N	8	646	105	5	2.7	0.14	5166	21.39	1.15	12.06.2026	0	EXC2
E51EXL-1085	PLATE	PL5X300	S355J2+N	8	505	300	5	4.6	0.25	4040	36.7	2.02	12.06.2026	0	EXC2
E51EXL-1086	PLATE	PL5X300	S355J2+N	5	900	300	5	8.5	0.46	4500	42.47	2.3	12.06.2026	0	EXC2
E51EXL-1087	PLATE	PL30X181	S355J2+N	2	844	181	30	33	0.34	1689	66.03	0.67	12.06.2026	0	EXC2
E51EXL-1088	PLATE	PL15X181	S355J2+N	2	190	181	15	3.9	0.08	380	7.72	0.15	12.06.2026	0	EXC2
E51EXL-1089	PLATE	PL10X360	S355J2+N	8	100	360	10	2.8	0.08	800	22.61	0.65	12.06.2026	0	EXC2
E51EXL-1090	PLATE	PL5X625	S355J2+N	2	940	625	5	19	0.98	1880	37.95	1.96	12.06.2026	0	EXC2
E51EXL-1091	PLATE	PL5X625	S355J2+N	2	925	625	5	18.7	0.97	1850	37.41	1.93	12.06.2026	0	EXC2
E51EXL-1092	PLATE	PL2X180	S355J2+N	2	240	180	2	0.5	0.07	480	1.04	0.14	18.06.2026	0	EXC2
E51EXP-1001	BRACE_VER	T185-10-10-150	S355J2+N	10	580	0	0	14.9	0.4	5800	149.02	3.95	12.06.2026	0	EXC2
E51EXP-1002	BRACE_VER	T70-10-10-120	S355J2+N	3	640	0	0	9.2	0.25	1920	27.48	0.74	12.06.2026	0	EXC2
E51EXP-1003	Beam	HEA400	S355J2	2	209	0	0	26	0.4	417	52.05	0.8	12.06.2026	0	EXC2
E51EXP-1004	Beam	IPE550	S355J2	2	183	0	0	19.2	0.34	366	38.5	0.69	12.06.2026	0	EXC2
E51VEXL-1017	PLATE	PL15X170	S355J2+N	4	220	170	15	4.4	0.09	880	17.62	0.35	12.06.2026	0	EXC2
										Total:	6426.2				

IN ASSEMBLY	PCS
E51EX-1029	6
E51EX-1088	8




Approved for Construction

01	Quantity decreased	FIALES	18.06.2026	FIKJER
----	--------------------	--------	------------	--------


REV.	REVISION	CHANGED BY	DATE	CHECKED BY
------	----------	------------	------	------------

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1001	PL2X180	S355J2+N	14	240	0.5
TOTAL:					7.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1001
		REVISION 01	

IN ASSEMBLY	PCS
E51EX-1028	6
E51EX-1085	34




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1002	PL2X200	S355J2+N	40	260	0.7
TOTAL:					27.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1002




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1003	PL5X300	S355J2+N	8	801	9.4
TOTAL:					75.5




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
		PROJECT NUMBER		25019443
		DWG. NO.		E51EXL-1003
				REVISION




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1004	PL5X300	S355J2+N	8	1280	15.1
TOTAL:					120.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1004

IN ASSEMBLY	PCS
E51EX-1008	16
E51EX-1064	32




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1017	PL8X210	S355J2+N	48	375	4.9
TOTAL:					237.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1017
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	

IN ASSEMBLY	PCS
E51EX-1009	22
E51EX-1065	58




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1018	PL15X360	S355J2+N	80	535	22.7
TOTAL:					1814.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1018

IN ASSEMBLY	PCS
E51EX-1015	8




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1019	PL12X310	S355J2+N	8	375	11.0
TOTAL:					87.6



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1019

IN ASSEMBLY	PCS
E51EX-1010	8
E51EX-1066	8



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1020	PL15X210	S355J2+N	16	375	9.3
TOTAL:					148.4

Re-entrant corners and notches,
corner radius

or

APPLICABLE EXECUTION STANDARD


EN1090-2, table A.3 : EXC2

SWECO
Sustainable engineering and design

SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE 12.06.2026	Easpring New Materials Oy		
DESIGNER Alexey Serous	SINGLE PART DRAWING		
PROJECT NUMBER 25019443	DWG. NO. E51EXL-1020	REVISION	

IN ASSEMBLY	PCS
E51EX-1014	8




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1021	PL15X310	S355J2+N	8	375	13.7
TOTAL:					109.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1021




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1025	PL8X290	S355J2+N	8	375	6.8
TOTAL:					54.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1025

IN ASSEMBLY	PCS
E51EX-1024	16
E51EX-1082	16




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1027	PL2X220	S355J2+N	32	435	1.2
TOTAL:					38.4




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51EXL-1027		




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1031	PL10X165	S355J2+N	48	165	2.1
TOTAL:					102.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 18.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1031 REVISION




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1032	PL8X360	S355J2+N	12	160	3.6
TOTAL:					43.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1032

IN ASSEMBLY	PCS
E51EX-1021	10
E51EX-1022	6
E51EX-1074	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1033	PL15X200	S355J2+N	20	580	13.7
TOTAL:					273.2




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	REVISION
PROJECT NUMBER		DWG. NO.	
25019443		E51EXL-1033	

IN ASSEMBLY	PCS
E51EX-1033	1
E51EX-1051	1
E51EX-1052	1
E51EX-1081	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1035	PL20X300	S355J2+N	4	950	44.7
TOTAL:					179.0




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1035



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1036	PL15X215	S355J2+N	1	1030	20.3
TOTAL:					20.3



APPLICABLE EXECUTION STANDARD


EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE	12.06.2026	Easpring New Materials Oy	
DESIGNER	Alexey Serous	SINGLE PART DRAWING	
PROJECT NUMBER	25019443	DWG. NO.	REVISION
		E51EXL-1036	

IN ASSEMBLY	PCS
E51EX-1086	4
E51EX-1087	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1048	PL2X200	S355J2+N	8	236	0.6
TOTAL:					4.8




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026	Easpring New Materials Oy	
 Sustainable engineering and design		DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1048	REVISION

IN ASSEMBLY	PCS
E51EX-1075	8




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1049	PL10X360	S355J2+N	8	180	5.1
TOTAL:					40.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1049




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1050	PL2X220	S355J2+N	48	530	1.5
TOTAL:					71.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1050




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1051	PL2X200	S355J2+N	2	495	1.2
TOTAL:					2.5




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026	Easpring New Materials Oy	
 Sustainable engineering and design		DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1051	REVISION




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1052	PL2X220	S355J2+N	2	530	1.5
TOTAL:					2.9




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51EXL-1052		




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1053	PL20X300	S355J2+N	1	900	42.4
TOTAL:					42.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1053




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1054	PL20X300	S355J2+N	1	940	44.3
TOTAL:					44.3




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1054




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1055	PL15X215	S355J2+N	1	940	18.8
TOTAL:					18.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1055

IN ASSEMBLY	PCS
E51EX-1080	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1056	PL15X215	S355J2+N	1	960	19.1
TOTAL:					19.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1056




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1057	PL15X215	S355J2+N	1	930	18.4
TOTAL:					18.4


						Re-entrant corners and notches, corner radius 		APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
						 SWECO Sustainable engineering and design		SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		DATE 12.06.2026 Easpring New Materials Oy	
						DESIGNER Alexey Serous SINGLE PART DRAWING		PROJECT NUMBER 25019443		DWG. NO. E51EXL-1057	
										REVISION	

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1057	PL15X215	S355J2+N	1	930	18.4
TOTAL:					18.4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1058	PL20X625	S355J2+N	1	925	74.8
TOTAL:					74.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1058




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1059	PL20X625	S355J2+N	1	940	75.9
TOTAL:					75.9



Re-entrant corners and notches, corner radius



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1059	PL20X625	S355J2+N	1	940	75.9
TOTAL					75.9

Re-entrant corners and notches, corner radius	EN1090-2, table A.3 : EXC2
--	----------------------------

Re-entrant corners and notches, corner radius	EN1090-2, table A.3 : EXC2	EXECUTION CLASS
--	----------------------------	-----------------

corner radius		 SWECO RAKENNETEKNIikka OY 4 MALANDPORTTIL
---------------	--	--

corner radius			SWECO RAKENNETEKNIikka OY HALLANDORTTI 2	DATE 12.06.2026
---------------	---	---	---	--------------------

POS	PROFIL E	MATERIAAL	PCS	LENGTH	WEIGHT


POS	PROFIL E	MATERIAL	PCS	LENGTH	WEIGHT

Part No.	Part Name	Material	Qty	Unit Weight	Total Weight
E51EXL-1059	PL20X625	S355J2+N	1	75.9	75.9
TOTAL:					75.9

Part number	Part name	Part description	Quantity	Unit price	Total price
E51EXL-1059	PL20X625	S355J2+N	1	940	75.9
TOTAL:					75.9


[illegible]

IN ASSEMBLY	PCS
E51EX-1048	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1060	PL20X305	S355J2+N	1	900	43.1
TOTAL:					43.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1060




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1061	PL16X339	S355J2+N	1	775	28.8
TOTAL:					28.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1061




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1062	PL10X260	S355J2+N	4	375	7.7
TOTAL:					30.6




APPLICABLE EXECUTION STANDARD	
EN1090-2, table A.3 : EXC2	
SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI
	PUH. +358 207 393 000 www.sweco.fi

EXECUTION CLASS		EXC2	
DATE	12.06.2026	Easpring New Materials Oy	
DESIGNER	Alexey Serous	SINGLE PART DRAWING	
PROJECT NUMBER	25019443	DWG. NO.	REVISION
		E51EXL-1062	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1063	PL5X300	S355J2+N	8	1280	15.1
TOTAL:					120.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1063

IN ASSEMBLY	PCS
E51EX-1068	8




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1064	PL15X170	S355J2+N	8	175	3.5
TOTAL:					28.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	REVISION
PROJECT NUMBER		DWG. NO.	
25019443		E51EXL-1064	

IN ASSEMBLY	PCS
E51EX-1050	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1065	PL5X600	S355J2+N	4	1600	37.7
TOTAL:					150.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1065




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1066	PL2.5X80	S355J2+N	8	530	0.8
TOTAL:					6.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS		EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51EXL-1066	
				REVISION	

IN ASSEMBLY	PCS
E51EX-1071	5
E51EX-1089	3




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1067	PL30X300	S355J2+N	8	640	45.2
TOTAL:					361.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1067




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1068	PL10X160	S355J2+N	8	530	6.7
TOTAL:					53.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1068




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1069	PL5X600	S355J2+N	4	1600	37.7
TOTAL:					150.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1069




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1070	PL20X215	S355J2+N	1	930	30.6
TOTAL:					30.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1070

IN ASSEMBLY	PCS
E51EX-1051	1
E51EX-1052	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1071	PL15X130	S355J2+N	3	195	2.8
TOTAL:					8.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1071



Approved for Construction


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1072	PL20X290	S355J2+N	2	390	17.6
TOTAL:					35.3



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2	
SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi


EXECUTION CLASS		EXC2	
DATE 12.06.2026	Easpring New Materials Oy		
DESIGNER Alexey Serous	SINGLE PART DRAWING		
PROJECT NUMBER 25019443	DWG. NO. E51EXL-1072	REVISION	

IN ASSEMBLY	PCS
E51EX-1055	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1073	PL20X220	S355J2+N	1	670	23.1
TOTAL:					23.1




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	REVISION
PROJECT NUMBER		DWG. NO.	
25019443		E51EXL-1073	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1074	PL5X430	S355J2+N	24	550	9.3
TOTAL:					222.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1074
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1075	PL5X450	S355J2+N	32	550	9.7
TOTAL:					310.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1075
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1076	PL10X210	S355J2+N	8	375	6.2
TOTAL:					49.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1076

IN ASSEMBLY	PCS
E51EX-1056	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1077	PL20X220	S355J2+N	1	680	23.4
TOTAL:					23.4




APPLICABLE EXECUTION STANDARD
EN1090-2, table A.3 : EXC2

SWECO 
Sustainable engineering and design


SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi

EXECUTION CLASS		EXC2	
DATE 12.06.2026	Easpring New Materials Oy		
DESIGNER Alexey Serous	SINGLE PART DRAWING		
PROJECT NUMBER	DWG. NO.	REVISION	
25019443	E51EXL-1077		




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1078	PL15X215	S355J2+N	1	930	23.0
TOTAL:					23.0




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1078




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1079	PL12X390	S355J2+N	16	440	16.2
TOTAL:					258.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER	REVISION
PROJECT NUMBER		DWG. NO.	
25019443		E51EXL-1079	
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi			




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1080	PL5X930	S355J2+N	8	460	16.4
TOTAL:					131.2



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1080


IN ASSEMBLY	PCS
E51EX-1048	1



E51EXL-1081


Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1081	L100*12	S355J2	1	900	16.0
TOTAL:					16.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51EXL-1081		

IN ASSEMBLY	PCS
E51EX-1057	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1082	PL2X210	S355J2+N	2	550	1.8
TOTAL:					3.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1082




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1083	PL10X76	S355J2+N	1	245	1.5
TOTAL:					1.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1083


--



Approved for Construction


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1084	PL5X105	S355J2+N	8	646	2.7
TOTAL:					21.4

Re-entrant corners and notches, corner radius	APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
	EN1090-2, table A.3 : EXC2		DATE 12.06.2026		Easpring New Materials Oy
	 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DESIGNER Alexey Serous	SINGLE PART DRAWING	
			PROJECT NUMBER 25019443	DWG. NO. E51EXL-1084	REVISION




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1085	PL5X300	S355J2+N	8	505	4.6
TOTAL:					36.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1085



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1086	PL5X300	S355J2+N	5	900	8.5
TOTAL:					42.5

Re-entrant corners and notches,
corner radius

APPLICABLE EXECUTION STANDARD

EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI

PUH. +358 207 393 000
www.sweco.fi

EXECUTION CLASS

EXC2

DATE	12.06.2026
------	------------

Easpring New Materials Oy

DESIGNER
Alexey Serous


SINGLE PART DRAWING

PROJECT NUMBER
25019443

DWG. NO. E51EXL-1086 REV


25019443 Fair E500

IN ASSEMBLY	PCS
E51EX-1055	1
E51EX-1056	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1087	PL30X181	S355J2+N	2	844	33.0
TOTAL:					66.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51EXL-1087		

IN ASSEMBLY	PCS
E51EX-1055	1
E51EX-1056	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1088	PL15X181	S355J2+N	2	190	3.9
TOTAL:					7.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51EXL-1088		

IN ASSEMBLY	PCS
E51EX-1077	8




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1089	PL10X360	S355J2+N	8	100	2.8
TOTAL:					22.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXL-1089




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1090	PL5X625	S355J2+N	2	940	19.0
TOTAL:					38.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
		PROJECT NUMBER		25019443
		DWG. NO.		E51EXL-1090
		REVISION		




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1091	PL5X625	S355J2+N	2	925	18.7
TOTAL:					37.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51EXL-1091

IN ASSEMBLY	PCS
E51EX-1090	2






Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXL-1092	PL2X180	S355J2+N	2	240	0.5
TOTAL:					1.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		18.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51EXL-1092		

	IN ASSEMBLY	PCS
	E51EX-1021	10



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXP-1001	T185-10-10-150	S355J2+N	10	580	14.9
TOTAL:					149.0



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51EXP-1001	
				REVISION	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXP-1002	T70-10-10-120	S355J2+N	3	640	9.2
TOTAL:					27.5


Re-entrant corners and notches, corner radius	APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS		EXC2
		 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIIKKA OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51EXP-1002

	IN ASSEMBLY	PCS
	E51EX-1061	2



Approved for Construction


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXP-1003	HEA400	S355J2	2	209	26.0
TOTAL:					52.0



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51EXP-1003 REVISION


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51EXP-1004	IPE550	S355J2	2	183	19.2
TOTAL:					38.5

Re-entrant corners and notches, corner radius 	APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
	EN1090-2, table A.3 : EXC2		DATE		Easpring New Materials Oy
	 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	12.06.2026		SINGLE PART DRAWING
			DESIGNER Alexey Serous		
		PROJECT NUMBER	DWG. NO.		REVISION
		25019443	E51EXP-1004		



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51VEXL-1017	PL15X170	S355J2+N	4	220	4.4
TOTAL:					17.6



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	REVISION
PROJECT NUMBER		DWG. NO.	
25019443		E51VEXL-1017	