


APPROVED FOR CONSTRUCTION 12.06.2026



01	E51WCL-1162 and E51WCP-1116 quantity increased				FIALES	18.06.2026	FIKJER
REV.		REVISION			CHANGED BY	DATE	CHECKED BY
Date	Designed	Checked	Approved	Status			
05.06.2026	FIALES	FIKJER	FIKOPE	AFC			
Document ID		Area	Relates		Scale	Size	
25019443-ICC250-0600-0660-001332		1E500				A4	
Project ID		Sub area	Position ID		Discipline		
25019443					CIVIL		
		Title Easpring New Materials Oy FAIR phase 1 Warehouse, Steel Structures, Access bridge between 1A100-1E500, Welded Sections, Part Drawings					
Drawing number					Revision	Page/Pages	
25019443-ICC250-0600-0660-001332					01	1/1	

PART LIST

Project Number		25019443					Content	Access bridge between 1A100-1E500, Welded Sections									
Project Name		Easpring New Materials Oy					Document	25019443-ICC250-0600-0660-001332									
Project Address		FAIR Phase 1					Status	AFC					Revision	01			
Author	FIALES	Inspector	FIKJER	Approver	FIPEKO		Rev. Comment:		-1162 and E51WCP-1116 quantity in					Date	18.06.2026		
Part pos.	Name	Profile	Material	Pcs.	Length [mm]	Width [mm]	Thickness [mm]	Weight [kg]	Area [m2]	Length sum [mm]	Weight sum [kg]	Area sum [m2]	Date	Revision	Rev. Date	EXC	
E51WCL-1001	PLATE	PL70X1220	S355J2+N	4	1320	1220	70	884.9	3.58	5280	3539.7	14.31	12.06.2026	0		EXC2	
E51WCL-1005	PLATE	PL20X125	S355J2+N	8	756	125	20	14.7	0.22	6048	117.91	1.78	12.06.2026	0		EXC2	
E51WCL-1011	PLATE	PL20X170	S355J2+N	2	576	170	20	15.1	0.22	1152	30.23	0.44	12.06.2026	0		EXC2	
E51WCL-1013	PLATE	PL20X240	S355J2+N	1	576	240	20	20.9	0.3	576	20.91	0.3	12.06.2026	0		EXC2	
E51WCL-1014	PLATE	PL20X215	S355J2+N	1	576	215	20	18.7	0.27	576	18.65	0.27	12.06.2026	0		EXC2	
E51WCL-1017	PLATE	PL12X170	S355J2+N	2	576	170	12	9.1	0.21	1152	18.14	0.42	12.06.2026	0		EXC2	
E51WCL-1018	PLATE	PL12X235	S355J2+N	2	576	235	12	12.6	0.29	1151	25.18	0.57	12.06.2026	0		EXC2	
E51WCL-1021	PLATE	PL15X221	S355J2+N	1	280	221	15	5.6	0.11	280	5.64	0.11	12.06.2026	0		EXC2	
E51WCL-1024	PLATE	PL15X210	S355J2+N	1	260	210	15	4.3	0.08	260	4.28	0.08	12.06.2026	0		EXC2	
E51WCL-1025	PLATE	PL15X251	S355J2+N	2	255	251	15	4.7	0.09	509	9.44	0.18	12.06.2026	0		EXC2	
E51WCL-1026	PLATE	PL25X270	S355J2+N	2	566	270	25	29.7	0.34	1132	59.33	0.69	12.06.2026	0		EXC2	
E51WCL-1027	PLATE	PL30X1081	S355J2+N	2	1159	1081	30	229.1	2.05	2319	458.19	4.11	12.06.2026	0		EXC2	
E51WCL-1028	PLATE	PL30X1081	S355J2+N	2	1158	1081	30	228.9	2.05	2317	457.71	4.1	12.06.2026	0		EXC2	
E51WCL-1041	PLATE	PL15X250	S355J2+N	4	273	250	15	7.4	0.14	1092	29.77	0.56	12.06.2026	0		EXC2	
E51WCL-1042	PLATE	PL15X273	S355J2+N	4	300	273	15	9	0.17	1200	36.2	0.68	12.06.2026	0		EXC2	
E51WCL-1043	PLATE	PL15X273	S355J2+N	1	300	273	15	9.5	0.18	300	9.52	0.18	12.06.2026	0		EXC2	
E51WCL-1044	PLATE	PL15X250	S355J2+N	2	273	250	15	8	0.15	546	16.06	0.3	12.06.2026	0		EXC2	
E51WCL-1045	PLATE	PL15X227	S355J2+N	1	280	227	15	5.7	0.11	280	5.68	0.11	12.06.2026	0		EXC2	
E51WCL-1046	PLATE	PL15X204	S355J2+N	1	229	204	15	4	0.08	229	4.01	0.08	12.06.2026	0		EXC2	
E51WCL-1047	PLATE	PL15X273	S355J2+N	1	300	273	15	9.5	0.18	300	9.49	0.18	12.06.2026	0		EXC2	
E51WCL-1048	PLATE	PL25X330	S355J2+N	1	770	330	25	49.9	0.56	770	49.87	0.56	12.06.2026	0		EXC2	
E51WCL-1049	PLATE	PL15X170	S355J2+N	2	271	170	15	5.4	0.1	542	10.79	0.21	12.06.2026	0		EXC2	
E51WCL-1050	PLATE	PL15X225	S355J2+N	2	271	225	15	6.3	0.12	542	12.54	0.24	12.06.2026	0		EXC2	
E51WCL-1052	PLATE	PL10X228	S355J2+N	5	284	228	10	3.8	0.11	1422	19.22	0.53	12.06.2026	0		EXC2	
E51WCL-1053	PLATE	PL10X170	S355J2+N	14	170	170	10	2.3	0.06	2380	31.76	0.9	12.06.2026	0		EXC2	
E51WCL-1054	PLATE	PL10X115	S355J2+N	14	700	115	10	6.3	0.18	9800	88.47	2.48	12.06.2026	0		EXC2	
E51WCL-1056	PLATE	PL35X230	S355J2+N	16	1300	230	35	76.9	0.66	20800	1230.2	10.53	12.06.2026	0		EXC2	
E51WCL-1066	PLATE	PL10X120	S355J2+N	4	566	120	10	5.3	0.15	2264	21.3	0.6	12.06.2026	0		EXC2	
E51WCL-1067	PLATE	PL10X90	S355J2+N	6	576	90	10	4.1	0.12	3455	24.37	0.7	12.06.2026	0		EXC2	
E51WCL-1073	PLATE	PL30X125	S355J2+N	8	756	125	30	20.5	0.22	6048	163.78	1.78	12.06.2026	0		EXC2	
E51WCL-1099	PLATE	PL5X149	S355J2+N	4	281	149	5	1.6	0.09	1124	6.57	0.35	12.06.2026	0		EXC2	
E51WCL-1100	PLATE	PL5X45	S355J2+N	4	271	45	5	0.5	0.03	1084	1.91	0.11	12.06.2026	0		EXC2	

E51WCL-1104	PLATE	PL25X300	S355J2+N	2	505	300	25	29.7	0.34	1010	59.46	0.69	12.06.2026	0	EXC2
E51WCL-1105	PLATE	PL15X282	S355J2+N	2	400	282	15	12.1	0.23	800	24.26	0.45	12.06.2026	0	EXC2
E51WCL-1107	PLATE	PL8X176	S355J2+N	4	186	176	8	2.1	0.07	744	8.22	0.29	12.06.2026	0	EXC2
E51WCL-1108	PLATE	PL12X115	S355J2+N	4	134	115	12	1.2	0.03	536	4.96	0.13	12.06.2026	0	EXC2
E51WCL-1111	PLATE	PL15X206	S355J2+N	1	233	206	15	4.2	0.08	233	4.16	0.08	12.06.2026	0	EXC2
E51WCL-1112	PLATE	PL15X221	S355J2+N	1	280	221	15	5.5	0.11	280	5.48	0.11	12.06.2026	0	EXC2
E51WCL-1113	PLATE	PL15X250	S355J2+N	2	273	250	15	7.5	0.14	546	14.93	0.28	12.06.2026	0	EXC2
E51WCL-1114	PLATE	PL15X273	S355J2+N	2	300	273	15	9.1	0.17	600	18.14	0.34	12.06.2026	0	EXC2
E51WCL-1115	PLATE	PL10X228	S355J2+N	2	285	228	10	3.9	0.11	571	7.71	0.21	12.06.2026	0	EXC2
E51WCL-1116	PLATE	PL15X232	S355J2+N	8	283	232	15	7.7	0.15	2260	61.64	1.17	12.06.2026	0	EXC2
E51WCL-1117	PLATE	PL30X233	S355J2+N	8	726	233	30	37.6	0.37	5808	301.14	2.98	12.06.2026	0	EXC2
E51WCL-1118	PLATE	PL30X592	S355J2+N	2	1123	592	30	133.8	1.23	2247	267.62	2.45	12.06.2026	0	EXC2
E51WCL-1119	PLATE	PL40X393	S355J2+N	8	726	393	40	84.3	0.62	5808	674.09	4.93	12.06.2026	0	EXC2
E51WCL-1121	PLATE	PL30X582	S355J2+N	2	1123	582	30	131.1	1.2	2245	262.21	2.4	12.06.2026	0	EXC2
E51WCL-1122	PLATE	PL35X283	S355J2+N	6	726	283	35	53.3	0.45	4356	319.57	2.71	12.06.2026	0	EXC2
E51WCL-1123	PLATE	PL20X349	S355J2+N	16	478	349	20	25.4	0.35	7648	405.71	5.67	12.06.2026	0	EXC2
E51WCL-1124	PLATE	PL10X230	S355J2+N	4	621	230	10	11.2	0.3	2483	44.84	1.21	12.06.2026	0	EXC2
E51WCL-1125	PLATE	PL10X90	S355J2+N	2	575	90	10	4	0.11	1151	8.01	0.23	12.06.2026	0	EXC2
E51WCL-1127	PLATE	PL25X210	S355J2+N	2	593	210	25	24.4	0.29	1186	48.84	0.58	12.06.2026	0	EXC2
E51WCL-1128	PLATE	PL10X220	S355J2+N	10	621	220	10	10.7	0.29	6208	107.22	2.9	12.06.2026	0	EXC2
E51WCL-1129	PLATE	PL10X228	S355J2+N	2	262	228	10	3.4	0.09	524	6.75	0.19	12.06.2026	0	EXC2
E51WCL-1130	PLATE	PL30X1147	S355J2+N	2	1278	1147	30	293.8	2.62	2557	587.64	5.24	12.06.2026	0	EXC2
E51WCL-1131	PLATE	PL40X430	S355J2+N	12	550	430	40	74.3	0.55	6600	891.13	6.62	12.06.2026	0	EXC2
E51WCL-1132	PLATE	PL30X1145	S355J2+N	2	1237	1145	30	285.1	2.54	2473	570.27	5.09	12.06.2026	0	EXC2
E51WCL-1134	PLATE	PL16X134	S355J2+N	16	1141	134	16	19.2	0.35	18258	306.63	5.53	12.06.2026	0	EXC2
E51WCL-1136	PLATE	PL40X450	S355J2+N	16	550	450	40	77.7	0.58	8800	1243.4	9.2	12.06.2026	0	EXC2
E51WCL-1137	PLATE	PL15X297	S355J2+N	2	294	297	15	10.2	0.19	587	20.44	0.38	12.06.2026	0	EXC2
E51WCL-1138	PLATE	PL12X298	S355J2+N	2	294	298	12	8.2	0.19	587	16.37	0.38	12.06.2026	0	EXC2
E51WCL-1139	PLATE	PL25X803	S355J2+N	2	797	803	25	116.9	1.26	1594	233.85	2.53	12.06.2026	0	EXC2
E51WCL-1140	PLATE	PL16X135	S355J2+N	6	801	135	16	13.5	0.25	4806	81.24	1.47	12.06.2026	0	EXC2
E51WCL-1141	PLATE	PL12X268	S355J2+N	2	294	268	12	7.4	0.17	587	14.71	0.34	12.06.2026	0	EXC2
E51WCL-1142	PLATE	PL20X220	S355J2+N	4	420	220	20	14.5	0.21	1680	57.94	0.84	12.06.2026	0	EXC2
E51WCL-1143	PLATE	PL25X700	S355J2+N	6	420	700	25	53.2	0.59	2520	319.45	3.56	12.06.2026	0	EXC2
E51WCL-1144	PLATE	PL30X512	S355J2+N	2	995	512	30	93	0.86	1990	186.03	1.72	12.06.2026	0	EXC2
E51WCL-1145	PLATE	PL25X520	S355J2+N	2	411	520	25	38.9	0.44	822	77.88	0.88	12.06.2026	0	EXC2
E51WCL-1146	PLATE	PL15X425	S355J2+N	2	496	425	15	21	0.38	993	41.99	0.76	12.06.2026	0	EXC2
E51WCL-1147	PLATE	PL15X95	S355J2+N	8	400	95	15	4.5	0.09	3200	35.61	0.72	12.06.2026	0	EXC2
E51WCL-1148	PLATE	PL12X497	S355J2+N	8	403	497	12	18.8	0.42	3220	150.41	3.36	12.06.2026	0	EXC2
E51WCL-1149	PLATE	PL20X393	S355J2+N	8	726	393	20	44.2	0.61	5808	353.98	4.85	12.06.2026	0	EXC2
E51WCL-1150	BEAM	PL30X460	S355J2+N	4	1141	460	30	121.3	1.12	4565	485.12	4.49	12.06.2026	0	EXC2
E51WCL-1151	PLATE	PL30X480	S355J2+N	4	1297	480	30	133.9	1.25	5190	535.79	4.98	12.06.2026	0	EXC2
E51WCL-1152	PLATE	PL20X250	S355J2+N	4	582	250	20	22.8	0.32	2328	91.37	1.3	12.06.2026	0	EXC2
E51WCL-1154	PLATE	PL20X99	S355J2+N	4	576	99	20	8.9	0.14	2304	35.75	0.56	12.06.2026	0	EXC2


E51WCL-1155	BEAM	PL30X190	S355J2+N	4	200	190	30	8.9	0.1	800	35.68	0.39	12.06.2026	0	EXC2	
E51WCL-1156	PLATE	PL15X365	S355J2+N	2	683	365	15	25.9	0.47	1366	51.76	0.94	12.06.2026	0	EXC2	
E51WCL-1157	PLATE	PL15X365	S355J2+N	2	683	365	15	25.9	0.47	1366	51.74	0.94	12.06.2026	0	EXC2	
E51WCL-1158	PLATE	PL10X85	S355J2+N	4	90	85	10	0.6	0.02	360	2.29	0.07	12.06.2026	0	EXC2	
E51WCL-1159	PLATE	PL8X297	S355J2+N	1	212	297	8	4	0.13	212	3.96	0.13	12.06.2026	0	EXC2	
E51WCL-1160	PLATE	PL8X297	S355J2+N	4	228	297	8	4.2	0.14	911	16.99	0.57	12.06.2026	0	EXC2	
E51WCL-1161	PLATE	PL8X297	S355J2+N	3	281	297	8	5.2	0.18	843	15.73	0.53	12.06.2026	0	EXC2	
E51WCL-1162	PLATE	PL5X37	S355J2+N	3	94	37	5	0.1	0.01	282	0.41	0.02	12.06.2026	1	18.06.2026	EXC2
E51WCL-1163	PLATE	PL5X34	S355J2+N	16	94	34	5	0.1	0.01	1504	2.01	0.12	12.06.2026	0	EXC2	
E51WCL-1164	PLATE	PL10X228	S355J2+N	5	261	228	10	3.4	0.09	1304	16.82	0.47	12.06.2026	0	EXC2	
E51WCL-1165	PLATE	PL15X282	S355J2+N	6	400	282	15	13.3	0.25	2400	79.66	1.47	12.06.2026	0	EXC2	
E51WCL-1166	PLATE	PL20X283	S355J2+N	4	726	283	20	32	0.45	2904	128	1.79	12.06.2026	0	EXC2	
E51WCL-1167	PLATE	PL12X190	S355J2+N	6	390	190	12	7	0.16	2340	41.88	0.97	12.06.2026	0	EXC2	
E51WCL-1168	PLATE	PL12X190	S355J2+N	6	290	190	12	5.2	0.12	1740	31.14	0.73	12.06.2026	0	EXC2	
E51WCL-1169	PLATE	PL5X144	S355J2+N	20	97	144	5	0.5	0.03	1940	10.96	0.61	12.06.2026	0	EXC2	
E51WCL-1170	PLATE	PL5X94	S355J2+N	12	197	94	5	0.7	0.04	2364	8.72	0.48	12.06.2026	0	EXC2	
E51WCL-1171	PLATE	PL5X194	S355J2+N	86	197	194	5	1.5	0.08	16942	129	6.91	12.06.2026	0	EXC2	
E51WCL-1172	PLATE	PL8X150	S355J2+N	2	142	150	8	1.3	0.05	284	2.68	0.09	12.06.2026	0	EXC2	
E51WCL-1173	PLATE	PL8X110	S355J2+N	10	230	110	8	1.6	0.06	2300	15.89	0.56	12.06.2026	0	EXC2	
E51WCL-1174	PLATE	PL8X90	S355J2+N	1	190	90	8	1.1	0.04	190	1.07	0.04	12.06.2026	0	EXC2	
E51WCL-1175	PLATE	PL15X135	S355J2+N	6	294	135	15	4.7	0.09	1761	27.92	0.55	12.06.2026	0	EXC2	
E51WCL-1177	PLATE	PL5X90	S355J2+N	1	90	90	5	0.3	0.02	90	0.32	0.02	12.06.2026	0	EXC2	
E51WCL-1178	PLATE	PL12X205	S355J2+N	1	210	205	12	4.1	0.1	210	4.06	0.1	12.06.2026	0	EXC2	
E51WCL-1179	PLATE	PL5X100	S355J2+N	1	100	100	5	0.4	0.02	100	0.35	0.02	12.06.2026	0	EXC2	
E51WCL-1180	PLATE	PL12X105	S355J2+N	2	200	105	12	1.9	0.05	400	3.9	0.1	12.06.2026	0	EXC2	
E51WCL-1181	PLATE	PL15X296	S355J2+N	4	325	296	15	11.3	0.21	1301	45.15	0.84	12.06.2026	0	EXC2	
E51WCL-1182	PLATE	PL15X138	S355J2+N	6	296	138	15	4.8	0.09	1776	28.62	0.56	12.06.2026	0	EXC2	
E51WCL-1183	PLATE	PL15X296	S355J2+N	2	325	296	15	11.3	0.21	651	22.58	0.42	12.06.2026	0	EXC2	
E51WCL-1184	PLATE	PL15X262	S355J2+N	2	355	262	15	9	0.17	710	18.02	0.34	12.06.2026	0	EXC2	
E51WCL-1185	PLATE	PL25X200	S355J2+N	2	220	200	25	8.1	0.1	440	16.22	0.2	12.06.2026	0	EXC2	
E51WCL-1186	PLATE	PL25X200	S355J2+N	6	220	200	25	8.1	0.1	1320	48.66	0.61	12.06.2026	0	EXC2	
E51WCL-1187	PLATE	PL16X125	S355J2+N	16	228	125	16	3.5	0.07	3648	55.64	1.06	12.06.2026	0	EXC2	
E51WCL-1188	PLATE	PL10X135	S355J2+N	12	294	135	10	3	0.09	3522	36.54	1.03	12.06.2026	0	EXC2	
E51WCL-1189	PLATE	PL10X145	S355J2+N	8	296	145	10	3.3	0.09	2368	26.28	0.74	12.06.2026	0	EXC2	
E51WCL-1190	PLATE	PL5X194	S355J2+N	2	194	194	5	1.5	0.08	388	2.95	0.16	12.06.2026	0	EXC2	
E51WCL-1191	PLATE	PL10X107	S355J2+N	24	205	107	10	1.7	0.05	4920	40.87	1.19	12.06.2026	0	EXC2	
E51WCL-1192	PLATE	PL8X194	S355J2+N	4	197	194	8	2.4	0.08	788	9.55	0.33	12.06.2026	0	EXC2	
E51WCL-1193	PLATE	PL10X91	S355J2+N	8	150	91	10	1	0.03	1200	8.04	0.24	12.06.2026	0	EXC2	
E51WCL-1194	PLATE	PL30X300	S355J2+N	4	576	300	30	40.7	0.4	2304	162.78	1.59	12.06.2026	0	EXC2	
E51WCL-1195	PLATE	PL35X283	S355J2+N	2	726	283	35	53	0.45	1452	105.98	0.9	12.06.2026	0	EXC2	
E51WCL-1196	PLATE	PL20X283	S355J2+N	4	726	283	20	32	0.45	2904	128	1.79	12.06.2026	0	EXC2	
E51WCL-1197	PLATE	PL12X200	S355J2+N	4	250	200	12	4.6	0.11	1000	18.31	0.43	12.06.2026	0	EXC2	
E51WCL-1198	PLATE	PL16X137	S355J2+N	2	801	137	16	13.7	0.25	1602	27.38	0.5	12.06.2026	0	EXC2	

E51WCP-1001	COLUMN_WI	WI600-10-15X250	S355J2	1	5175	0	0	538.1	11.27	5175	538.1	11.27	12.06.2026	0	EXC2
E51WCP-1002	COLUMN_WI	WI800-35-35X600	S355J2	1	11420	0	0	6106.2	44.99	11420	6106.2	44.99	12.06.2026	0	EXC2
E51WCP-1003	COLUMN_WI	WI600-10-10X200	S355J2	1	13187	0	0	1019.3	26.09	13187	1019.3	26.09	12.06.2026	0	EXC2
E51WCP-1005	COLUMN_WI	WI600-10-10X200	S355J2	1	12747	0	0	985.3	25.23	12747	985.26	25.23	12.06.2026	0	EXC2
E51WCP-1006	COLUMN_WI	WI600-10-15X250	S355J2	2	8072	0	0	839.4	17.4	16145	1678.8	34.8	12.06.2026	0	EXC2
E51WCP-1009	COLUMN_WI	WI600-10-15X250	S355J2	1	5175	0	0	538.1	11.28	5175	538.1	11.28	12.06.2026	0	EXC2
E51WCP-1010	COLUMN_WI	WI600-10-10X210	S355J2	4	5180	0	0	408.5	10.43	20720	1634	41.71	12.06.2026	0	EXC2
E51WCP-1012	COLUMN_WI	WI600-10-10X210	S355J2	1	5175	0	0	408.1	10.12	5175	408.11	10.12	12.06.2026	0	EXC2
E51WCP-1014	COLUMN_WI	WI600-10-10X210	S355J2	1	5175	0	0	408.1	10.12	5175	408.11	10.12	12.06.2026	0	EXC2
E51WCP-1015	COLUMN_WI	WI800-30-20X300	S355J2	2	8385	0	0	2317.9	22.99	16770	4635.8	45.97	12.06.2026	0	EXC2
E51WCP-1024	COLUMN_WI	WI600-10-10X210	S355J2	1	8072	0	0	636.6	16.06	8072	636.6	16.06	12.06.2026	0	EXC2
E51WCP-1025	COLUMN_WI	WI600-10-15X250	S355J2	1	8072	0	0	839.4	17.38	8072	839.38	17.38	12.06.2026	0	EXC2
E51WCP-1026	SHEAR_STUB	WI350-25-35X250	S355J2+N	4	420	0	0	81.7	0.73	1680	326.9	2.91	12.06.2026	0	EXC2
E51WCP-1031	BEAM	L100*10	S355J2	2	378	0	0	5.7	0.15	756	11.39	0.29	12.06.2026	0	EXC2
E51WCP-1032	BEAM	L100*10	S355J2	1	375	0	0	5.7	0.15	375	5.65	0.15	12.06.2026	0	EXC2
E51WCP-1037	BRACE_VER	T140-15-15-150	S355J2+N	2	1050	0	0	34.4	0.62	2100	68.85	1.23	12.06.2026	0	EXC2
E51WCP-1038	BRACE_VER	T140-15-15-150	S355J2+N	1	1450	0	0	47.5	0.85	1450	47.54	0.85	12.06.2026	0	EXC2
E51WCP-1045	BRACE_VER	CFRHS200X120X5	S355J2H	3	85	0	0	2	0.05	255	6.08	0.16	12.06.2026	0	EXC2
E51WCP-1080	BEAM	L100*10	S355J2	10	586	0	0	8.8	0.23	5860	88.32	2.29	12.06.2026	0	EXC2
E51WCP-1081	BEAM	L100*10	S355J2	16	278	0	0	4.2	0.11	4448	67.04	1.73	12.06.2026	0	EXC2
E51WCP-1082	COLUMN_WI	WI800-35-35X600	S355J2	2	11420	0	0	6106.2	44.99	22840	12212	89.98	12.06.2026	0	EXC2
E51WCP-1083	COLUMN_WI	WI800-35-35X600	S355J2	1	11420	0	0	6106.2	44.99	11420	6106.2	44.99	12.06.2026	0	EXC2
E51WCP-1084	COLUMN_WI	WI600-10-10X200	S355J2	1	12725	0	0	983.5	25.18	12725	983.5	25.18	12.06.2026	0	EXC2
E51WCP-1085	COLUMN_WI	WI600-10-10X200	S355J2	1	12285	0	0	949.5	24.31	12285	949.49	24.31	12.06.2026	0	EXC2
E51WCP-1086	COLUMN_WI	WI600-10-15X250	S355J2	2	7610	0	0	791.3	16.39	15219	1582.5	32.78	12.06.2026	0	EXC2
E51WCP-1087	COLUMN_WI	WI600-10-10X210	S355J2	2	5175	0	0	408.1	10.12	10350	816.21	20.25	12.06.2026	0	EXC2
E51WCP-1088	COLUMN_WI	WI600-10-10X210	S355J2	1	8072	0	0	636.6	16.06	8072	636.6	16.06	12.06.2026	0	EXC2
E51WCP-1089	COLUMN_WI	WI600-10-10X210	S355J2	1	7610	0	0	600.1	15.12	7610	600.11	15.12	12.06.2026	0	EXC2
E51WCP-1090	COLUMN_WI	WI600-10-10X210	S355J2	1	7610	0	0	600.1	15.12	7610	600.11	15.12	12.06.2026	0	EXC2
E51WCP-1091	COLUMN_WI	WI600-10-15X250	S355J2	1	7610	0	0	791.3	16.37	7610	791.27	16.37	12.06.2026	0	EXC2
E51WCP-1092	BEAM	L100*10	S355J2	1	378	0	0	5.7	0.15	378	5.7	0.15	12.06.2026	0	EXC2
E51WCP-1093	BEAM	L100*10	S355J2	3	378	0	0	5.7	0.15	1134	17.09	0.44	12.06.2026	0	EXC2
E51WCP-1094	BEAM	L100*10	S355J2	1	375	0	0	5.7	0.15	375	5.65	0.15	12.06.2026	0	EXC2
E51WCP-1095	PROFILE	CFRHS200X100X5	S355J2H	2	4170	0	0	92.8	2.43	8340	185.67	4.86	12.06.2026	0	EXC2
E51WCP-1096	PROFILE	CFRHS200X100X5	S355J2H	1	3670	0	0	81.7	2.14	3670	81.7	2.14	12.06.2026	0	EXC2
E51WCP-1097	PROFILE	CFRHS150X100X3	S355J2H	1	7110	0	0	80.4	3.48	7110	80.43	3.48	12.06.2026	0	EXC2
E51WCP-1098	PROFILE	CFRHS200X200X5	S355J2H	10	2910	0	0	87.6	2.28	29100	876.19	22.78	12.06.2026	0	EXC2
E51WCP-1099	PROFILE	CFRHS200X100X5	S355J2H	2	8890	0	0	197.9	5.18	17780	395.82	10.37	12.06.2026	0	EXC2
E51WCP-1100	PROFILE	CFRHS150X100X3	S355J2H	2	5380	0	0	60.9	2.64	10760	121.72	5.27	12.06.2026	0	EXC2
E51WCP-1101	PROFILE	CFRHS200X200X5	S355J2H	4	1690	0	0	50.9	1.32	6760	203.54	5.29	12.06.2026	0	EXC2
E51WCP-1102	PROFILE	CFRHS200X200X5	S355J2H	6	5470	0	0	164.7	4.28	32820	988.2	25.69	12.06.2026	0	EXC2
E51WCP-1103	PROFILE	CFRHS150X100X3	S355J2H	2	7610	0	0	86.1	3.73	15220	172.17	7.46	12.06.2026	0	EXC2
E51WCP-1104	PROFILE	CFRHS200X100X5	S355J2H	1	8166	0	0	181.8	4.76	8166	181.79	4.76	12.06.2026	0	EXC2

E51WCP-1105	PROFILE	CFRHS150X100X3	S355J2H	1	6280	0	0	71	3.08	6280	71.04	3.08	12.06.2026	0	EXC2
E51WCP-1106	Beam	HEA200	S355J2	1	660	0	0	27.9	0.75	660	27.89	0.75	12.06.2026	0	EXC2
E51WCP-1107	Beam	HEA200	S355J2	1	560	0	0	23.7	0.64	560	23.66	0.64	12.06.2026	0	EXC2
E51WCP-1108	COLUMN_WI	HEA340	S355J2	2	756	0	0	79.3	1.36	1513	158.53	2.72	12.06.2026	0	EXC2
E51WCP-1109	COLUMN_WI	HEA340	S355J2	1	388	0	0	40.6	0.7	388	40.63	0.7	12.06.2026	0	EXC2
E51WCP-1110	COLUMN_WI	HEA340	S355J2	6	247	0	0	25.9	0.44	1482	155.31	2.66	12.06.2026	0	EXC2
E51WCP-1111	COLUMN_WI	HEA340	S355J2	1	377	0	0	39.5	0.68	377	39.46	0.68	12.06.2026	0	EXC2
E51WCP-1112	COLUMN_WI	HEA340	S355J2	2	524	0	0	54.9	0.94	1048	109.83	1.88	12.06.2026	0	EXC2
E51WCP-1113	Beam	IPE550	S355J2	1	560	0	0	58.9	1.05	560	58.91	1.05	12.06.2026	0	EXC2
E51WCP-1114	FRAME	CFRHS100X100X6	S355J2H	1	640	0	0	10.9	0.24	640	10.85	0.24	12.06.2026	0	EXC2
E51WCP-1115	PROFILE	CFRHS150X100X3	S355J2H	4	870	0	0	9.8	0.43	3480	39.37	1.71	12.06.2026	0	EXC2
E51WCP-1116	Beam	CFRHS100X40X3	S355J2H	2	515	0	0	3.2	0.14	1030	6.32	0.28	12.06.2026	1	18.06.2026 EXC2
E51WCP-1117	Beam	CFRHS100X40X3	S355J2H	1	1030	0	0	6.3	0.28	1030	6.31	0.28	12.06.2026	0	EXC2
E51WCP-1118	Beam	CFRHS100X40X3	S355J2H	7	1065	0	0	6.5	0.29	7455	45.71	2.01	12.06.2026	0	EXC2
E51WCP-1119	Beam	UNP200	S355J2	2	250	0	0	6.3	0.17	500	12.64	0.33	12.06.2026	0	EXC2
E51WCP-1120	Beam	IPE240	S355J2	10	192	0	0	5.9	0.18	1920	58.92	1.77	12.06.2026	0	EXC2
E51WCP-1121	PROFILE	CFRHS200X200X5	S355J2H	3	3706	0	0	111.6	2.9	11118	334.76	8.7	12.06.2026	0	EXC2
E51WCP-1122	PROFILE	CFRHS200X200X5	S355J2H	2	1126	0	0	33.9	0.88	2252	67.81	1.76	12.06.2026	0	EXC2
E51WCP-1123	PROFILE	CFRHS200X200X5	S355J2H	2	1635	0	0	49.2	1.28	3270	98.46	2.56	12.06.2026	0	EXC2
E51WCP-1124	PROFILE	CFRHS200X200X5	S355J2H	3	4215	0	0	126.9	3.3	12645	380.74	9.9	12.06.2026	0	EXC2
E51WCP-1125	Beam	UNP200	S355J2	2	250	0	0	6.3	0.17	500	12.64	0.33	12.06.2026	0	EXC2
E51WCP-1126	Beam	IPE200	S355J2	1	192	0	0	4.3	0.15	192	4.3	0.15	12.06.2026	0	EXC2
E51WCP-1127	Beam	UNP200	S355J2	2	250	0	0	6.3	0.17	500	12.64	0.33	12.06.2026	0	EXC2
E51WCP-1128	Beam	UNP180	S355J2	1	250	0	0	5.5	0.15	250	5.49	0.15	12.06.2026	0	EXC2
E51WCP-1129	Beam	HEA160	S355J2	1	192	0	0	5.8	0.17	192	5.84	0.17	12.06.2026	0	EXC2
E51WCP-1130	Beam	UNP180	S355J2	1	250	0	0	5.5	0.15	250	5.49	0.15	12.06.2026	0	EXC2
E51WCP-1131	Beam	HEA160	S355J2	1	192	0	0	5.8	0.17	192	5.84	0.17	12.06.2026	0	EXC2
E51WCP-1132	FRAME	L100*12	S355J2	2	782	0	0	13.9	0.3	1564	27.87	0.61	12.06.2026	0	EXC2
E51WCP-1134	Beam	HEA260	S355J2	1	561	0	0	38.2	0.83	561	38.21	0.83	12.06.2026	0	EXC2
E51WCP-1135	PROFILE	CFRHS200X200X5	S355J2H	4	907	0	0	27.3	0.71	3628	109.24	2.84	12.06.2026	0	EXC2
E51WCP-1136	PROFILE	CFRHS200X200X5	S355J2H	4	2210	0	0	66.5	1.73	8840	266.17	6.92	12.06.2026	0	EXC2
E51WCP-1137	PROFILE	CFRHS200X200X5	S355J2H	4	910	0	0	27.4	0.71	3640	109.6	2.85	12.06.2026	0	EXC2
E51WCP-1138	PROFILE	CFRHS200X200X5	S355J2H	4	1010	0	0	30.4	0.79	4040	121.64	3.16	12.06.2026	0	EXC2
E51WCP-1140	FRAME	HEA240	S355J2	6	403	0	0	24.3	0.55	2415	145.67	3.31	12.06.2026	0	EXC2
E51WCP-1141	FRAME	HEA240	S355J2	6	255	0	0	15.4	0.35	1530	92.29	2.09	12.06.2026	0	EXC2
E51WCP-1142	COLUMN_WI	WI800-30-20X300	S355J2	2	7922	0	0	2190	21.72	15845	4380	43.44	12.06.2026	0	EXC2
E51WL-1001	PLATE	PL30X300	S355J2+N	4	801	300	30	56.6	0.55	3205	226.4	2.19	12.06.2026	0	EXC2
E51WL-1002	PLATE	PL30X300	S355J2+N	4	1280	300	30	90.4	0.86	5120	361.73	3.45	12.06.2026	0	EXC2
E51WL-1003	PLATE	PL15X359	S355J2+N	4	892	359	15	20.2	0.38	3567	80.87	1.5	12.06.2026	0	EXC2
E51WL-1005	PLATE	PL20X220	S355J2+N	16	791	220	20	27.3	0.39	12656	436.64	6.2	12.06.2026	0	EXC2
E51WL-1009	PLATE	PL15X297	S355J2+N	2	1040	297	15	35.7	0.65	2079	71.38	1.29	12.06.2026	0	EXC2
E51WL-1010	PLATE	PL12X297	S355J2+N	2	1040	297	12	28.6	0.64	2079	57.11	1.27	12.06.2026	0	EXC2
E51WL-1011	PLATE	PL12X247	S355J2+N	2	904	247	12	20.6	0.46	1807	41.25	0.93	12.06.2026	0	EXC2


E51WL-1014	PLATE	PL10X146	S355J2+N	4	602	146	10	6.9	0.19	2408	27.58	0.76	12.06.2026	0	EXC2
E51WL-1017	PLATE	PL10X120	S355J2+N	2	165	120	10	1.6	0.05	330	3.11	0.09	12.06.2026	0	EXC2
E51WL-1018	PLATE	PL10X120	S355J2+N	8	440	120	10	3.9	0.11	3520	31.59	0.89	12.06.2026	0	EXC2
E51WL-1019	PLATE	PL30X300	S355J2+N	4	1280	300	30	90.4	0.86	5120	361.73	3.45	12.06.2026	0	EXC2
E51WL-1020	PLATE	PL30X600	S355J2+N	2	1600	600	30	226.1	2.05	3200	452.16	4.1	12.06.2026	0	EXC2
E51WL-1021	PLATE	PL30X600	S355J2+N	2	1600	600	30	226.1	2.05	3200	452.16	4.1	12.06.2026	0	EXC2
E51WL-1022	PLATE	PL15X223	S355J2+N	2	286	223	15	6.3	0.12	573	12.51	0.24	12.06.2026	0	EXC2
E51WL-1023	PLATE	PL5X37	S355J2+N	20	94	37	5	0.1	0.01	1880	2.73	0.17	12.06.2026	0	EXC2
E51WL-1024	PLATE	PL5X47	S355J2+N	26	94	47	5	0.2	0.01	2444	4.51	0.27	12.06.2026	0	EXC2
E51WL-1025	PLATE	PL5X47	S355J2+N	4	144	47	5	0.3	0.02	576	1.06	0.06	12.06.2026	0	EXC2
E51WL-1026	PLATE	PL12X260	S355J2+N	6	220	260	12	5.4	0.13	1320	32.33	0.76	12.06.2026	0	EXC2
E51WL-1027	PLATE	PL15X183	S355J2+N	8	1216	183	15	26.1	0.49	9728	208.84	3.88	12.06.2026	0	EXC2
E51WL-1028	PLATE	PL5X50	S355J2+N	8	2000	50	5	3.9	0.22	16000	30.83	1.74	12.06.2026	0	EXC2
E51WL-1029	PLATE	PL10X146	S355J2+N	8	607	146	10	7	0.19	4856	55.62	1.54	12.06.2026	0	EXC2
E51WP-1001	Beam_WI	WI1300-15-40X400	S355J2	2	7824	0	0	3095.7	32.69	15648	6191.4	65.38	12.06.2026	0	EXC2
E51WP-1002	Beam_WI	WI1000-15-30X400	S355J2	2	7824	0	0	2346.4	27.98	15648	4692.8	55.96	12.06.2026	0	EXC2
E51WP-1003	Beam_WI	WI800-8-20X300	S355J2	1	8070	0	0	1147.2	22.45	8070	1147.2	22.45	12.06.2026	0	EXC2
E51WP-1004	Beam_WI	WI800-8-20X300	S355J2	2	7877	0	0	1119.7	21.83	15753	2239.5	43.67	12.06.2026	0	EXC2
E51WP-1005	Beam_WI	WI1000-15-30X400	S355J2	2	7824	0	0	2346.4	27.98	15648	4692.8	55.96	12.06.2026	0	EXC2
E51WP-1006	Beam_WI	WI800-8-20X300	S355J2	2	8314	0	0	1181.9	23.18	16628	2363.8	46.36	12.06.2026	0	EXC2
E51WP-1007	BEAM	L100*10	S355J2	4	7510	0	0	113.2	2.93	30040	452.76	11.72	12.06.2026	0	EXC2
E51WP-1008	Beam	CFRHS100X40X3	S355J2H	2	7791	0	0	47.8	2.1	15582	95.53	4.21	12.06.2026	0	EXC2
E51WP-1009	Beam_WI	WI800-8-20X300	S355J2	5	8070	0	0	1147.2	22.5	40350	5736.1	112.52	12.06.2026	0	EXC2
E51WP-1011	Beam_WI	WI800-8-20X300	S355J2	2	8314	0	0	1181.9	23.17	16628	2363.8	46.33	12.06.2026	0	EXC2
E51WP-1012	Beam_WI	WI800-8-20X300	S355J2	2	8314	0	0	1181.9	23.16	16628	2363.8	46.32	12.06.2026	0	EXC2
E51WP-1013	Beam_WI	WI800-8-20X300	S355J2	2	8314	0	0	1181.9	23.17	16628	2363.8	46.34	12.06.2026	0	EXC2
E51WP-1027	Beam_WI	WI800-8-20X300	S355J2	1	8070	0	0	1147.2	22.45	8070	1147.2	22.45	12.06.2026	0	EXC2
E51WP-1028	BEAM	L100*10	S355J2	4	1190	0	0	17.9	0.46	4760	71.74	1.86	12.06.2026	0	EXC2
E51WP-1029	Beam_WI	CFRHS200X100X5	S355J2H	6	454	0	0	10.1	0.26	2727	60.71	1.59	12.06.2026	0	EXC2
E51WP-1030	Beam	CFRHS100X40X3	S355J2H	2	2225	0	0	13.6	0.6	4450	27.28	1.2	12.06.2026	0	EXC2
E51WP-1031	Beam	CFRHS100X40X3	S355J2H	2	4965	0	0	30.4	1.34	9930	60.88	2.68	12.06.2026	0	EXC2
E51WP-1032	Beam	CFRHS100X40X3	S355J2H	4	260	0	0	1.6	0.07	1040	6.38	0.28	12.06.2026	0	EXC2
E51WP-1033	Beam	CFRHS100X50X5	S355J2H	6	8264	0	0	86.7	2.34	49584	520.02	14.03	12.06.2026	0	EXC2
E51WP-1034	Beam	CFRHS150X50X5	S355J2H	2	8264	0	0	118.7	3.17	16528	237.38	6.33	12.06.2026	0	EXC2
E51WP-1035	Beam	CFRHS100X50X5	S355J2H	2	7610	0	0	79.8	2.15	15220	159.62	4.31	12.06.2026	0	EXC2
E51WP-1036	Beam	CFRHS100X50X5	S355J2H	5	8040	0	0	84.3	2.28	40200	421.6	11.38	12.06.2026	0	EXC2
										Total:	113115				

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	1
E51WC-1076	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1001	PL70X1220	S355J2+N	4	1320	884.9
TOTAL:					3539.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1001

IN ASSEMBLY	PCS
E51WC-1027	2
E51WC-1028	2
E51WC-1071	2
E51WC-1072	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1005	PL20X125	S355J2+N	8	756	14.7
TOTAL:					117.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1005

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1011	PL20X170	S355J2+N	2	576	15.1
TOTAL:					30.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1011




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1013	PL20X240	S355J2+N	1	576	20.9
TOTAL:					20.9




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	REVISION
PROJECT NUMBER		DWG. NO.	
25019443		E51WCL-1013	

IN ASSEMBLY	PCS
E51WC-1066	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1014	PL20X215	S355J2+N	1	576	18.7
TOTAL:					18.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1014

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1078	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1017	PL12X170	S355J2+N	2	576	9.1
TOTAL:					18.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1017

IN ASSEMBLY	PCS
E51WC-1017	1
E51WC-1063	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1018	PL12X235	S355J2+N	2	575	12.6
TOTAL:					25.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PUH. +358 207 393 000 www.sweco.fi		PROJECT NUMBER 25019443	REVISION E51WCL-1018




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1024	PL15X210	S355J2+N	1	260	4.3
TOTAL:					4.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1024



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1025	PL15X251	S355J2+N	2	255	4.7
TOTAL:					9.4



APPLICABLE EXECUTION STANDARD

EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi

EXECUTION CLASS

EXC2


DATE
12.06.2026
DESIGNER
Alexey Serous

Easpring New Materials Oy
SINGLE PART DRAWING

PROJECT NUMBER
25019443


DWG. NO.
E51WCL-1025

REVISION




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1026	PL25X270	S355J2+N	2	566	29.7
TOTAL:					59.3





APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1026

IN ASSEMBLY	PCS
E51WC-1018	1
E51WC-1067	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1027	PL30X1081	S355J2+N	2	1159	229.1
TOTAL:					458.2


Re-entrant corners and notches, corner radius	APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS		EXC2
	 or 	 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCL-1027

IN ASSEMBLY	PCS
E51WC-1020	1
E51WC-1068	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1028	PL30X1081	S355J2+N	2	1158	228.9
TOTAL:					457.7



APPLICABLE EXECUTION STANDARD
EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi

DATE
12.06.2026

DESIGNER
Alexey Serous

PROJECT NUMBER

25019443

EXECUTION CLASS

EXC2

Easpring New Materials Oy


SINGLE PART DRAWING

DWG. NO.

E51WCL-1028


REVISION

IN ASSEMBLY	PCS
E51WC-1067	2
E51WC-1068	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1041	PL15X250	S355J2+N	4	273	7.4
TOTAL:					29.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1041

IN ASSEMBLY	PCS
E51WC-1067	2
E51WC-1068	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1042	PL15X273	S355J2+N	4	300	9.0
TOTAL:					36.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1042

IN ASSEMBLY	PCS
E51WC-1018	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1043	PL15X273	S355J2+N	1	300	9.5
TOTAL:					9.5




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WCL-1043	

IN ASSEMBLY	PCS
E51WC-1018	1
E51WC-1020	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1044	PL15X250	S355J2+N	2	273	8.0
TOTAL:					16.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1044




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1045	PL15X227	S355J2+N	1	280	5.7
TOTAL:					5.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1045




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1046	PL15X204	S355J2+N	1	229	4.0
TOTAL:					4.0




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1046

IN ASSEMBLY	PCS
E51WC-1020	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1047	PL15X273	S355J2+N	1	300	9.5
TOTAL:					9.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1047




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1048	PL25X330	S355J2+N	1	770	49.9
TOTAL:					49.9




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	REVISION
PROJECT NUMBER		DWG. NO.	
25019443		E51WCL-1048	

IN ASSEMBLY	PCS
E51WC-1065	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1049	PL15X170	S355J2+N	2	271	5.4
TOTAL:					10.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1049

IN ASSEMBLY	PCS
E51WC-1065	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1050	PL15X225	S355J2+N	2	271	6.3
TOTAL:					12.5




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1050

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1013	1
E51WC-1018	1
E51WC-1020	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1052	PL10X228	S355J2+N	5	284	3.8
TOTAL:					19.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1052

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1012	1
E51WC-1013	1
E51WC-1017	1
E51WC-1018	1
E51WC-1020	1
E51WC-1063	1
E51WC-1064	1
E51WC-1065	1
E51WC-1066	1
E51WC-1067	1
E51WC-1068	1
E51WC-1077	1
E51WC-1078	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1053	PL10X170	S355J2+N	14	170	2.3
TOTAL:					31.8




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCL-1053	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1017	1
E51WC-1024	1
E51WC-1025	2
E51WC-1063	1
E51WC-1078	1
E51WC-1079	1
E51WC-1080	1
E51WC-1081	1
E51WC-1082	1
E51WC-1083	1
E51WC-1084	1
E51WC-1085	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1054	PL10X115	S355J2+N	14	700	6.3
TOTAL:					88.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1054

IN ASSEMBLY	PCS
E51WC-1001	4
E51WC-1074	4
E51WC-1075	4
E51WC-1076	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1056	PL35X230	S355J2+N	16	1300	76.9
TOTAL:					1230.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1056	
PUH. +358 207 393 000 www.sweco.fi		REVISION	

	IN ASSEMBLY	PCS
	E51WC-1065	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1066	PL10X120	S355J2+N	4	566	5.3
TOTAL:					21.3




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCL-1066	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1017	2
E51WC-1063	1
E51WC-1078	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1067	PL10X90	S355J2+N	6	576	4.1
TOTAL:					24.4




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1067

IN ASSEMBLY	PCS
E51WC-1027	2
E51WC-1028	2
E51WC-1071	2
E51WC-1072	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1073	PL30X125	S355J2+N	8	756	20.5
TOTAL:					163.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1073	
PUH. +358 207 393 000 www.sweco.fi		REVISION	

IN ASSEMBLY	PCS
E51WC-1065	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1099	PL5X149	S355J2+N	4	281	1.6
TOTAL:					6.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WCL-1099	

IN ASSEMBLY	PCS
E51WC-1065	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1100	PL5X45	S355J2+N	4	271	0.5
TOTAL:					1.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1100
		REVISION	

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1104	PL25X300	S355J2+N	2	505	29.7
TOTAL:					59.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1104

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1105	PL15X282	S355J2+N	2	400	12.1
TOTAL:					24.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1105

IN ASSEMBLY	PCS
E51WC-1027	1
E51WC-1028	1
E51WC-1071	1
E51WC-1072	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1107	PL8X176	S355J2+N	4	186	2.1
TOTAL:					8.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1107

IN ASSEMBLY	PCS
E51WC-1027	1
E51WC-1028	1
E51WC-1071	1
E51WC-1072	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1108	PL12X115	S355J2+N	4	134	1.2
TOTAL:					5.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1108




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1111	PL15X206	S355J2+N	1	233	4.2
TOTAL:					4.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1111
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1112	PL15X221	S355J2+N	1	280	5.5
TOTAL:					5.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1112

IN ASSEMBLY	PCS
E51WC-1018	1
E51WC-1020	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1113	PL15X250	S355J2+N	2	273	7.5
TOTAL:					14.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1113

IN ASSEMBLY	PCS
E51WC-1018	1
E51WC-1020	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1114	PL15X273	S355J2+N	2	300	9.1
TOTAL:					18.1



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1114

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1078	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1115	PL10X228	S355J2+N	2	285	3.9
TOTAL:					7.7

Re-entrant corners and notches,
corner radius

Diagram showing corner radius R=10 for re-entrant corners and notches. The diagram includes a circular corner with radius R=10 and a square corner with radius R=10. The text 'or' is placed between the two diagrams.

APPLICABLE EXECUTION STANDARD


EN1090-2, table A.3 : EXC2

SWECO
Sustainable engineering and design

SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE 12.06.2026	Easpring New Materials Oy		
DESIGNER Alexey Serous	SINGLE PART DRAWING		
PROJECT NUMBER 25019443	DWG. NO. E51WCL-1115	REVISION	

IN ASSEMBLY	PCS
E51WC-1001	2
E51WC-1074	2
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1116	PL15X232	S355J2+N	8	283	7.7
TOTAL:					61.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WCL-1116	

IN ASSEMBLY	PCS
E51WC-1001	2
E51WC-1074	2
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1117	PL30X233	S355J2+N	8	726	37.6
TOTAL:					301.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1117

IN ASSEMBLY	PCS
E51WC-1075	1
E51WC-1076	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1118	PL30X592	S355J2+N	2	1123	133.8
TOTAL:					267.6




APPLICABLE EXECUTION STANDARD
EN1090-2, table A.3 : EXC2

**SWECO**
Sustainable engineering and design

SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE 12.06.2026	Easpring New Materials Oy	REVISION	
DESIGNER Alexey Serous	SINGLE PART DRAWING		
PROJECT NUMBER 25019443	DWG. NO. E51WCL-1118		

IN ASSEMBLY	PCS
E51WC-1001	2
E51WC-1074	2
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1119	PL40X393	S355J2+N	8	726	84.3
TOTAL:					674.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1119	REVISION

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1121	PL30X582	S355J2+N	2	1123	131.1
TOTAL:					262.2




APPLICABLE EXECUTION STANDARD
EN1090-2, table A.3 : EXC2

**SWECO**
Sustainable engineering and design

SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE 12.06.2026	Easpring New Materials Oy	REVISION	
DESIGNER Alexey Serous	SINGLE PART DRAWING		
PROJECT NUMBER 25019443	DWG. NO. E51WCL-1121		

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1122	PL35X283	S355J2+N	6	726	53.3
TOTAL:					319.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1122

IN ASSEMBLY	PCS
E51WC-1001	4
E51WC-1074	4
E51WC-1075	4
E51WC-1076	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1123	PL20X349	S355J2+N	16	478	25.4
TOTAL:					405.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1123

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1017	1
E51WC-1063	1
E51WC-1078	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1124	PL10X230	S355J2+N	4	621	11.2
TOTAL:					44.8




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WCL-1124	

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1063	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1125	PL10X90	S355J2+N	2	576	4.0
TOTAL:					8.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026	Easpring New Materials Oy	
 Sustainable engineering and design		DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1125	REVISION

IN ASSEMBLY	PCS
E51WC-1017	1
E51WC-1078	1




Approved for Construction


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1127	PL25X210	S355J2+N	2	593	24.4
TOTAL:					48.8



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1127




IN ASSEMBLY	PCS
E51WC-1017	1
E51WC-1063	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1129	PL10X228	S355J2+N	2	262	3.4
TOTAL:					6.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1129	REVISION

IN ASSEMBLY	PCS
E51WC-1024	1
E51WC-1082	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1130	PL30X1147	S355J2+N	2	1278	293.8
TOTAL:					587.6


Re-entrant corners and notches, corner radius 	APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
	 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCL-1130

IN ASSEMBLY	PCS
E51WC-1024	2
E51WC-1079	2
E51WC-1080	2
E51WC-1081	2
E51WC-1082	2
E51WC-1083	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1131	PL40X430	S355J2+N	12	550	74.3
TOTAL:					891.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1131

IN ASSEMBLY	PCS
E51WC-1079	1
E51WC-1081	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1132	PL30X1145	S355J2+N	2	1237	285.1
TOTAL:					570.3


Re-entrant corners and notches, corner radius 	APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2	EXECUTION CLASS	EXC2
	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCL-1132 REVISION

IN ASSEMBLY	PCS
E51WC-1024	4
E51WC-1079	4
E51WC-1081	4
E51WC-1082	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1134	PL16X134	S355J2+N	16	1141	19.2
TOTAL:					306.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WCL-1134	

IN ASSEMBLY	PCS
E51WC-1025	4
E51WC-1027	2
E51WC-1028	2
E51WC-1071	2
E51WC-1072	2
E51WC-1084	2
E51WC-1085	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1136	PL40X450	S355J2+N	16	550	77.7
TOTAL:					1243.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1136
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	

IN ASSEMBLY	PCS
E51WC-1079	1
E51WC-1081	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1137	PL15X297	S355J2+N	2	294	10.2
TOTAL:					20.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1137	REVISION

IN ASSEMBLY	PCS
E51WC-1079	1
E51WC-1081	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1138	PL12X298	S355J2+N	2	294	8.2
TOTAL:					16.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1138

IN ASSEMBLY	PCS
E51WC-1080	1
E51WC-1083	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1139	PL25X803	S355J2+N	2	797	116.9
TOTAL:					233.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1139

IN ASSEMBLY	PCS
E51WC-1080	2
E51WC-1083	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1140	PL16X135	S355J2+N	6	801	13.5
TOTAL:					81.2




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1140




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1141	PL12X268	S355J2+N	2	294	7.4
TOTAL:					14.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51WCL-1141		

IN ASSEMBLY	PCS
E51WC-1018	1
E51WC-1020	1
E51WC-1067	1
E51WC-1068	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1142	PL20X220	S355J2+N	4	420	14.5
TOTAL:					57.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1142

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1013	1
E51WC-1064	1
E51WC-1065	1
E51WC-1066	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1143	PL25X700	S355J2+N	6	420	53.2
TOTAL:					319.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1143

IN ASSEMBLY	PCS
E51WC-1013	1
E51WC-1065	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1144	PL30X512	S355J2+N	2	995	93.0
TOTAL:					186.0



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1144	REVISION


IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1063	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1145	PL25X520	S355J2+N	2	411	38.9
TOTAL:					77.9

Re-entrant corners and notches,
corner radius



APPLICABLE EXECUTION STANDARD

EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi

EXECUTION CLASS

EXC2

DATE

12.06.2026

DESIGNER

Alexey Serous

PROJECT NUMBER

25019443

Easpring New Materials Oy


SINGLE PART DRAWING

DWG. NO.

E51WCL-1145


REVISION

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1063	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1146	PL15X425	S355J2+N	2	496	21.0
TOTAL:					42.0




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1146	REVISION

IN ASSEMBLY	PCS
E51WC-1017	4
E51WC-1078	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1147	PL15X95	S355J2+N	8	400	4.5
TOTAL:					35.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1147

IN ASSEMBLY	PCS
E51WC-1001	2
E51WC-1074	2
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1148	PL12X497	S355J2+N	8	403	18.8
TOTAL:					150.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1148	REVISION

IN ASSEMBLY	PCS
E51WC-1001	2
E51WC-1074	2
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1149	PL20X393	S355J2+N	8	726	44.2
TOTAL:					354.0




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1149

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	1
E51WC-1076	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1150	PL30X460	S355J2+N	4	1141	121.3
TOTAL:					485.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1150

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	1
E51WC-1076	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1151	PL30X480	S355J2+N	4	1297	133.9
TOTAL:					535.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1151	REVISION

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1
E51WC-1066	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1152	PL20X250	S355J2+N	4	582	22.8
TOTAL:					91.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1152

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1
E51WC-1066	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1154	PL20X99	S355J2+N	4	576	8.9
TOTAL:					35.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1154

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	1
E51WC-1076	1



Approved for Construction


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1155	PL30X190	S355J2+N	4	200	8.9
TOTAL:					35.7



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1155


SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1156	PL15X365	S355J2+N	2	683	25.9
TOTAL:					51.8



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1156



IN ASSEMBLY	PCS
E51WC-1066	1
E51WC-1077	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1157	PL15X365	S355J2+N	2	683	25.9
TOTAL:					51.7

Re-entrant corners and notches, corner radius

 or 

APPLICABLE EXECUTION STANDARD

EN1090-2, table A.3 : EXC2

SWECO 


Sustainable engineering and design

SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI

PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE 12.06.2026		Easpring New Materials Oy	
DESIGNER Alexey Serous		SINGLE PART DRAWING	
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1157	
		REVISION	

IN ASSEMBLY	PCS
E51WC-1063	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1158	PL10X85	S355J2+N	4	90	0.6
TOTAL:					2.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1158
		REVISION	

	IN ASSEMBLY	PCS
	E51WC-1027	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1159	PL8X297	S355J2+N	1	212	4.0
TOTAL:					4.0




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS		EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCL-1159	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1027	1
E51WC-1028	1
E51WC-1071	1
E51WC-1072	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1160	PL8X297	S355J2+N	4	228	4.2
TOTAL:					17.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1160

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1071	1
E51WC-1072	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1161	PL8X297	S355J2+N	3	281	5.2
TOTAL:					15.7



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1161

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1027	2




Approved for Construction

01	Quantity increased	FIALES	18.06.2026	FIKJER
----	--------------------	--------	------------	--------


REV.	REVISION	CHANGED BY	DATE	CHECKED BY
------	----------	------------	------	------------

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1162	PL5X37	S355J2+N	3	94	0.1
TOTAL:					0.4



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1162 01

IN ASSEMBLY	PCS
E51WC-1001	4
E51WC-1074	4
E51WC-1075	4
E51WC-1076	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1163	PL5X34	S355J2+N	16	94	0.1
TOTAL:					2.0


Re-entrant corners and notches, corner radius 	APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS		EXC2
	 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIIKKA OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy	
			DESIGNER Alexey Serous	SINGLE PART DRAWING	
			PROJECT NUMBER 25019443	DWG. NO. E51WCL-1163	REVISION

IN ASSEMBLY	PCS
E51WC-1025	2
E51WC-1079	1
E51WC-1080	1
E51WC-1081	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1164	PL10X228	S355J2+N	5	261	3.4
TOTAL:					16.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCL-1164	REVISION



IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	2
E51WC-1076	2


Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1165	PL15X282	S355J2+N	6	400	13.3
TOTAL:					79.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1165

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	1
E51WC-1076	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1166	PL20X283	S355J2+N	4	726	32.0
TOTAL:					128.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026		Easpring New Materials Oy
 Sustainable engineering and design		DESIGNER Alexey Serous		SINGLE PART DRAWING
		PROJECT NUMBER 25019443		REVISION E51WCL-1166
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		DWG. NO. E51WCL-1166		

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1167	PL12X190	S355J2+N	6	390	7.0
TOTAL:					41.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1167
		REVISION	

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1168	PL12X190	S355J2+N	6	290	5.2
TOTAL:					31.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1168

IN ASSEMBLY	PCS
E51WC-1028	2
E51WC-1071	2
E51WC-1072	2
E51WC-1074	2
E51WC-1075	6
E51WC-1076	6




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1169	PL5X144	S355J2+N	20	97	0.5
TOTAL:					11.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1169

IN ASSEMBLY	PCS
E51WC-1010	4
E51WC-1017	4
E51WC-1078	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1170	PL5X94	S355J2+N	12	197	0.7
TOTAL:					8.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCL-1170	
				REVISION	




IN ASSEMBLY	PCS
E51WC-1012	4
E51WC-1013	2
E51WC-1018	2
E51WC-1020	2
E51WC-1024	8
E51WC-1025	8
E51WC-1064	5
E51WC-1065	2
E51WC-1066	5
E51WC-1067	2
E51WC-1068	2
E51WC-1077	4
E51WC-1079	8
E51WC-1080	4
E51WC-1081	8
E51WC-1082	8
E51WC-1083	4
E51WC-1084	4
E51WC-1085	4

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1171	PL5X194	S355J2+N	86	197	1.5
TOTAL:					129.0

Approved for Construction


Re-entrant corners and notches, corner radius 	APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		E51WCL-1171
	EN1090-2, table A.3 : EXC2		EXC2		
	 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy	
			DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER	DWG. NO.	REVISION	
		25019443	E51WCL-1171		

IN ASSEMBLY	PCS
E51WC-1017	1
E51WC-1078	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1172	PL8X150	S355J2+N	2	142	1.3
TOTAL:					2.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1172

IN ASSEMBLY	PCS
E51WC-1024	1
E51WC-1025	2
E51WC-1079	1
E51WC-1080	1
E51WC-1081	1
E51WC-1082	1
E51WC-1083	1
E51WC-1084	1
E51WC-1085	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1173	PL8X110	S355J2+N	10	230	1.6
TOTAL:					15.9




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1173

IN ASSEMBLY	PCS
E51WC-1010	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1174	PL8X90	S355J2+N	1	190	1.1
TOTAL:					1.1




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCL-1174	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1079	2
E51WC-1080	2
E51WC-1081	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1175	PL15X135	S355J2+N	6	294	4.7
TOTAL:					27.9




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1175

	IN ASSEMBLY	PCS
	E51WC-1001	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1177	PL5X90	S355J2+N	1	90	0.3
TOTAL:					0.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1177
		REVISION	

IN ASSEMBLY	PCS
E51WC-1001	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1178	PL12X205	S355J2+N	1	210	4.1
TOTAL:					4.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1178

	IN ASSEMBLY	PCS
	E51WC-1001	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1179	PL5X100	S355J2+N	1	100	0.4
TOTAL:					0.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1179
		REVISION	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1180	PL12X105	S355J2+N	2	200	1.9
TOTAL:					3.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1180
		REVISION	

IN ASSEMBLY	PCS
E51WC-1084	2
E51WC-1085	2



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1181	PL15X296	S355J2+N	4	325	11.3
TOTAL:					45.2



APPLICABLE EXECUTION STANDARD


EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE 12.06.2026	Easpring New Materials Oy		
DESIGNER Alexey Serous	SINGLE PART DRAWING		
PROJECT NUMBER	DWG. NO.	REVISION	
25019443	E51WCL-1181		

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1072	1
E51WC-1084	2
E51WC-1085	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1182	PL15X138	S355J2+N	6	296	4.8
TOTAL:					28.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
		PROJECT NUMBER		25019443
		DWG. NO.		E51WCL-1182
		REVISION		

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1072	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1183	PL15X296	S355J2+N	2	325	11.3
TOTAL:					22.6



APPLICABLE EXECUTION STANDARD


EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE	12.06.2026	Easpring New Materials Oy	
DESIGNER	Alexey Serous	SINGLE PART DRAWING	
PROJECT NUMBER	25019443	DWG. NO.	REVISION
		E51WCL-1183	

IN ASSEMBLY	PCS
E51WC-1074	1
E51WC-1075	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1184	PL15X262	S355J2+N	2	355	9.0
TOTAL:					18.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1184




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1185	PL25X200	S355J2+N	2	220	8.1
TOTAL:					16.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1185

IN ASSEMBLY	PCS
E51WC-1001	2
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1186	PL25X200	S355J2+N	6	220	8.1
TOTAL:					48.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1186

IN ASSEMBLY	PCS
E51WC-1027	4
E51WC-1028	4
E51WC-1071	4
E51WC-1072	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1187	PL16X125	S355J2+N	16	228	3.5
TOTAL:					55.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026	Easpring New Materials Oy	
 Sustainable engineering and design		DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1187	REVISION

IN ASSEMBLY	PCS
E51WC-1024	2
E51WC-1079	2
E51WC-1080	2
E51WC-1081	2
E51WC-1082	2
E51WC-1083	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1188	PL10X135	S355J2+N	12	294	3.0
TOTAL:					36.5




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026	Easpring New Materials Oy	
 Sustainable engineering and design		DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER 25019443	DWG. NO. E51WCL-1188	REVISION

IN ASSEMBLY	PCS
E51WC-1025	4
E51WC-1084	2
E51WC-1085	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1189	PL10X145	S355J2+N	8	296	3.3
TOTAL:					26.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1189

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1190	PL5X194	S355J2+N	2	194	1.5
TOTAL:					3.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1190

IN ASSEMBLY	PCS
E51WC-1028	4
E51WC-1071	4
E51WC-1072	4
E51WC-1074	4
E51WC-1075	4
E51WC-1076	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1191	PL10X107	S355J2+N	24	205	1.7
TOTAL:					40.9




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1191

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1
E51WC-1066	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1192	PL8X194	S355J2+N	4	197	2.4
TOTAL:					9.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WCL-1192	

IN ASSEMBLY	PCS
E51WC-1012	2
E51WC-1064	2
E51WC-1066	2
E51WC-1077	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1193	PL10X91	S355J2+N	8	150	1.0
TOTAL:					8.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51WCL-1193		

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1
E51WC-1066	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1194	PL30X300	S355J2+N	4	576	40.7
TOTAL:					162.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1194

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	1
E51WC-1076	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1196	PL20X283	S355J2+N	4	726	32.0
TOTAL:					128.0




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1196

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	1
E51WC-1076	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1197	PL12X200	S355J2+N	4	250	4.6
TOTAL:					18.3




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51WCL-1197		

IN ASSEMBLY	PCS
E51WC-1080	2



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCL-1198	PL16X137	S355J2+N	2	801	13.7
TOTAL:					27.4



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCL-1198





PLATE GIRDER WELDING

Beam type:Wf (Welded I)

Web thickness:10.0

Profile purpose:Column/Brace

600

15.0


10.0

15.0

250

250





5175




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1001	Wf600-10-15X250	S355J2	1	5175	538.1
TOTAL:					538.1





APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
DATE 12.06.2026		Easpring New Materials Oy	
DESIGNER Alexey Serous		SINGLE PART DRAWING	
PROJECT NUMBER 25019443		DWG. NO. E51WCP-1001	
REVISION			



Approved for Construction

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE	Easpring New Materials Oy		
		12.06.2026			
		DESIGNER	SINGLE PART DRAWING		
		Alexey Serous			
		PROJECT NUMBER	DWG. NO	REVISION	
		25019443	E51WCP-1002		



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1002	W800-35-35X600	S355J2	1	11420	6106.2
TOTAL:					6106.2





Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1003	W1600-10-10X200	S355J2	1	13187	1019.3
TOTAL:					1019.3

APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
SWECO Sustainable engineering and design		SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	
DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443		Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1003 REVISION	







POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1005	WI600-10-10X200	S355J2	1	12747	985.3
TOTAL:					985.3



Approved for Construction

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1005



IN ASSEMBLY	PCS
E51WC-1084	1
E51WC-1085	1





Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1006	Wt600-10-15X250	S355J2	2	8072	839.4
TOTAL:					1678.8

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCP-1006	REVISION



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1009	WI600-10-15X250	S355J2	1	5175	538.1
TOTAL:					538.1



Approved for Construction

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WCP-1009	

IN ASSEMBLY	PCS
E51WC-1018	1
E51WC-1020	1
E51WC-1067	1
E51WC-1068	1









PLATE GIRDER WELDING

Beam type: WI (Welded I)
 Web thickness: 10.0
 Profile purpose: Column/Brace

Re-entrant corners and notches, corner radius

Approved for Construction

APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIIKKA OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous PROJECT NUMBER 25019443	SINGLE PART DRAWING DWG. NO E51WCP-1010
		REVISION	



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1012	W1600-10-10X210	S355J2	1	5175	408.1
TOTAL:					408.1

APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
SWECO Sustainable engineering and design		SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	
DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443		Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1012 REVISION	





PLATE GIRDER WELDING

Beam type: Wt (Welded I)

Web thickness: 10.0

Profile purpose: Column/Brace

10.0

210


10.0

600

10.0

210

51



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1014	W1600-10-10X210	S355J2	1	5175	408.1
TOTAL:					408.1

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1014 REVISION

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1072	1





PLATE GIRDER WELDING

Beam type: Wt (Welded I)
Web thickness: 30.0
Profile purpose: Column/Brace

800
20.0
30.0
20.0
300
12K
12K
300

Re-entrant corners and notches, corner radius

Approved for Construction

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2				
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUJ. +358 207 393 000 www.sweco.fi	DATE	Easpring New Materials Oy	
		12.06.2026	SINGLE PART DRAWING	
		DESIGNER	PROJECT NUMBER	
		Alexey Serous	DWG. NO.	REVISION
		25019443	E51WCP-1015	

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1015	WI800-30-20X300	S355J2	2	8385	2317.9
TOTAL:					4635.8






PLATE GIRDER WELDING

Beam type: Wt (Welded I)
Web thickness: 10.0
Profile purpose: Column/Brace





600
210
10.0
10.0
10.0
210



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1024	W1600-10-10X210	S355J2	1	8072	636.6
TOTAL:					636.6

APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
SWECO Sustainable engineering and design		SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	
DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443		Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1024	






Approved for Construction



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1025	W1600-10-15X250	S355J2	1	8072	839.4
TOTAL:					839.4

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO  Sustainable engineering and design		DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1025 REVISION
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi			

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1
E51WC-1075	1
E51WC-1076	1




POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1026	WI350-25-35X250	S355J2+N	4	420	81.7
TOTAL:					326.9



Approved for Construction


APPLICABLE EXECUTION STANDARD						EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2						Easpring New Materials Oy		SINGLE PART DRAWING	
SWECO Sustainable engineering and design						DATE 12.06.2026		DESIGNER Alexey Serous	
						PROJECT NUMBER 25019443		DWG. NO. E51WCP-1026	
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi						REVISION			

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1031	L100*10	S355J2	2	378	5.7
TOTAL:					11.4




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.		REVISION
25019443		E51WCP-1031		

IN ASSEMBLY	PCS
E51WC-1074	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1032	L100*10	S355J2	1	375	5.7
TOTAL:					5.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1032

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1072	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1037	T140-15-15-150	S355J2+N	2	1050	34.4
TOTAL:					68.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1037




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1038	T140-15-15-150	S355J2+N	1	1450	47.5
TOTAL:					47.5




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1038

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1071	1
E51WC-1072	1



Approved for Construction


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1045	CFRHS200X120X5	S355J2H	3	85	2.0
TOTAL:					6.1



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1045 REVISION


						IN ASSEMBLY	PCS
						E51WC-1010	1
						E51WC-1012	1
						E51WC-1013	2
						E51WC-1017	1
						E51WC-1063	1
						E51WC-1064	1
						E51WC-1066	1
						E51WC-1077	1
						E51WC-1078	1

IN ASSEMBLY	PCS
E51WC-1018	4
E51WC-1020	4
E51WC-1067	4
E51WC-1068	4







Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1081	L100*10	S355J2	16	278	4.2
TOTAL:					67.0



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1081





IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1076	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1082	W800-35-35X600	S355J2	2	11420	6106.2
TOTAL:					12212.3

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WCP-1082	REVISION



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1083	W800-35-35X600	S355J2	1	11420	6106.2
TOTAL:					6106.2

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	
		DWG. NO E51WCP-1083	
		REVISION	





PLATE GIRDER WELDING

Beam type: WI (Welded I)
Web thickness: 10.0
Profile purpose: Column/Brace

600
200
10.0
10.0
10.0
200





Re-entrant corners and notches,
corner radius

R=10 or R=10

Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1084	WI600-10-10X200	S355J2	1	12725	983.5
TOTAL:					983.5





APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
SWECO Sustainable engineering and design		SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	
DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443		Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1084	



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1085	W1600-10-10X200	S355J2	1	12285	949.5
TOTAL:					949.5

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
DATE 12.06.2026		Easpring New Materials Oy	
DESIGNER Alexey Serous		SINGLE PART DRAWING	
PROJECT NUMBER 25019443		DWG. NO. E51WCP-1085	
REVISION			





Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1086	Wf600-10-15X250	S355J2	2	7610	791.3
TOTAL:				1582.5	

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO  Sustainable engineering and design		DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1086 REVISION
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi			


IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1087	WI600-10-10X210	S355J2	2	5175	408.1
TOTAL:					816.2

PLATE GIRDER WELDING

Beam type: Wt (Welded I)
Web thickness: 10.0
Profile purpose: Column/Brace



600

210

10.0

10.0

10.0

5

5

Re-entrant corners and notches, corner radius

Approved for Construction

APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous PROJECT NUMBER 25019443	SINGLE PART DRAWING DWG. NO. E51WCP-1087
		REVISION	






PLATE GIRDER WELDING

Beam type: Wt (Welded I)
Web thickness: 10.0
Profile purpose: Column/Brace

600
10.0
210
10.0
10.0
210
51.5




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1088	W1600-10-10X210	S355J2	1	8072	636.6
TOTAL:					636.6

APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
DATE 12.06.2026		Easpring New Materials Oy	
DESIGNER Alexey Serous		SINGLE PART DRAWING	
PROJECT NUMBER 25019443		DWG. NO. E51WCP-1088	
REVISION			



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi



A - A




PLATE GIRDER WELDING

Beam type: Wt (Welded I)

Web thickness: 10.0

Profile purpose: Column/Brace

600

210

10.0

10.0

10.0

210

51

Re-entrant corners and notches,
corner radius

R=10





or

R=10

Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1089	W1600-10-10X210	S355J2	1	7610	600.1
TOTAL:					600.1





APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO Sustainable engineering and design ILMALANPORTTI 2 00240 HELSINKI		DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1089



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1090	WI600-10-10X210	S355J2	1	7610	600.1
TOTAL:					600.1

APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
SWECO Sustainable engineering and design		SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	
DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443		Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1090	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1091	W1600-10-15X250	S355J2	1	7610	791.3
TOTAL:					791.3


APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER	
		DWG. NO. REVISION	
		25019443	E51WCP-1091

IN ASSEMBLY	PCS
E51WC-1001	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1092	L100*10	S355J2	1	378	5.7
TOTAL:					5.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1092

IN ASSEMBLY	PCS
E51WC-1075	1
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1093	L100*10	S355J2	3	378	5.7
TOTAL:					17.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1093

IN ASSEMBLY	PCS
E51WC-1075	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1094	L100*10	S355J2	1	375	5.7
TOTAL:					5.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1094 REVISION

IN ASSEMBLY	PCS
E51WC-1010	1
E51WC-1078	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1095	CFRHS200X100X5	S355J2H	2	4170	92.8
TOTAL:					185.7



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1095	
				REVISION	


IN ASSEMBLY	PCS
E51WC-1017	1



E51WCP-1096

Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1096	CFRHS200X100X5	S355J2H	1	3670	81.7
TOTAL:					81.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1096
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	

IN ASSEMBLY	PCS
E51WC-1071	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1097	CFRHS150X100X3	S355J2H	1	7110	80.4
TOTAL:					80.4




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1097
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	

IN ASSEMBLY	PCS
E51WC-1024	1
E51WC-1025	2
E51WC-1079	1
E51WC-1080	1
E51WC-1081	1
E51WC-1082	1
E51WC-1083	1
E51WC-1084	1
E51WC-1085	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1098	CFRHS200X200X5	S355J2H	10	2910	87.6
TOTAL:					876.2



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1098


IN ASSEMBLY	PCS
E51WC-1017	1
E51WC-1078	1



E51WCP-1099


Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1099	CFRHS200X100X5	S355J2H	2	8890	197.9
TOTAL:					395.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1099

IN ASSEMBLY	PCS
E51WC-1075	1
E51WC-1076	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1100	CFRHS150X100X3	S355J2H	2	5380	60.9
TOTAL:					121.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1100 REVISION

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1
E51WC-1066	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1101	CFRHS200X200X5	S355J2H	4	1690	50.9
TOTAL:					203.5




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1101	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1013	1
E51WC-1018	1
E51WC-1020	1
E51WC-1065	1
E51WC-1067	1
E51WC-1068	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1102	CFRHS200X200X5	S355J2H	6	5470	164.7
TOTAL:					988.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1102

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1072	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1103	CFRHS150X100X3	S355J2H	2	7610	86.1
TOTAL:					172.2



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1103 REVISION


						IN ASSEMBLY		PCS	
						E51WC-1010		1	



E51WCP-1105


Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1105	CFRHS150X100X3	S355J2H	1	6280	71.0
TOTAL:					71.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026	Easpring New Materials Oy	
 Sustainable engineering and design		DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1105	REVISION

IN ASSEMBLY	PCS
E51WC-1063	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1106	HEA200	S355J2	1	660	27.9
TOTAL:					27.9




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1106
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1107	HEA200	S355J2	1	560	23.7
TOTAL:					23.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS		EXC2	
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1107	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1084	1
E51WC-1085	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1108	HEA340	S355J2	2	756	79.3
TOTAL:					158.5



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1108

						IN ASSEMBLY		PCS	
						E51WC-1072		1	

E51WCP-1109

						IN ASSEMBLY		PCS
						E51WC-1027		2
						E51WC-1028		1
						E51WC-1071		2
						E51WC-1072		1

						IN ASSEMBLY		PCS	
						E51WC-1028		1	

E51WCP-1111

377


<

						IN ASSEMBLY		PCS	
						E51WC-1025		2	

E51WCP-1112


</

	IN ASSEMBLY	PCS
	E51WC-1001	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1113	IPE550	S355J2	1	560	58.9
TOTAL:					58.9



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1113

[illegible]

	640
--	-----

Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1114	CFRHS100X100X6	S355J2H	1	640	10.9
TOTAL:					10.9


SWECO 
Sustainable engineering and design

SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI

PUH. +358 207 393 000
www.sweco.fi


REVISION

IN ASSEMBLY	PCS
E51WC-1075	2
E51WC-1076	2



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1115	CFRHS150X100X3	S355J2H	4	870	9.8
TOTAL:					39.4



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1115	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1027	1

515

E51WCP-1116

Approved for Construction

01	Quantity increased	FIALES	18.06.2026	FIKJER
REV.	REVISION	CHANGED BY	DATE	CHECKED BY

Re-entrant corners and notches,
corner radius

R=10

or

R=10

APPLICABLE EXECUTION STANDARD

EN1090-2, table A.3 : EXC2

SWECO

Sustainable engineering and design

SWECO RAKENNETEKNIikka OY

ILMALANPORTTI 2

00240 HELSINKI

PUH. +358 207 393 000

www.sweco.fi

DATE

12.06.2026

DESIGNER

Alexey Serous

PROJECT NUMBER

25019443

EXECUTION CLASS

EXC2

Easpring New Materials Oy

SINGLE PART DRAWING

DWG. NO.

E51WCP-1116


REVISION

01

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1116	CFRHS100X40X3	S355J2H	2	515	3.2
TOTAL:					6.3


25019443_Fair_E500

IN ASSEMBLY	PCS
E51WC-1001	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1117	CFRHS100X40X3	S355J2H	1	1030	6.3
TOTAL:					6.3




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1117	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	2
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1118	CFRHS100X40X3	S355J2H	7	1065	6.5
TOTAL:					45.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1118	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1071	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1119	UNP200	S355J2	2	250	6.3
TOTAL:					12.6



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1119

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1120	IPE240	S355J2	10	192	5.9
TOTAL:					58.9




Approved for Construction

Re-entrant corners and notches, corner radius 	APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
	 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WCP-1120 REVISION


IN ASSEMBLY	PCS
E51WC-1024	1
E51WC-1025	2
E51WC-1079	1
E51WC-1080	1
E51WC-1081	1
E51WC-1082	1
E51WC-1083	1
E51WC-1084	1
E51WC-1085	1

IN ASSEMBLY	PCS
E51WC-1025	2
E51WC-1080	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1121	CFRHS200X200X5	S355J2H	3	3706	111.6
TOTAL:					334.8




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1121	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1079	1
E51WC-1081	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1122	CFRHS200X200X5	S355J2H	2	1126	33.9
TOTAL:					67.8




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1122	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1024	1
E51WC-1082	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1123	CFRHS200X200X5	S355J2H	2	1635	49.2
TOTAL:					98.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1123

IN ASSEMBLY	PCS
E51WC-1083	1
E51WC-1084	1
E51WC-1085	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1124	CFRHS200X200X5	S355J2H	3	4215	126.9
TOTAL:					380.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1124	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1028	1
E51WC-1072	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1125	UNP200	S355J2	2	250	6.3
TOTAL:					12.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1125
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	

	IN ASSEMBLY	PCS
	E51WC-1010	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1126	IPE200	S355J2	1	192	4.3
TOTAL:					4.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1126
		REVISION	

IN ASSEMBLY	PCS
E51WC-1027	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1127	UNP200	S355J2	2	250	6.3
TOTAL:					12.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
		PROJECT NUMBER		25019443
		DWG. NO.		E51WCP-1127
		REVISION		

	IN ASSEMBLY	PCS
	E51WC-1072	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1128	UNP180	S355J2	1	250	5.5
TOTAL:					5.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1128

IN ASSEMBLY	PCS
E51WC-1078	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1129	HEA160	S355J2	1	192	5.8
TOTAL:					5.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1129




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1130	UNP180	S355J2	1	250	5.5
TOTAL:					5.5




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE		12.06.2026
 Sustainable engineering and design		DESIGNER		Easpring New Materials Oy
		Alexey Serous		SINGLE PART DRAWING
		PROJECT NUMBER		25019443
		DWG. NO.		E51WCP-1130
		REVISION		

IN ASSEMBLY	PCS
E51WC-1017	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1131	HEA160	S355J2	1	192	5.8
TOTAL:					5.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1131

IN ASSEMBLY	PCS
E51WC-1001	1
E51WC-1074	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1132	L100*12	S355J2	2	782	13.9
TOTAL:					27.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1132 REVISION




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1134	HEA260	S355J2	1	561	38.2
TOTAL:					38.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WCP-1134

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1
E51WC-1066	1
E51WC-1077	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1135	CFRHS200X200X5	S355J2H	4	907	27.3
TOTAL:					109.2




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1135

IN ASSEMBLY	PCS
E51WC-1012	1
E51WC-1064	1
E51WC-1066	1
E51WC-1077	1



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1136	CFRHS200X200X5	S355J2H	4	2210	66.5
TOTAL:					266.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1136

IN ASSEMBLY	PCS
E51WC-1024	1
E51WC-1079	1
E51WC-1081	1
E51WC-1082	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1137	CFRHS200X200X5	S355J2H	4	910	27.4
TOTAL:					109.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER 25019443		DWG. NO. E51WCP-1137	
				REVISION	

IN ASSEMBLY	PCS
E51WC-1024	1
E51WC-1079	1
E51WC-1081	1
E51WC-1082	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1138	CFRHS200X200X5	S355J2H	4	1010	30.4
TOTAL:					121.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1138

IN ASSEMBLY	PCS
E51WC-1074	2
E51WC-1075	2
E51WC-1076	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1140	HEA240	S355J2	6	403	24.3
TOTAL:					145.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1140

IN ASSEMBLY	PCS
E51WC-1028	2
E51WC-1071	2
E51WC-1072	2



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1141	HEA240	S355J2	6	255	15.4
TOTAL:					92.3



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WCP-1141

IN ASSEMBLY	PCS
E51WC-1027	1
E51WC-1071	1





PLATE GIRDER WELDING

Beam type: Wt (Welded I)
Web thickness: 30.0
Profile purpose: Column/Brace

Technical drawing of a welded I-beam cross-section. The beam has a total height of 800 mm, a top flange width of 300 mm, and a bottom flange width of 300 mm. The web thickness is 30.0 mm. The top flange is welded to the web with a 20.0 mm weld. The bottom flange is welded to the web with a 20.0 mm weld. The distance between the centerlines of the flanges is 30.0 mm. The beam is subjected to a shear force of 12K, indicated by two arrows pointing in opposite directions.


Re-entrant corners and notches, corner radius

Approved for Construction

APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous PROJECT NUMBER 25019443	SINGLE PART DRAWING DWG. NO. E51WCP-1142
		REVISION	


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WCP-1142	WI800-30-20X300	S355J2	2	7922	2190.0
TOTAL:					4380.0

IN ASSEMBLY	PCS
E51W-1007	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1001	PL30X300	S355J2+N	4	801	56.6
TOTAL:					226.4




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1001




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1002	PL30X300	S355J2+N	4	1280	90.4
TOTAL:					361.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	REVISION
PROJECT NUMBER		DWG. NO.	
25019443		E51WL-1002	

IN ASSEMBLY	PCS
E51W-1003	2
E51W-1004	2



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1003	PL15X359	S355J2+N	4	892	20.2
TOTAL:					80.9



APPLICABLE EXECUTION STANDARD


EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI
PUH. +358 207 393 000
www.sweco.fi


EXECUTION CLASS		EXC2	
DATE	12.06.2026	Easpring New Materials Oy	
DESIGNER	Alexey Serous	SINGLE PART DRAWING	
PROJECT NUMBER	25019443	DWG. NO.	REVISION
		E51WL-1003	

IN ASSEMBLY	PCS
E51W-1005	2
E51W-1009	4
E51W-1011	2
E51W-1012	2
E51W-1013	2
E51W-1014	2
E51W-1015	2



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1005	PL20X220	S355J2+N	16	791	27.3
TOTAL:					436.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1005

IN ASSEMBLY	PCS
E51W-1005	1
E51W-1015	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1009	PL15X297	S355J2+N	2	1040	35.7
TOTAL:					71.4


Re-entrant corners and notches, corner radius		APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS		EXC2			
		 SWECO Sustainable engineering and design		SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443		Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WL-1009 REVISION	

IN ASSEMBLY	PCS
E51W-1011	1
E51W-1014	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1010	PL12X297	S355J2+N	2	1040	28.6
TOTAL:					57.1




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1010

IN ASSEMBLY	PCS
E51W-1012	1
E51W-1013	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1011	PL12X247	S355J2+N	2	904	20.6
TOTAL:					41.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1011

IN ASSEMBLY	PCS
E51W-1005	2
E51W-1015	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1014	PL10X146	S355J2+N	4	602	6.9
TOTAL:					27.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1014

IN ASSEMBLY	PCS
E51W-1003	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1017	PL10X120	S355J2+N	2	165	1.6
TOTAL:					3.1




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1017

IN ASSEMBLY	PCS
E51W-1006	4
E51W-1008	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1018	PL10X120	S355J2+N	8	440	3.9
TOTAL:					31.6




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE	Easpring New Materials Oy	
 Sustainable engineering and design		12.06.2026	SINGLE PART DRAWING	
		DESIGNER	REVISION	
		Alexey Serous	E51WL-1018	
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		PROJECT NUMBER	DWG. NO.	
		25019443		



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1019	PL30X300	S355J2+N	4	1280	90.4
TOTAL:					361.7

Re-entrant corners and nottches,
corner radius

	APPLICABLE EXECUTION STANDARD
--	-------------------------------

EN1090-2, table A.3 : EXC2



SWECO RAKENNETEKNIikka OY
ILMALANPORTTI 2
00240 HELSINKI

PUH. +358 207 393 000
www.sweco.fi

EXECUTION CLASS

EXC2

DATE	12.06.2026
------	------------

Easpring New Materials Oy	
---------------------------	--

DESIGNER
Alexey Serous


SINGLE PART DRAWING

PROJECT NUMBER
25019443

DWG. NO. E51WL-1019


25019443 Fair E500

IN ASSEMBLY	PCS
E51W-1001	1
E51W-1028	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1020	PL30X600	S355J2+N	2	1600	226.1
TOTAL:					452.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1020

IN ASSEMBLY	PCS
E51W-1001	1
E51W-1028	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1021	PL30X600	S355J2+N	2	1600	226.1
TOTAL:					452.2




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1021

IN ASSEMBLY	PCS
E51W-1001	1
E51W-1028	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1022	PL15X223	S355J2+N	2	286	6.3
TOTAL:					12.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1022

IN ASSEMBLY	PCS
E51W-1001	8
E51W-1007	4
E51W-1028	8



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1023	PL5X37	S355J2+N	20	94	0.1
TOTAL:					2.7




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026	Easpring New Materials Oy	
 Sustainable engineering and design		DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER 25019443	DWG. NO. E51WL-1023	REVISION

--


Re-entrant corners and notches, corner radius	APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
	SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWG. NO. E51WL-1024 REVISION

	IN ASSEMBLY	PCS
	E51W-1009	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1025	PL5X47	S355J2+N	4	144	0.3
TOTAL:					1.1




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WL-1025
SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		REVISION	

IN ASSEMBLY	PCS
E51W-1001	4
E51W-1028	2



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1026	PL12X260	S355J2+N	6	220	5.4
TOTAL:					32.3




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WL-1026

IN ASSEMBLY	PCS
E51W-1001	4
E51W-1028	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1027	PL15X183	S355J2+N	8	1216	26.1
TOTAL:					208.8




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE	Easpring New Materials Oy
		12.06.2026	SINGLE PART DRAWING
		DESIGNER Alexey Serous	
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WL-1027	

IN ASSEMBLY	PCS
E51W-1006	4
E51W-1008	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1028	PL5X50	S355J2+N	8	2000	3.9
TOTAL:					30.8




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2
EN1090-2, table A.3 : EXC2		DATE 12.06.2026	Easpring New Materials Oy	
 Sustainable engineering and design		DESIGNER Alexey Serous	SINGLE PART DRAWING	
		PROJECT NUMBER 25019443	DWG. NO. E51WL-1028	REVISION

IN ASSEMBLY	PCS
E51W-1011	2
E51W-1012	2
E51W-1013	2
E51W-1014	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WL-1029	PL10X146	S355J2+N	8	607	7.0
TOTAL:					55.6



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE		Easpring New Materials Oy	
		12.06.2026			
		DESIGNER		SINGLE PART DRAWING	
		Alexey Serous			
		PROJECT NUMBER		DWG. NO.	
		25019443		E51WL-1029	

IN ASSEMBLY	PCS
E51W-1001	1
E51W-1028	1



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1001	WI1300-15-40X400	S355J2	2	7824	3095.7
TOTAL:					6191.4



PLATE GIRDER WELDING

Beam type: WI (Welded I)
 Web thickness: 15.0
 Profile purpose: Column/Brace

Re-entrant corners and notches, corner radius



Approved for Construction

APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous PROJECT NO. 25019443	SINGLE PART DRAWING DWG. NO. E51WP-1001
		REVISION	




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1002	WI1000-15-30X400	S355J2	2	7824	2346.4
TOTAL:					4692.8




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WP-1002	REVISION





Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1004	W800-8-20X300	S355J2	2	7877	1119.7
TOTAL:					2239.4

PLATE GIRDER WELDING	
Beam type:	WJ (Welded I)
Web thickness:	8.0
Profile purpose:	Column/Brace



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WP-1004	REVISION



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1005	WI1000-15-30X400	S355J2	2	7824	2346.4
TOTAL:					4692.8

PLATE GIRDER WELDING

Beam type: WI (Welded I)

Web thickness: 15.0

Profile purpose: Column/Brace

1000

30.0

400

15.0

30.0

400

Re-entrant corners and notches,
corner radius



R=10

or

R=10

Approved for Construction


APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE	Easpring New Materials Oy
		DESIGNER	SINGLE PART DRAWING
		PROJECT NUMBER	
		DWG. NO	
		25019443	E51WP-1005
		REVISION	



Approved for Construction


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1006	W800-8-20X300	S355J2	2	8314	1181.9
TOTAL:					2363.8

PLATE GIRDER WELDING
Beam type: WJ (Welded I)
Web thickness: 8.0
Profile purpose: Column/Brace




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
SWECO  Sustainable engineering and design		DATE 12.06.2026 DESIGNER Alexey Serous PROJECT NUMBER 25019443	Easpring New Materials Oy SINGLE PART DRAWING DWS. NO. E51WP-1006 REVISION

IN ASSEMBLY	PCS
E51W-1003	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1007	L100*10	S355J2	4	7510	113.2
TOTAL:					452.8




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WP-1007
		REVISION	

IN ASSEMBLY	PCS
E51W-1007	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1008	CFRHS100X40X3	S355J2H	2	7791	47.8
TOTAL:					95.5




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WP-1008



Approved for Construction



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1009	W800-8-20X300	S355J2	5	8070	1147.2
TOTAL:					5736.1

PLATE GIRDER WELDING	
Beam type:	WJ (Welded I)
Web thickness:	8.0
Profile purpose:	Column/Brace



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
SWECO Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WP-1009	REVISION


IN ASSEMBLY	PCS
E51W-1011	1
E51W-1014	1



Approved for Construction



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1011	W800-8-20X300	S355J2	2	8314	1181.9
TOTAL:					2363.8

PLATE GIRDER WELDING	
Beam type:	WJ (Welded I)
Web thickness:	8.0
Profile purpose:	Column/Brace



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WP-1011	


IN ASSEMBLY	PCS
E51W-1005	1
E51W-1015	1



Approved for Construction



POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1012	W800-8-20X300	S355J2	2	8314	1181.9
TOTAL:					2363.8

PLATE GIRDER WELDING	
Beam type:	WJ (Welded I)
Web thickness:	8.0
Profile purpose:	Column/Brace



APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER		DWG. NO.	REVISION
25019443		E51WP-1012	


IN ASSEMBLY	PCS
E51W-1012	1
E51W-1013	1



Approved for Construction


POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1013	W800-8-20X300	S355J2	2	8314	1181.9
TOTAL:					2363.8

PLATE GIRDER WELDING	
Beam type:	WJ (Welded I)
Web thickness:	8.0
Profile purpose:	Column/Brace




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
PROJECT NUMBER 25019443		DWG. NO. E51WP-1013	REVISION

IN ASSEMBLY	PCS
E51W-1003	4




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1028	L100*10	S355J2	4	1190	17.9
TOTAL:					71.7




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WP-1028

IN ASSEMBLY	PCS
E51W-1001	1
E51W-1028	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1030	CFRHS100X40X3	S355J2H	2	2225	13.6
TOTAL:					27.3




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS		EXC2	
EN1090-2, table A.3 : EXC2					
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026		Easpring New Materials Oy	
		DESIGNER Alexey Serous		SINGLE PART DRAWING	
		PROJECT NUMBER		DWG. NO.	
		25019443		E51WP-1030	
				REVISION	

IN ASSEMBLY	PCS
E51W-1001	1
E51W-1028	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1031	CFRHS100X40X3	S355J2H	2	4965	30.4
TOTAL:					60.9




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WP-1031 REVISION

IN ASSEMBLY	PCS
E51W-1001	2
E51W-1028	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1032	CFRHS100X40X3	S355J2H	4	260	1.6
TOTAL:					6.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WP-1032 REVISION

IN ASSEMBLY	PCS
E51W-1005	1
E51W-1011	1
E51W-1012	1
E51W-1013	1
E51W-1014	1
E51W-1015	1




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1033	CFRHS100X50X5	S355J2H	6	8264	86.7
TOTAL:					520.0




APPLICABLE EXECUTION STANDARD		EXECUTION CLASS	
EN1090-2, table A.3 : EXC2		EXC2	
 SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	REVISION E51WP-1033

IN ASSEMBLY	PCS
E51W-1009	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1034	CFRHS150X50X5	S355J2H	2	8264	118.7
TOTAL:					237.4




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WP-1034 REVISION

IN ASSEMBLY	PCS
E51W-1004	2




Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1035	CFRHS100X50X5	S355J2H	2	7610	79.8
TOTAL:					159.6




APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design		DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WP-1035

IN ASSEMBLY	PCS
E51W-1010	5



Approved for Construction

POS	PROFILE	MATERIAL	PCS	LENGTH	WEIGHT
E51WP-1036	CFRHS100X50X5	S355J2H	5	8040	84.3
TOTAL:					421.6



APPLICABLE EXECUTION STANDARD EN1090-2, table A.3 : EXC2		EXECUTION CLASS EXC2	
 Sustainable engineering and design	SWECO RAKENNETEKNIikka OY ILMALANPORTTI 2 00240 HELSINKI PUH. +358 207 393 000 www.sweco.fi	DATE 12.06.2026	Easpring New Materials Oy
		DESIGNER Alexey Serous	SINGLE PART DRAWING
		PROJECT NUMBER 25019443	DWG. NO. E51WP-1036 REVISION