Appendix B - Plots


September 2026

1 Unfilled Radar Charts

Figure 1: First Split



(a) F1 Scores: Single Models



(b) MCC: Single Models




(c) F1 Score: XSTest Contrast Categories




(d) Specificity: XSTest Non-Contrast Categories


Figure 2: Second Split




(a) F1 Score: ExpGuardMix Input Categories



(b) MCC: ExpGuardMix Input Categories



(c) F1 Score: ExpGuardMix Input&Output Categories



(d) MCC: ExpGuardMix Input&Output Categories


Figure 3: Third Split



(a) F1 Score: WildGuardMix Categories




(b) MCC: WildGuardMix Categories




(c) F1 Score: PatientSafetyBench Categories

2 Filled Radar Charts


Figure 4: First Split




(a) F1 Scores: Single Models



(b) MCC: Single Models




(c) F1 Score: XSTest Contrast Categories




(d) Specificity: XSTest Non-Contrast Categories


Figure 5: Second Split



(a) F1 Score: ExpGuardMix Input Categories



(b) MCC: ExpGuardMix Input Categories




(c) F1 Score: ExpGuardMix Input&Output Categories



(d) MCC: ExpGuardMix Input&Output Categories

Figure 6: Third Split



(a) F1 Score: WildGuardMix Categories



(b) MCC: WildGuardMix Categories



(c) F1 Score: PatientSafetyBench Categories