

## Funambol Admin Settings

Profile 1

Add new profile

Add new profile

Profile name

Profile 2

Choose a human readable name for this profile.

Server Url

http://funambol.com:8888/ds

e.g.: http://my.funambol.com:8888/ds

Profile machine name

profile2

Choose a machine readable name for this profile. Avoid whitespace and special characters.

Save

# Funambol Admin Settings

Profile 1	Profile 2	Add new profile		
Server Settings	User Accounts	Access Restriction	Contact Settings	Calendar Settings

Diese Tabs erscheinen erst, wenn für das Handling der Kontakte/Kalender/etc das zugehörige Modul installiert ist.

Server	Info
<p>Server Url</p> <input type="text" value="http://funambol.com:8888/ds"/> <p>e.g.: <a href="http://my.funambol.com:8888/ds">http://my.funambol.com:8888/ds</a></p> <p>Account Settings</p> <p><input type="radio"/> One general account</p> <p><input checked="" type="radio"/> User specific account</p> <p><small>Choose, whether every user has his own account, or if there is</small></p> <p>Account name</p> <input type="text" value="MrHenderson"/> <p>Password</p> <input type="password" value="*****"/>	<p>This page allows you to enter the Server URL. You can specify if you want to use one specific Funambol Account for this Server, or if every user has his/her own Account. The Accounts can be managed under "User Accounts".</p> <p>If you want to activate the sync process for this profile, go to the following url:</p> <p><a href="http://my.domain.com/fsync/profile1">http://my.domain.com/fsync/profile1</a></p>

Save

# Funambol Admin Settings

Profile 1	Profile 2	Add new profile		
Server Settings	User Accounts	Access Restriction	Contact Settings	Calendar Settings

### User Accounts

Users

Mr X

Mr Y

MrHenderson

Mrs Behave

### Account credentials

☒ Enable this user to use "Profile 1"

Account name

Password

This settings can be changed in the user profile, if the permissions are granted.

# Funambol Admin Settings

Profile 1	Profile 2	Add new profile		
Server Settings	User Accounts	Access Restriction	Contact Settings	Calendar Settings

## Access Restriction

### Users

- ☐ no access restriction
- ☒ use a permission for this profile

access profile1 synchronization

This screen allows to restrict access to this funambol profile based on a permission. This is additional to whatever options you have chosen in the Server Settings and User Accounts panel. This can be used to allow Synchronization for certain user groups to a profile that uses a single funambol login.

Save

# Funambol Admin Settings

Profile 1	Profile 2	Add new profile		
Server Settings	User Accounts	Access Restriction	Contact Settings	Calendar Settings

## Contact Settings

### Sync Options

- ☒ Sync Contacts
- ☒ One-way (Drupal->Server)
- ☐ Two-way
- ☐ One-way (Server->Drupal)

### Content selection

- ☒ use all
- ☐ use View

SyncContacts : default

Save

## Content Type

Choose content type to sync with

person

Field	datafield	VCard-Item	VCard-Value
Title	-	Name	-
field_address	value	Privatadr.	-
field_address	value	Gesch.Adr.	-
field_address	value	Paket.Adr.	-

Save

Die Auswahlmöglichkeiten hier sind so noch nicht gut, eigentlich brauchen wir (für die Entities) noch eine Zuordnung wie man zum Beispiel eine als "privat" markierte Adresse (welches eine Entity ist) dann zuweist. Da fällt mir aber gerade keine Oberfläche ein, die das leisten kann. (Thorsten fragen)

Ganz großes Problem ist auch, dass Adressen in VCards immer "ein Feld" sind, in nodetypen/entities höchstwahrscheinlich aber als mehrfeld gespeichert