

ID	Test Case	Precondition	Test Steps	Test Data (Request Body)	Expected Result	Actual Result	Status	Jira Bug Link
1	Create the courier login only with Latin letters.	Valid API for login exists.	1. Enter login with only Latin letters 2. Submit the form or API call	{ "login": "ninja" "password": "1234" "firstName": "kasko" }	A 201 created code should be returned to confirm a courier was created.	A 201 created code is returned to confirm a courier was created.	Passed	
3	Create the courier login with 2 characters.	Valid API exists.	1. Enter login with 2 characters 2. Submit login request	{ "login": "ni" "password": "1234" "firstName": "kasko" }	A 201 created code should be returned to confirm a courier was created.	A 201 created code is returned to confirm a courier was created.	Passed	
4	Create the courier login with 10 characters.	Valid API exists.	1. Enter login with exactly 10 characters 2. Submit login request	{ "login": "christopher" "password": "1234" "firstName": "kasko" }	A 201 created code should be returned to confirm a courier was created.	A 201 created code is returned to confirm a courier was created.	Passed	
6	Create the courier login using special characteres (negative testing).	Valid API exists.	1. Enter login with special characters (e.g. @#%) 2. Submit request	{ "login": "Crist@ph!\$" "password": "1234" "firstName": "kasko" }	A 409 status code with the message "This login is not available. Try another" should be returned	A 201 created code is returned to confirm a courier was created.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
6	Create the courier login with 1 character (negative testing).	Valid API exists.	1. Enter login with 1 character 2. Submit login request	{ "login": "n" "password": "1234" "firstName": "kasko" }	A 409 status code with the message "This login is not available. Try another" should be returned	A 409 status code with the message "This login is not available. Try another" is returned.	Passed	
7	Create the courier without the login credentials.	Valid API exists.	1. Leave the login field empty 2. Fill the password 3. Fill the name 4. Submit	{ "login": "" "password": "1234" "firstName": "kasko" }	A 400 bad request code is expected.	A 400 bad request code is returned.	Passed	
8	Create the courier login with 11 characters (negative testing).	Valid API exists.	1. Enter login with 11 characters 2. Submit request	{ "login": "ninjaninja" "password": "1234" "firstName": "kasko" }	A 409 status code with the message "This login is not available. Try another" should be returned	A 201 created code is returned to confirm a courier was created.	Failed	https://pencillogic.atlassian.net/browse/FP-77a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
9	Attempt to create a courier account without providing login data.	Valid API exists.	1. Leave the login field empty 2. Submit the request	{ "login": "" "password": "1234" "firstName": "kasko" }	A code 400 bad request returns.	Empty Login Field Returns 200 OK Instead of 400 Bad Request	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
10	Create the courier Password with only numbers and exacly 4 digits.	Password validation requires 4-digit numbers.	1. Enter password like 1234 2. Submit	{ "login": "ninja" "password": "1234" "firstName": "kasko" }	A 201 created code should be returned to confirm a courier was created.	A 201 created code is returned to confirm a courier was created.	Passed	
11	Create the courier password with 1 digits.	Password validation in place.	1. Enter password like 1 2. Submit	{ "login": "ninja" "password": "1" "firstName": "kasko" }	400 bad request code should be returned for a password that doesn't have exactly 4 digits	409 Conflict code returned instead of 400 Bad Request for invalid password format.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
12	Create the courier password with 2 digits.	Password validation in place.	1. Enter password like 12 2. Submit	{ "login": "ninja" "password": "12" "firstName": "kasko" }	400 bad request code should be returned for a password that doesn't have exactly 4 digits	201 created code returned instead of 400 Bad Request for invalid password format.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
13	Create the courier password with 3 digits.	Password validation in place.	1. Enter password like 123 2. Submit	{ "login": "ninja" "password": "123" "firstName": "kasko" }	400 bad request code should be returned for a password that doesn't have exactly 4 digits	201 created code returned instead of 400 Bad Request for invalid password format.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
14	Create the courier password with numbers and latin letters.	Password validation in place.	1. Enter password like 1ABC 2. Submit	{ "login": "ninja" "password": "1ABC" "firstName": "kasko" }	400 bad request code should be returned for a password that doesn't have only numbers.	201 created code returned instead of 400 Bad Request for invalid password format.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
15	Create the courier password with numbers and special characters.	Password validation in place.	1. Enter password like @123 2. Submit	{ "login": "ninja" "password": "@234" "firstName": "kasko" }	400 bad request code should be returned for a password that doesn't have only numbers.	201 created code returned instead of 400 bad request for invalid password format.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
16	Create the courier password with only special characters.	Password validation in place.	1. Enter password like @#%\$ 2. Submit	{ "login": "ninja" "password": "@#%\$" "firstName": "kasko" }	400 bad request code should be returned for a password that doesn't have only numbers.	201 created code returned instead of 400 bad request for invalid password format.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
17	Leave the courier password empty.	Password validation in place.	1. Leave the password field empty 2. Submit	{ "login": "ninja" "password": "" "firstName": "kasko" }	400 bad request code should be returned.	400 bad request code is returned.	Passed	
18	Check lower boundary numbers.	Password validation in place.	1. Enter password 0000 2. Submit	{ "login": "ninja" "password": "0000" "firstName": "kasko" }	201 created code request must return.	201 created code request is returned.	Passed	
19	Check upper boundary numbers.	Password validation in place.	1. Enter password 9999 2. Submit	{ "login": "ninja" "password": "9999" "firstName": "kasko" }	201 created code request must return.	201 created code request is returned.	Passed	
20	Create the courier First name field with only 2 characters.	User enter the login and password.	1. Enter name like Fa 2. Submit form	{ "login": "ninja" "password": "1234" "firstName": "fa" }	201 created code request must return.	201 created code request is returned.	Passed	
21	Create the courier First name field with 10 characters.	User enter the login and password.	1. Enter name like Christopher 2. Submit	{ "login": "ninja" "password": "1234" "firstName": "christopher" }	201 created code request must return.	201 created code request is returned.	Passed	
22	Create the courier First name field with only 1 character.	User enter the login and password.	1. Enter name like f 2. Submit	{ "login": "ninja" "password": "1234" "firstName": "f" }	400 bad request code request must return.	409 conflict code request is returned.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9
23	Create the courier First name field with 11 characters.	User enter the login and password.	1. Enter name like Alexandrine 2. Submit	{ "login": "ninja" "password": "1234" "firstName": "Alexandrine" }	400 bad request code request must return.	201 created code request is returned.	Failed	https://pencillogic.atlassian.net/browse/FP-67a6OrigmevJpJpN2yNmMnZnNTBNDQ2m1W0YV3M4YTMtRtVjgLCJwJpJpJ9

24	Create the courier First name field with only special characters.	User enter the login and password.	1. Enter name like "%&" 2. Submit	{ "login": "%&%", "password": "1234", "firstName": "%&" }	400 bad request code request must return.	201 created code request is returned.	Failed	https://pactio.slack.com/messages/FP-177240?thread=mn4URMTA2NDg3NGOON2V2Uz7Mh0TARMSU4Nn8L_CjwjdcaJg
25	Delete an existing courier successfully.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	{ "id": "1" }	A 200 OK code should be returned to confirm the action was successful.	A 200 OK code should be returned to confirm the action was successful.	Passed	
26	Delete an existing courier twice.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	{ "id": "1" }	A 404 not found , there's no courier with this ID code must return.	404 not found code returned.	Passed	
27	Delete a courier that does not exist.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	https://front-5b7736a2-cf41-431d-840b-85bc3bb8ac22.containerhub.tripleten-services.com/api/v1/courier/3	404 Not found code is expected.	404 Not found code is returned.	Passed	
28	Ensure linked orders are deleted when courier is deleted.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	https://front-5b7736a2-cf41-431d-840b-85bc3bb8ac22.containerhub.tripleten-services.com/api/v1/courier/3			Failed	
29	Attempt deletion with invalid courier ID format.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	https://front-5b7736a2-cf41-431d-840b-85bc3bb8ac22.containerhub.tripleten-services.com/api/v1/courier/3	404 Not found code is expected.	404 Not found code is returned.	Blocked	
30	Unauthorized access to delete courier.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	https://front-5b7736a2-cf41-431d-840b-85bc3bb8ac22.containerhub.tripleten-services.com/api/v1/courier/3		TEST COULD NOT BE EXECUTED BLOCKED BY TEST 24 FAILED.	Blocked	
31	Attempt Deletion when courier has active (unfinished) orders.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	https://front-5b7736a2-cf41-431d-840b-85bc3bb8ac22.containerhub.tripleten-services.com/api/v1/courier/3		TEST COULD NOT BE EXECUTED BLOCKED BY TEST 24 FAILED.	Blocked	
32	Attempt Deletion when all orders are completed.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	https://front-5b7736a2-cf41-431d-840b-85bc3bb8ac22.containerhub.tripleten-services.com/api/v1/courier/3		TEST COULD NOT BE EXECUTED BLOCKED BY TEST 24 FAILED.	Blocked	
33	Verify deleted courier cannot accept orders.	Create a courier account and log in to generate a courier ID.	1. Enter the URL and API endpoint to delete the courier account. 2. Submit	https://front-5b7736a2-cf41-431d-840b-85bc3bb8ac22.containerhub.tripleten-services.com/api/v1/courier/3		TEST COULD NOT BE EXECUTED BLOCKED BY TEST 24 FAILED.	Blocked	